PUBLIC PROCUREMENT REGULATORY AUTHORITY (PPRA)

CONTRACT AWARD PROFORMA – I (As Per Rule 47 of PP Rules, 2004)

To Be Filled And Uploaded on PPRA Website In Respect of All Public Contracts of Works, Services and Goods

A	NAME OF THE ORGANIZATION/DEPTT. National Disaster Management
	Authority, Islamabad
A	FEDERAL / PROVINCIAL GOVT. Federal Government
>	TITLE OF CONTRACT. Supply of PCR Lab Kits (Diagnostic Testing Kit)
A	TENDER NUMBER Emergency Procurement
A	BRIEF DESCRIPTION OF CONTRACT Procurement of PCR Lab Kits
	(Diagnostic Testing Kit).
A	TENDER VALUEPKR 30,200,000/-
4	ENGINEER'S ESTIMATE No (for civil Works only)
1	ESTIMATED COMPLETION PERIOD 1st May, 2021
A	WHETHER THE PROCUREMENT WAS INCLUDED IN ANNUAL PROCUREMENT PLAN? No, because this procurement was made for unforeseen pandemic COVID-19 Yes/No
A	ADVERTISEMENT:
	(i) PPRA Website <u>N/A</u> Yes / No (Federal Agencies) (If yes give date and PPRA's tender number)
	(ii) News Papers <u>N/A</u> Yes / No (If yes give names of newspapers and dates)
A	TENDER OPENED ON (DATE & TIME) N/A
4	NATURE OF PURCHASE <u>Local</u> Local / International
7	EXTENSION IN DUE DATE (If any) No Yes / No

2ndma 61021 Poll
por 3006

A	NUMBER OF TENDER DOCUMENTS SOLD <u>N/A</u> (Attach list of Buyers)
	WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING/TENDER DOCUMENTS (If yes enclose a copy). N/A Yes / No
Δ	WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING/TENDER DOCUMENTS (If yes enclose a copy). N/A Yes / No
>	WHICH METHOD OF PROCUREMENT WAS USED: - (Tick one)
	a) SINGLE STAGE – ONE ENVELOPE PROCEDURE
	b) SINGLE STAGE - TWO ENVELOPE PROCEDURE.
	c) TWO STAGE BIDDING PROCEDURE.
	d) TWO STAGE – TWO ENVELOPE BIDDING PROCEDURE
	- PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED WITH BRIEF REASONS (i.e EMERGENCY, DIRECT CONTRACTING, NEGOTIATED TENDERING ETC.) NDMA in pursuance of emergency situation and as decided by the National Security Committee in its meeting chaired by the Prime Minister of Pakistan on 13 th March, 2020 due to COVID-19 in the country initiated emergency procurement under the provision of relevant clauses in NDMA act-2010 (Clause 32) and PPRA-Rule 2004 (42-C-V).
	- WHO IS THE APPROVING AUTHORITY National Authority, NDMA.
	WHETHER APPROVAL OF COMPETENT AUTHORITY WAS OBTAINED FOR USING A METHOD OTHER THAN OPEN COMPETITIVE BIDDING. Yes
	NUMBER OF BIDS RECEIVED N/A
	WHETHER THE SUCCESSFUL BIDDER WAS LOWEST BIDDER $\underline{\text{N/A}}$ Yes / No
	WHETHER INTEGRITY PACT WAS SIGNEDYes / No

PUBLIC PROCUREMENT REGULATORY AUTHORITY (PPRA) (As Per Rule 47 of PP Rules, 2004)

CONTRACT AWARD PROFORMA - II

To Be Filled And Uploaded on PPRA Website In Respect of All Public Contracts of Works, Services & Goods Worth

- > NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS N/A
- NAME AND ADDRESS OF THE SUCCESSFUL BIDDER M/s Syed Alla-ud-Din & Company, House # 104, 105 Defense Officers Housing Scheme Survey 114 Chama Road, Quetta.
- RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1st, 2nd, 3rd EVALUATED BID).
 N/A
- > IN CASE EXTENSION WAS MADE IN RESPONSE TIME, WHAT WERE THE REASONS (Briefly describe)

 No Extension was made



- WHETHER NAMES OF THE BIDDERS AND THEIR PRICES WERE READ OUT AT THE TIME OF OPENING OF BIDS N/A Yes / No
- DATE OF CONTRACT SIGNING (Attach a copy of agreement)

28th April, 2021

CONTRACT AWARD PRICE

Thirty Million Two Hundred Thousand only

(RS. 30,200,000/-)

> WHETHER COPY OF EVALUATION REPORT GIVEN TO ALL

BIDDERS

N/A

Yes / No

(Attach copy of the bid evaluation report)

ANY COMPLAINTS RECEIVED (If yes result thereof) No

Yes /+ No

ANY DEVIATION FROM SPECIFICATIONS GIVEN IN THE TENDER NOTICE/DOCUMENTS No (If yes give details)

Yes / No

DEVIATION FROM QUALIFICATION CRITERIA (If yes give details)

No

Yes / No

SPECIAL CONDITIONS, IF Any (Give Brief Description)

Emergency Procurement was made from already qualified firms through tender on the basis of readily available stock in the line with direction of National Command and Operation center dated 21st April, 2020. NDMA to issue testing kits to provinces to enhance their testing capacity. Moreover, NDMA to Maintain National res of 0.5 Million Kits at all time. Owing to resurgence of Corona cases during 3rd wave of COVID-19

[F.No.2/1/2008PPRA-RA.III]

