PUBLIC PROCUREMENT REGULATORY AUTHORITY (PPRA)

CONTRACT AWARD PROFORMA – I

To Be Filled And Uploaded on PPRA Website In Respect of All Public Contracts of Works, Services and Goods

| NAME OF THE ORGANIZATION/DEPTT | OIL AND GAS DEVELOPMENT COMPANY |
|--|--|
| | LIMITED |
| FEDERAL / PROVINCIAL GOVT | FEDERAL |
| TITLE OF CONTRACT | 2D SEISMIC DATA PRESTACK TIME MIGRATION PROCESSING OF KHUZDAR NORTH E.L. |
| TENDER NUMBER | PROC-SERVICES/LCB/EXPL-5019/2021 |
| BRIEF DESCRIPTION OF CONTRACT | 2D SEISMIC DATA PRESTACK TIME MIGRATION PROCESSING OF KHUZDAR NORTH E.L. |
| TENDER VALUE | USD 119,750/- |
| ENGINEER'S ESTIMATE (for civil Works only) | NOT APPLICABLE |
| ESTIMATED COMPLETION PERIOD | Total turnaround time of the project upto PSTM is 05 months (including the deliverables) from the date of data handing over to the contractor. |
| WHETHER THE PROCUREMENT WAS INCLUDED IN ANNUAL PROCUREMENT PLAN? | YES |
| ADVERTISEMENT : | |
| (i) PPRA Website | No, tender enquires were issued to prequalified bidders. |
| (ii) News Papers | No, tender enquires were issued to prequalified bidders. |
| TENDER OPENED ON (DATE & TIME) | 18 th May, 2021, 1130 Hours |
| NATURE OF PURCHASE | INTERNATIONAL |
| EXTENSION IN DUE DATE (If any) | NO |
| NUMBER OF TENDER DOCUMENTS SOLD | (AVAILABLE FREE, UPLOADED ON OGDCL WEBSITE) |
| WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING/TENDER DOCUMENTS (If yes enclose a copy). | YES |
| WHETHER BID EVALUATION CRITERIA WAS | YES |

1092cl 1722 - pon 3434

| INCLUDED IN BIDDING/TENDER DOCUMENTS | |
|---|---|
| (If yes enclose a copy). | |
| WHICH METHOD OF PROCUREMENT WAS | |
| USED (Tick one) | |
| a. SINGLE STAGE — ONE ENVELOPE PROCEDURE | |
| b. SINGLE STAGE - TWO ENVELOPE PROCEDURE | ✓ |
| c. TWO STAGE BIDDING PROCEDURE | |
| d. TWO STAGE – TWO ENVELOPE BIDDING PROCEDURE | |
| PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED WITH BRIEF REASONS (i.e EMERGENCY, DIRECT CONTRACTING, NEGOTIATED TENDERING ETC.) | NOT APPLICABLE |
| WHO IS THE APPROVING AUTHORITY | PROCUREMENT COMMITTEE |
| WHETHER APPROVAL OF COMPETENT AUTHORITY WAS OBTAINED FOR USING A METHOD OTHER THAN OPEN COMPETITIVE BIDDING | NOT APPLICABLE |
| NUMBER OF BIDS RECEIVED | Three (03) |
| WHETHER THE SUCCESSFUL BIDDER WAS LOWEST BIDDER | YES (HIGHEST RANKED BIDDER) 80% weight-age to technical and 20% to financial. |
| WHETHER INTEGRITY PACT WAS SIGNED | YES |

PUBLIC PROCUREMENT REGULATORY AUTHORITY (PPRA)

CONTRACT AWARD PROFORMA - II

To Be Filled And Uploaded on PPRA Website In Respect of All Public Contracts of Works, Services & Goods

| NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS NAME AND ADDRESS OF THE SUCCESSFUL BIDDER M/s Thrust Belt Imaging Inc Suite# 215, 605, 11th av SW, Calgary Ab, T2R 0E1 Canada Telephone: +1 403 619 1824 RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1st, 2nd, 3rd EVALUATED BID) NEED ANALYSIS (Why the procurement was necessary?) NEED ANALYSIS (Why the procurement was necessary?) Khuzdar North JV has acquired approximately 473 L. Km 2D seismic data in the E.L and the same data set has been processed at OGDCL's in house processing which is still underway, the data quality needs to be improved for delineation of the subsurface structural imaging. In further efforts to improve the quality of the data processing, two seismic lines have also been assigned to another independent team for processing at OGDCL's processing center. Keeping in view all these efforts, conventional processing did not contribute adequate improvement of the subsurface image to effectively delineate the subsurface horizons/ faults for proper mapping of the target structures. IN CASE EXTENSION WAS MADE IN RESPONSE TIME, WHAT WERE THE REASONS (Briefly describe) WHETHER NAMES OF THE BIDDERS AND THEIR PRICES WERE READ OUT AT THE TIME OF OPENING OF BIDS DATE OF CONTRACT SIGNING (Attach a copy of agreement) CONTRACT AWARD PRICE ODENING OF BIDS CONTRACT SIGNED ON 2nd February, 2022. | Tublic Collitacis of WC | orks, services & Goods |
|--|--|---|
| M/s Thrust Belt Imaging Inc Suite# 215, 605, 11 th av SW, Calgary Ab, T2R 0E1 Canada Telephone: +1 403 619 1824 RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1 st , 2 nd , 3 rd EVALUATED BID) NEED ANALYSIS (Why the procurement was necessary?) NO NEED ANALYSIS (Why the procurement was necessary? NO NEED ANALYSIS (Why the procurement was necessary?) No necessary? No necessary? No necessary? | | One (01) |
| Calgary Ab, T2R 0E1 Canada Telephone: +1 403 619 1824 RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1st, 2nd, 3rd EVALUATED BID) NEED ANALYSIS (Why the procurement was necessary?) RED ANALYSIS (Why the procure approximately 473 L. Km 2D seismic data in the E.L and the same data set has been processing there. L. and the same data set has been processing there in house processing there in house proce | NAME AND ADDRESS OF THE SUCCESSFUL | |
| RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1s, 2nd, 3rd EVALUATED BID) NEED ANALYSIS (Why the procurement was necessary?) Khuzdar North JV has acquired approximately 473 L. Km 2D seismic data in the E.L and the same data set has been processed at OGDCL's in house processing facilities. Based on the resultant product after in house processing which is still underway, the data quality needs to be improved for delineation of the subsurface structural imaging. In further efforts to improve the quality of the data processing, two seismic lines have also been assigned to another independent team for processing at OGDCL's processing center. Keeping in view all these efforts, conventional processing did not contribute adequate improvement of the subsurface horizons/ faults for proper mapping of the target structures. IN CASE EXTENSION WAS MADE IN RESPONSE TIME, WHAT WERE THE REASONS (Briefly describe) WHETHER NAMES OF THE BIDDERS AND THEIR PRICES WERE READ OUT AT THE TIME OF OPENING OF BIDS DATE OF CONTRACT SIGNING (Attach a copy of agreement) | BIDDEK | Calgary Ab, T2R 0E1 |
| RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1st, 2nd, 3rd EVALUATED BID) NEED ANALYSIS (Why the procurement was necessary?) RED ANALYSIS (Why the procurement was necessary? RED ANALYSIS (Why the procurement was necessary?) RED ANALYSIS (Why the procurement was necessary?) RED ANALYSIS (Why the procurement was necessary. RED ANALYSIS (What we procuessary. RED AND ANALYSIS (What was necessary. RED AND ANALYSIS (What was necessary. RED ANALYSIS (What was necessary. RED ANALYSIS (What was necessary. | | SOCIATION PROPERTY AND |
| (i.e. 1st, 2nd, 3rd EVALUATED BID) NEED ANALYSIS (Why the procurement was necessary?) Khuzdar North JV has acquired approximately 473 L. Km 2D seismic data in the E.L and the same data set has been processed at OGDCL's in house processing facilities. Based on the resultant product after in house processing which is still underway, the data quality needs to be improved for delineation of the subsurface structural imaging. In further efforts to improve the quality of the data processing, two seismic lines have also been assigned to another independent team for processing at OGDCL's processing center. Keeping in view all these efforts, conventional processing did not contribute adequate improvement of the subsurface image to effectively delineate the subsurface horizons/ faults for proper mapping of the target structures. IN CASE EXTENSION WAS MADE IN RESPONSE TIME, WHAT WERE THE REASONS (Briefly describe) WHETHER NAMES OF THE BIDDERS AND THEIR PRICES WERE READ OUT AT THE TIME OF OPENING OF BIDS DATE OF CONTRACT SIGNING (Attach a copy of agreement) | RANKING OF SUCCESSFUL BIDDER IN | * |
| NEED ANALYSIS (Why the procurement was necessary?) Khuzdar North JV has acquired approximately 473 L. Km 2D seismic data in the E.L and the same data set has been processed at OGDCL's in house processing facilities. Based on the resultant product after in house processing which is still underway, the data quality needs to be improved for delineation of the subsurface structural imaging. In further efforts to improve the quality of the data processing, two seismic lines have also been assigned to another independent team for processing at OGDCL's processing center. Keeping in view all these efforts, conventional processing did not contribute adequate improvement of the subsurface image to effectively delineate the subsurface horizons/ faults for proper mapping of the target structures. IN CASE EXTENSION WAS MADE IN RESPONSE TIME, WHAT WERE THE REASONS (Briefly describe) WHETHER NAMES OF THE BIDDERS AND THEIR PRICES WERE READ OUT AT THE TIME OF OPENING OF BIDS DATE OF CONTRACT SIGNING (Attach a copy of agreement) Khuzdar North JV has acquired approximately 473 L. Km 2D seismic data in the E.L and the same data set has been processed at OGDCL's in house processing facilities. Based on the resultant product after in house processing which is still underway, the data quality needs to be improved for delineation of the subsurface structural imaging. In further efforts to improve the quality needs to be improved for delineation of the subsurface structural imaging. In further efforts to improve the quality needs to be improved for delineation of the subsurface structural imaging. In further efforts to improve the quality needs to be improved for delineation of the subsurface structural imaging. In further efforts to improve the quality needs to be improved to the resultant product after in house processing which is still underway, the data quality needs to be improved to the resultant product after in house processing which is still underway, the data quality needs to be improved to be activated to be improved to | | |
| data in the E.L and the same data set has been processed at OGDCL's in house processing facilities. Based on the resultant product after in house processing which is still underway, the data quality needs to be improved for delineation of the subsurface structural imaging. In further efforts to improve the quality of the data processing, two seismic lines have also been assigned to another independent team for processing at OGDCL's processing center. Keeping in view all these efforts, conventional processing did not contribute adequate improvement of the subsurface image to effectively delineate the subsurface horizons/ faults for proper mapping of the target structures. IN CASE EXTENSION WAS MADE IN RESPONSE TIME, WHAT WERE THE REASONS (Briefly describe) WHETHER NAMES OF THE BIDDERS AND THEIR PRICES WERE READ OUT AT THE TIME OF OPENING OF BIDS DATE OF CONTRACT SIGNING (Attach a copy of agreement) CONTRACT SIGNED ON 2 nd February, 2022. | | • |
| TIME, WHAT WERE THE REASONS (Briefly describe) WHETHER NAMES OF THE BIDDERS AND THEIR PRICES WERE READ OUT AT THE TIME OF OPENING OF BIDS DATE OF CONTRACT SIGNING CONTRACT SIGNED ON 2 nd February, 2022. (Attach a copy of agreement) | | data in the E.L and the same data set has been processed at OGDCL's in house processing facilities. Based on the resultant product after in house processing which is still underway, the data quality needs to be improved for delineation of the subsurface structural imaging. In further efforts to improve the quality of the data processing, two seismic lines have also been assigned to another independent team for processing at OGDCL's processing center. Keeping in view all these efforts, conventional processing did not contribute adequate improvement of the subsurface image to effectively delineate the subsurface horizons/ faults for proper mapping of the target structures. |
| describe) WHETHER NAMES OF THE BIDDERS AND THEIR PRICES WERE READ OUT AT THE TIME OF OPENING OF BIDS DATE OF CONTRACT SIGNING (Attach a copy of agreement) YES CONTRACT SIGNED ON 2 nd February, 2022. | | NO |
| PRICES WERE READ OUT AT THE TIME OF OPENING OF BIDS DATE OF CONTRACT SIGNING (Attach a copy of agreement) CONTRACT SIGNED ON 2 nd February, 2022. | | |
| (Attach a copy of agreement) | PRICES WERE READ OUT AT THE TIME OF | (6500)6 |
| | This is a second of the seco | CONTRACT SIGNED ON 2 nd February, 2022. |
| | | USD 81,430/- (US Dollar Eighty One |

| | Thousand Four Hundred Thirty Only) |
|--|---|
| WHETHER COPY OF EVALUATION REPORT | Communicated to the bidders through email. |
| GIVEN TO ALL BIDDERS | |
| (Attach copy of the bid evaluation report) | |
| ANY COMPLAINTS RECEIVED | Yes, grievance of a bidder was received and |
| (If yes result thereof) | discussed in the committee but not found tenable, hence disposed off. |
| ANY DEVIATION FROM SPECIFICATIONS GIVEN | NO |
| IN THE TENDER NOTICE/DOCUMENTS | |
| (If yes give details) | |
| DEVIATION FROM QUALIFICATION CRITERIA | NO |
| (If yes give details) | |
| SPECIAL CONDITIONS, IF Any | NONE |
| (Give Brief Description) | |

[F.No.2/1/2008PPRA-RA.III]