

**PUBLIC PROCUREMENT REGULATORY
AUTHORITY (PPRA)**

CONTRACT AWARD PROFORMA - I
(As per Rule 47 of PP Rules, 2004)

**To Be Filled And Uploaded on PPRA Website In Respect of All
Public Contracts of Works, Services and Goods**

- NAME OF THE ORGANIZATION/DEPTT. **Sui Northern Gas Pipelines Ltd.**
- FEDERAL / PROVINCIAL GOVT. **Public Sector Organization**
- TITLE OF CONTRACT

Purchase order #.

HOP/MGA/007/23

- TENDER NUMBER **LEP-025/23**
- BRIEF DESCRIPTION OF CONTRACT **HEAVY DUTY ANGLE GRINDER**
- TENDER VALUE **Rs.5,883,300 Approx.**
- ENGINEER'S ESTIMATE _____
(for civil Works only)
- 1. ESTIMATED COMPLETION PERIOD **14 Weeks from purchase order
placement**
- WHETHER THE PROCUREMENT WAS INCLUDED IN ANNUAL
PROCUREMENT PLAN? Yes /No
- ADVERTISEMENT :
- (i) PPRA Website **Yes** (Federal Agencies)
- (ii) (If yes give date and PPRA's tender number) **TS513076E**
- (iii) News Papers Jang/Tribune dated 11.06.23
(If yes give names of newspapers and dates)

TENDER OPENED ON (DATE & TIME) **19.09.23**

- NATURE OF PURCHASE **Local** / International
- EXTENSION IN DUE DATE (If any) **Yes**

3 sui 19.09.23 ✓

➤ NUMBER OF TENDER DOCUMENTS SOLD 06
(Attached List of Buyers)

➤ WHETHER QUALIFICATION CRITERIA
WAS INCLUDED IN BIDDING/TENDER DOCUMENTS **Yes** / No
(If **yes** enclose a copy).

➤ WHETHER BID EVALUATION CRITERIA
WAS INCLUDED IN BIDDING/TENDER DOCUMENTS **Yes** / No
(If **yes** enclose a copy).

➤ WHICH METHOD OF PROCUREMENT WAS USED: - (Tick one)

a) SINGLE STAGE – ONE ENVELOPE PROCEDURE

b) SINGLE STAGE - TWO ENVELOPE PROCEDURE.

b) TWO STAGE BIDDING PROCEDURE.

c) TWO STAGE – TWO ENVELOPE BIDDING PROCEDURE.

- PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS
ADOPTED WITH BRIEF REASONS (i.e EMERGENCY, DIRECT
CONTRACTING, NEGOTIATED TENDERING ETC.) **N.A**

- WHO IS THE APPROVING AUTHORITY **GM(Procurement)**

➤ WHETHER APPROVAL OF COMPETENT AUTHORITY WAS OBTAINED
FOR USING A METHOD OTHER THAN OPEN COMPETITIVE BIDDING. **N.A**

➤ NUMBER OF BIDS RECEIVED 06

➤ WHETHER THE SUCCESSFUL BIDDER WAS LOWEST BIDDER **Yes** / No

➤ WHETHER INTEGRITY PACT WAS SIGNED Yes / No

**PUBLIC PROCUREMENT REGULATORY
AUTHORITY (PPRA)**

CONTRACT AWARD PROFORMA – II
(As per Rule 47 of PP Rules, 2004)

To Be Filled And Uploaded on PPRA Website In Respect of All
Public Contracts of Works, Services & Goods

➤ NUMBER OF BIDDERS PRESENT AT THE TIME OF
OPENING OF BIDS 02

➤ NAME AND ADDRESS OF THE SUCCESSFUL BIDDER

Purchase Order No.	Supplier's Name.	Value Including GST (Rs)
HOP/MGA/007/23	M/s M.A. Tools, Lahore	3,894,000

➤ RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT
(i.e. 1st, 2nd, 3rd EVALUATED BID).

Name of Bidder	Evaluation Results/Remarks
M/s M.A. Tools, Lahore	Lowest priced bidder

➤ NEED ANALYSIS (Why the procurement was necessary?) **To Expand the network as well as in the interest of GOP**

➤ IN CASE EXTENSION WAS MADE IN RESPONSE TIME, WHAT WERE
THE REASONS (Briefly describe) Yes due to no bid received

Handwritten signature and date: 19/2/2024

➤ WHETHER NAMES OF THE BIDDERS AND THEIR PRICES WERE READ OUT AT THE TIME OF OPENING OF BID. Yes / No

➤ DATE OF CONTRACT SIGNING (**Copy enclosed**)

Purchase Order No.	Supplier's Name.	Date
HOP/MGA/007/23	M/s M.A. Tools, Lahore	28.12.2023

(Attach a copy of agreement)

➤ CONTRACT AWARD PRICE

Purchase Order No.	Supplier's Name.	Value Including GST (Rs)
HOP/MGA/007/23	M/s M.A. Tools, Lahore	3,894,000

➤ WHETHER COPY OF EVALUATION REPORT GIVEN TO ALL BIDDERS _____ Yes / No
(**Attach copy of the bid evaluation report**)

➤ ANY COMPLAINTS RECEIVED _____ Yes / No
(If yes result thereof)

➤ ANY DEVIATION FROM SPECIFICATIONS GIVEN IN THE TENDER NOTICE/DOCUMENTS _____ Yes / No
(If yes give details)

➤ DEVIATION FROM QUALIFICATION CRITERIA _____ Yes / No
(If yes give details)

➤ SPECIAL CONDITIONS, IF Any
(Give Brief Description)

Nil

A

JT₂

60

SGM ()
10 NOV 2023
RECEIPT NO: _____



SUI NORTHERN GAS PIPELINES LIMITED
MEMORANDUM

From: Incharge (MC) Projects

To: General Manager (Procurement)

Ref: LEP-025/2023

Date: 10.11.2023

Thru: SGM (P)

[Handwritten signature]
10/11

TECHNICAL EVALUATION
Angle Grinder/ Welding Holder
TENDER ENQUIRY # LEP-025/23

This refers to your memo reference no. LEP-025/23 dated: 20.09.2023 along with six bids against subject Tender Enquiry.

Technical Evaluation of the received bids is being attached herewith for your further necessary action.

Mr. Abid
Please check & deal further.
[Signature]
12/11

[Signature]
Imran Ahmad Khan
Incharge (MC) Projects

Deep TISS/SGM
[Signature]
13/11

S N G P L
RECEIVED
286 13399
10 NOV 2023
13.11.2023: 25 PM
(Procurement) Department

TECHNICAL EVALUATION
ANGLE GRINDER/ WELDING HOLDER
TENDER ENQUIRY LEP-025/23

This refers to your GM (Procurement) memo ref: LEP/025/23 dated 20.09.2023.

Technical evaluation of the received bids is as under after incorporating the Field Performance report from Ex. Engineer-P, (Sheikhupura Camp) received on 04.10.2023 and confirmation from Manufacturer M/s INGCO TOOLS CO., LTD. CHINA received on 26.10.2023 & 09.11.2023.

1. M/s MASTER TRADERS, LAHORE.

MANUFACTURER: RENQIU OUNUO WELDING EQUIPMENT CO, LTD., CHINA

TNA

They have quoted Welding Electrode Holders against SOR item 2. Authority letter, technical literature and sales references have been found attached with their Technical Bid.

They have offered delivery within 14 weeks from receipt of purchase order against the Tendered stipulated delivery period of 14 weeks after receiving Purchase Order.

As per Tender technical specifications sr. 05 "Evaluation will be based on field test reports of samples and above specification" yet they have submitted bid without sample. The same is not acceptable.

In view of above deficiency, the bid submitted does not meet the tender specifications and no further evaluation was carried out, hence their offer against SOR item 2 is vetted as **non-responsive**.

2. M/s CHAMPION INDUSTRIAL SUPPLIES, KARACHI.

MANUFACTURER: MAKITA CORPORATION JAPAN, CHINA

TNA

They have quoted Angle Grinders model GA9081 against SOR item 1 and submitted sample along with the bid. Authority letter, ISO certificate valid till 25.09.2025, technical literature, sales references have been found attached with their Technical Bid.

They have agreed delivery period against the tendered stipulated delivery period of 14 weeks after receiving Purchase Order.

The Submitted sample was forwarded to EIC (Faisalabad Camp) vide our memo no. Ref: LEP-025/23 dated: 20.09.2023 for Field Performance testing and reminder email dated: 02.10.2023 for submission of performance report.

As per Performance report submitted by Ex. Engineer Projects, (Sheikhupura Camp) vide Email dated: 04.10.2023 (Copy Attached)

Quote:

The bidder has submitted sample of **Makita Angle Grinder GA-9081** Angle Grinder

- The weight of the grinder is 5.4 Kg.
- The rated output power while grinding is greater than 1500 Watt as desired. It fluctuates between 2100 W – 2700 W during grinding.
- The angle grinder performed satisfactory during our field performance and it is acceptable.

Unquote:

Field Performance of Angle Grinder GA-9081 found satisfactory.

Further clarifications were sought vide email dated 05.10.2023 against discrepancies observed in their bid submitted against the subject Tender Enquiry.

Quote:

1. Please provide sales references confirming to clause 21.3 of the general terms.
2. Clause by clause confirmation of the Technical specifications of the offered item.
3. They have provided Authority letter from MAKITA Singapore pte Ltd. However, ISO certificate provided with the bid MAKITA (Kunshan) Co., Ltd China. Please clearly state the manufacturing Country.

Unquote:

1.The bidder replied on 07.10.2023 and provided only one sale reference of Angle Grinder GA-9081. However, provided sales references of Angle Grinder are deficient against clause 21.3. The same is not acceptable.

2.The bidder had not provided clause by clause confirmation of the technical specifications. The same is not acceptable.

3. The bidder has stated that regional Headquarter of Makita is in Singapore and all correspondence carried out from Singapore. Manufacturing unit is in China and country of origin is China. The same is acceptable.

Keeping in view of above deficiencies, their offer of Angle Grinder GA-9081 is **vetted as non responsive.**

3. M/s POWER SUPPLIES COMPANY, LAHORE.

They have quoted Angle Grinders model AG230-24D 230V Hilty, Germany against SOR item 1.

TNA

As per Tender technical specifications sr. 05 "Evaluation will be based on field test reports of samples and above specification" yet they have submitted bid without sample. The same is not acceptable.

Moreover, they have not provided Authority letter, technical literature, ISO certificate, sales references and sample of quoted item. The same is not acceptable.

Keeping in view of above, no further evaluation of the bid has been carried out, hence their offer against SOR item 1 is **vettted as non- responsive**.

4. M/s M.A TOOLS & EQUIPMENT HOUSE (PVT) LTD, LAHORE.
MANUFACTURER: M/s INGCO TOOLS CO., LTD. CHINA

They have quoted Angle Grinder model AG24008 against SOR item 1 and submitted sample along with the bid. Authority letter, ISO certificate of NEWWAY TECHNOLOGY (SUZHOU) CO., LTD valid till 16.01.2026, sales references, technical literature have been found attached with their Technical Bid. TA

They have quoted delivery period of 14 weeks against the tendered stipulated delivery period of 14 weeks after receiving Purchase Order.

The Submitted sample was forwarded to EIC (Faisalabad Camp) vide our memo no. Ref: LEP-025/23 dated: 20.09.2023 for Field Performance testing and reminder email dated: 02.10.2023 for submission of performance report.

As per Performance report submitted by Ex. Engineer Projects, (Sheikhupura Camp) vide Email dated: 04.10.2023 (Copy Attached)

Quote:

The bidder has submitted sample of **INGCO Model # AG24008**.

- The weight of the grinder is 5.1 Kg.
- The rated output power during operation is greater than 1500 Watt. It fluctuates between 2300 W to 2500 W during operation.
- The grinder has a good grip.
- The angle grinder performed satisfactory during our field performance and it is acceptable.

Unquote:

Field Performance of Angle Grinder AG24008 found satisfactory.

Clarifications were sought vide email dated 05.10.2023 & reminder email dated: 09.10.2023 against discrepancies observed in their bid submitted against the subject Tender Enquiry.

Quote:

1. Please provide sales references confirming to clause 21.3 of the general terms.

Clarifications were sought vide email dated 05.10.2023 against discrepancies observed in their bid submitted against the subject Tender Enquiry.

Quote:

1. Authority letter of the Manufacturer.
2. Please provide sales references confirming to clause 21.3 of the general terms.
3. Please provide Questionnaire Appendix "I".
4. Clause by clause confirmation of the Technical specifications of the offered item.
5. Please provide ISO certificate of the quoted manufacturer "M/s INGCO TOOLS CO., LTD. CHINA".

Unquote:

The bidder replied on 11.10.2023 and provided authority letter from M.A Tools & Equipment House (pvt) ltd, Lahore (Local Authorized dealer of (M/s INGCO TOOLS CO., LTD. CHINA (Angle Grinder) and questionnaire Appendix "I".

Further clarifications were sought directly from Manufacturer vide email dated 13.10.2023, reminder email dated: 20.10.2023 & 24.10.2023 through procurement department against discrepancies observed in their reply submitted against the subject Tender Enquiry.

Quote:

3. Kindly seek confirmation directly from the manufacturer "M/s INGCO TOOLS CO., LTD. CHINA" about extent/ scope of Authority letter in favour of "M A Tools & Equipment House Lahore" for subject tender enquiry.
4. M A Tools & Equipment House Lahore participated in the subject tender enquiry on behalf of manufacturer "M/s INGCO TOOLS CO., LTD. CHINA". M/s Royal Traders, Sargodha has also participated in the subject tender enquiry with manufacturer "M/s INGCO TOOLS CO., LTD. CHINA" on behalf of M A Tools & Equipment House Lahore. In this context, kindly seek comments directly from the manufacturer; "M/s INGCO TOOLS CO., LTD. CHINA".

Unquote:


The Manufacturer representative in Pakistan replied vide email dated: 26.10.2023 and stated "We have become aware of the conflict that has arisen between our official distributor and the dealer. To provide clarification on the situation, we would like to offer our perspective. As the principal company, Ingco, based in China, we hereby grant authorization to our official distributor, MA Tools & Equipment House (Pvt.) Ltd., to participate in inquiries and tenders throughout Pakistan. Dealers are permitted to participate in tenders only when our distributor is not directly involved, and their participation is limited to their designated regions.

Royal Traders, situated in Sargodha, may participate in the Sargodha region or other regions only when officially permitted by our distributor. Such permission will be granted for specific cases and not for all instances.

For the specific SNGPL tender # LEP-025/23, which pertains to Angle Grinder/Welding Holder, we grant exclusive participation rights to MA Tools & Equipment House. We authorize them to provide all the mandatory and necessary documentation to the end user"

Keeping in view of above and non-provision of valid Authority Letter, sales references, Questionnaire Appendix "I", clause by clause confirmation of the Technical specifications and ISO certificate of the quoted manufacturer, their offer for Angle Grinder INGCO Model # AG24008 is **vettted as non responsive.**

NOTE: Kindly note that, no bid has been evaluated responsive for SOR items no. 2 in the subject Tender enquiry, so this may be included in a subsequent Tender Enquiry on most urgent basis.


Imran Gul
Senior Engineer (MC) P

**SUI NORTHERN GAS PIPELINES LTD.****Gas House, 21 - Kashmir Road, Lahore (Pakistan)**

LOCAL PURCHASE ORDER NO. HOP/MGA/007/23

Date: 23.11.2023

Net Cost Rs. **3,894,000**M/s. M. A. Tools & Equipment House (Pvt.) Ltd.,
73 Nishtar Road,
Lahore.Order Despatched On 28/11/23Subject: **Heavy Duty Angle Grinders**

Reference: Your Quotation No. MAT/Q/J/0919 dated 19.09.23 in response to our Tender Enquiry LEP/025/23 dated 12.06.23.

Dear Sir,

We are pleased to place an order on you for the following items, subject to terms and conditions printed overleaf, Charges, additions, thereto, including those to the ordered equipment or material will be authorized solely by an amendment to this order which will be executed in the same manner as this order.

Tender Sr. No.	DESCRIPTION	Unit	Qty.	Rate (Rs.)	Total FOR Value (Rs.)
1	Heavy Duty Angle Grinders 2400 Watt Make: INGCO, China Model: AG24008, German Standard Grinding wheel capacity: 230mm Voltage: 220-240V, 50/60 Hz Complete with standard accessories	Nos.	150	22,000	3,300,000
(As per sample approved)				Sub Total Rs.	3,300,000
Notes: (As per Annexure-1 Attached.)				GST@18%	594,000
				Total FOR Value Manga Lahore	3,894,000

(Rupees: Three million, eight hundred & ninety four thousand only)

Yours faithfully,
SUI NORTHERN GAS PIPELINES LIMITED(HAIDER ABBAS)
Dy. Chief Officer (Procurement)
for MANAGING DIRECTORDelivery As per Annex-1

At our Manga Autar Stores.

If needed please, contact Mr. Haider Abbas

A/C No. Stores Stock Index # 11.017.00313.03.00	Indent NoS. HO/P/IB/0295/22 & HO/P/IB/0303/22. Technical vetting dated 10.11.23.
Management Sanction: PRJ/IDP/Bannu-DK/21-22/003 (4838) dated 21.06.2022 amounting to Rs.2200,000/- & 4839 dated 17.06.2022 amounting to Rs. 1100,000/-.	

cc Accounts
cc Stores Office
cc G M (Procurement)cc Material Receiving
cc Indentors
cc Inventory Section

LIST OF SUPPLIERS WHOME TENDER ISSUED AGAINST PAYMENT

TENDER ENQUIRY # LEP 025/23 COVERING _____

Sr. #	Pay Order #	Date	Name of Suppliers	Tender Sent On.
1	18892562	20-6-23	Master Trader	/
2	10755503	13-6-23	CHAMPION Industrial	/
3	10738059	13-6-23	NEW Light House	/
4	26194920	24-7/23	Power supply co.	/
5	109680506	12/9/23	Royal Trades	/
6			M.A Tools	/
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				

SPECIFICATIONS		Doc. #	SNP SPC-AGR.1	SNGPL Procurement SPECIFICATIONS
Title	ANGLE GRINDER 220V 2300-2400 WATT	Rev. #	00	
		Rev. Date	12 May 2014	
		Page	Page 1 of 1	

High speed, heavy duty Angle Grinders single phase, double insulation type for cutting and grinding. Complete with Power Supply Cord and Moulding Plug, Safety Disc Guard and Disc Replacement Tool.

Grinding Wheel Capacity: 230 mm
 Rated input power: 2300 - 2400 Watt
 Frequency: 50 HZ
 Output Power \geq 1500 Watt
 Center Hole Diameter of Disc: 22mm (7/8")
 Spindle Threads: M 14X2
 Weight (Inclusive Safety Guard and Handle) 5.0 - 6.5 Kg.

Motor: Dust sealed motor for extra long life with winding protection arrangements from abrasive effects of grinding dust/grit. Field coils of motor shall be epoxy resin powder coated. Die-cast robust and wearing resistant gear housing

Features: Low noise, cooling-air flow design large Trigger switch, Spindle Lock, Dustproof design for switch housing.


The bidder shall confirm local availability of spare parts of Grinder models offered.

The bidders shall provide a certificate for genuineness of the offered grinder alongwith certificate of authorisation from the manufacturer/principal to sell their product and carry out after sales service. The bidder shall also submit a valid ISO 9001 certificate or equivalent quality standard.

The angle grinders manufactured by Dewalt / Hitachi / Metabo / Hilti / Makita Japan are already in use in SNGPL. Those bidders quoting a new brand/model which is neither used, nor have been procured by the company in past shall submit a sample of angle grinder (returnable in whatever condition after field testing) with the bid, for performance test.

Suman/Harsh

C11

	SPECIFICATIONS		Doc. #	SNP-SPC-V/131-1	SHOPL PROCUREMENT SPECIFICATIONS
	Title	Welding Electrodes Holder (500 AMP)	Rev. #	01	
		Date	11 December		
		Date	2012		
		Page	Page 1 of 1		

1. **Conformance:**
Fully insulating Arc Welding Electrodes Holder rating 500 AMP at 100% duty Cycle conforming to JIS No. C9302 or Equivalent standards.
2. **Make:**
Chiyoda, MAC, Lincoln, Esab or equivalent.
3. **Features:**
The Holder should feature Fiber Glass reinforced plastic handle, efficient positive Cable connection with 98% electrical efficiency, with proper Cable tightening/ gripping arrangement. Wide open jaws for quick release of electrode stubs. Cantilever type spring (stainless steel with insulated cover) providing vice-like grip of jaws on electrodes sized 2.5 mm to 8 mm. Hinge pin for holding jaws to Pressure hold electrodes to prevent reinforced plastic nose insulation of hinge. Fiber Glass reinforced plastic nose insulation shock and heat resistant.
4. **Sample:**
One sample of each quoted Electrode Holder shall be submitted along with bid.
5. **Bid Evaluation Criteria:**
Evaluation will be based on field test reports of samples and above specifications.

AK