

ATTACHMENT – I
(See regulation 2)

PUBLIC PROCUREMENT REGULATORY AUTHORITY (PPRA)
CONTRACT AWARD PROFORMA – I

To Be Filled And Uploaded on PPRA Website In Respect of All Public Contracts of Works, Services and Goods Worth Fifty Million or More

➤	NAME OF THE ORGANIZATION/DEPTT.	OGDCL
➤	FEDERAL / PROVINCIAL GOVT.	Federal
➤	TITLE OF CONTRACT	03 years Contract for supply of Explosives, Detonators & Accessories on region wise basis PROC-LA/SS/EXPL/17023/17
➤	TENDER NUMBER	03 years rate running contract for procurement of explosive, detonators & accessories
➤	BRIEF DESCRIPTION OF CONTRACT	Rs. 466.430 Million (One year)
➤	TENDER VALUE	N/A
➤	ENGINEER'S ESTIMATE (for civil Works only)	Three Years Contract On as & when required basis
➤	ESTIMATED COMPLETION PERIOD	Yes
➤	WHETHER THE PROCUREMENT WAS INCLUDED IN ANNUAL PROCUREMENT PLAN?	
➤	ADVERTISEMENT :	
	(i) PPRA Website Yes / No (Federal Agencies) (If Yes give date and PPRA's tender number)	No (Direct Contracting)
	(ii) News Papers Yes / No (If Yes give names of newspapers and dates)	No (Direct Contracting)
➤	TENDER OPENED ON (DATE & TIME)	22-08-2017
➤	NATURE OF PURCHASE	Local
➤	EXTENSION IN DUE DATE (If any) Yes / No	No
➤	NUMBER OF TENDER DOCUMENTS SOLD (Attach list of Buyers)	Not Applicable
➤	WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING/ TENDER DOCUMENTS (If yes enclose a copy).	Yes
➤	WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING/TENDER DOCUMENTS (If yes enclose a copy).	Yes
➤	WHICH METHOD OF PROCUREMENT WAS USED:- (Tick one)	Single stage – one envelope procedure
	PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED WITH BRIEF REASONS (i.e EMERGENCY, DIRECT CONTRACTING, NEGOTIATED TENDERING ETC.)	No
	WHO IS THE APPROVING AUTHORITY	Board of directors
➤	WHETHER APPROVAL OF COMPETENT AUTHORITY WAS OBTAINED FOR USING A METHOD OTHER THAN OPEN COMPETITIVE BIDDING.	Yes
➤	NUMBER OF BIDS RECEIVED	02 (Two)
➤	WHETHER THE SUCCESSFUL BIDDER WAS LOWEST BIDDER	Direct Contracting
➤	WHETHER INTEGRITY PACT WAS SIGNED	Yes

209dcl1722. A pa 3598