PUBLIC PROCUREMENT REGULATORY AUTHORITY (PPRA)

CONTRACT AWARD PROFORMA – I

To Be Filled And Uploaded on PPRA Website In Respect of All Public Contracts of Works, Services and Goods Worth Fifty Million or More

- > NAME OF THE ORGANIZATION/DEPTT: National Bank of Pakistan
- > FEDERAL / PROVINCIAL GOVT: Federal Govt.
- > TITLE OF CONTRACT: Procurement of ATMs
- > TENDER NUMBER: NBP/LSG/ITD/29122016
- ▶ BRIEF DESCRIPTION OF CONTRACT: National Bank of Pakistan (NBP) as per directives of State Bank of Pakistan (SBP) is planning to cover the 1:1 ATM per branch ratio requirement in its existing ATM network. The SBP directives has been issued with a view to improving the coverage ratio of ATMs (i.e. the number of ATMs per branch) and to meet the international standards.
- > TENDER VALUE Pak Rupees 2500/= (Tender Fees)
- ENGINEER'S ESTIMATE Not applicable (for civil Works only)
- > ESTIMATED COMPLETION PERIOD: Three Years after signing of contract (mentioned in bidding documents)
- > WHETHER THE PROCUREMENT WAS INCLUDED IN ANNUAL PROCUREMENT PLAN? Yes √ / No
- > ADVERTISEMENT:
 - (i) PPRA Website: Yes √ / No (Federal Agencies) (If yes give date and PPRA's tender number) : TS300825E dated December 30, 2016
 - (ii) News Papers: Yes √ / No (If yes give names of newspapers and dates) The Dawn, Daily Jang dated December 30, 2016

28 203. 6N

- > TENDER OPENED ON (DATE & TIME) January 25, 2017 at 03:30 p.m.
- > NATURE OF PURCHASE (Local / International) Local
- ➤ EXTENSION IN DUE DATE (If any) Yes √/No
- NUMBER OF TENDER DOCUMENTS SOLD: 05 (Attach list of Buyers)
- WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING/TENDER DOCUMENTS: Yes (If yes enclose a copy).
- WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING/TENDER DOCUMENTS: Yes (If yes enclose a copy).
- > WHICH METHOD OF PROCUREMENT WAS USED: (Tick one)

a)	SINGLE STAGE - ONE ENVELOPE PROCEDURE	
b)	SINGLE STAGE - TWO ENVELOPE PROCEDURE.	_ \
c)	TWO STAGE BIDDING PROCEDURE.	
d)	TWO STAGE - TWO ENVELOPE BIDDING PROCEDURE	

- PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED WITH BRIEF REASONS (i.e. EMERGENCY, DIRECT CONTRACTING, NEGOTIATED TENDERING ETC.)
- WHO IS THE APPROVING AUTHORITY: NBP Management Committee
- > WHETHER APPROVAL OF COMPETENT AUTHORITY WAS OBTAINED FOR USING A METHOD OTHER THAN OPEN COMPETITIVE BIDDING: Not Applicable
- > NUMBER OF BIDS RECEIVED: 04
- > WHETHER THE SUCCESSFUL BIDDER WAS LOWEST BIDDER: YES
- > WHETHER INTEGRITY PACT WAS SIGNED: YES

PUBLIC PROCUREMENT REGULATORY AUTHORITY (PPRA)

CONTRACT AWARD PROFORMA – II

To Be Filled And Uploaded on PPRA Website In Respect of All Public Contracts of Works, Services & Goods Worth Fifty Million Rupees or More

- > NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS: 04
- ➤ NAME AND ADDRESS OF THE SUCCESSFUL BIDDER: NCR Corporation Pakistan, State Life Building No.1-A, Off I.I. Chundrigar Road 74000, Karachi, Pakistan.
- ➤ RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1st, 2nd, 3rd EVALUATED BID): 1st Evaluated Bid
- NEED ANALYSIS (Why the procurement was necessary?): National Bank of Pakistan (NBP) as per directives of State Bank of Pakistan (SBP) is planning to cover the 1:1 ATM per branch ratio requirement in its existing ATM network. The SBP directives has been issued with a view to improving the coverage ratio of ATMs (i.e. the number of ATMs per branch) and to meet the international standards.
- IN CASE EXTENSION WAS MADE IN RESPONSE TIME, WHAT WERE THE REASONS (Briefly describe): The extension was requested by RFP Collector.
- > WHETHER NAMES OF THE BIDDERS AND THEIR PRICES WERE READ OUT AT THE TIME OF OPENING OF BIDS: Yes √ / No
- ➤ DATE OF CONTRACT SIGNING: September 06, 2017 (Attach a copy of agreement)
- > CONTRACT AWARD PRICE PKR 178,135,076/= for a period of Three (03) years

ANY COMPLAINTS RECEIVED: Yes / No √ (If yes result thereof)
ANY DEVIATION FROM SPECIFICATIONS GIVEN
IN THE TENDER NOTICE/DOCUMENTS: Yes / No√ (If yes give details)
DEVIATION FROM QUALIFICATION CRITERIA: Yes / No√ (If yes give details)
SPECIAL CONDITIONS, IF Any
(Give Brief Description) _NO

[F.No.2/1/2008PPRA-RA.III]

