PUBLIC PROCUREMENT REGULATORY AUTHORITY (PPRA)

CONTRACT AWARD PROFORMA - I (As Per Rule 47 of PP Rules, 2004)

To Be Filled And Uploaded on PPRA Website In Respect of All Public Contracts of Works, Services and Goods

A	NAME OF THE ORGANIZATION/DEPTT. National Disaster Management
	Authority, Islamabad
A	FEDERAL / PROVINCIAL GOVT. Federal Government
>	TITLE OF CONTRACT. Supply of Oxygenation in AJ&K Hospitals
4	TENDER NUMBER Emergency Procurement
>	BRIEF DESCRIPTION OF CONTRACT Procurement of Oxygenation in
	AJ&K Hospitals
>	TENDER VALUE PKR 14,701,540/-
A	ENGINEER'S ESTIMATE No (for civil Works only)
A	ESTIMATED COMPLETION PERIOD within 02 Weeks after issuance of
Pu	rchase Order.
>	WHETHER THE PROCUREMENT WAS INCLUDED IN ANNUAL PROCUREMENT PLAN? No, because this procurement was made for unforeseen pandemic COVID-19 Yes/No
A	ADVERTISEMENT:
	(i) PPRA Website <u>N/A</u> Yes / No (Federal Agencies) (If yes give date and PPRA's tender number)
	(ii) News Papers <u>N/A</u> Yes / No (If yes give names of newspapers and dates)
>	TENDER OPENED ON (DATE & TIME) N/A
>	NATURE OF PURCHASE <u>Local</u> Local / International
>	EXTENSION IN DUE DATE (If any) No Yes / No



19 n 2ma 28921. P

n2966

>	NUMBER OF TENDER DOCUMENTS SOLD N/A (Attach list of Buyers)
>	WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING/TENDER DOCUMENTS (If yes enclose a copy). N/A Yes / No
A	WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING/TENDER DOCUMENTS (If yes enclose a copy). N/A Yes / No
A	WHICH METHOD OF PROCUREMENT WAS USED: - (Tick one)
	a) SINGLE STAGE – ONE ENVELOPE PROCEDURE
	b) SINGLE STAGE - TWO ENVELOPE PROCEDURE
	c) TWO STAGE BIDDING PROCEDURE.
	d) TWO STAGE – TWO ENVELOPE BIDDING PROCEDURE
	- PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS
	ADOPTED WITH BRIEF REASONS (i.e EMERGENCY, DIRECT
	CONTRACTING, NEGOTIATED TENDERING ETC.)
	NDMA in pursuance of emergency situation and as decided by the
	National Security Committee in its meeting chaired by the Prime
	Minister of Pakistan on 13th March, 2020 due to COVID-19 in the
	country initiated emergency procurement under the provision of
	relevant clauses in NDMA act-2010 (Clause 32) and PPRA-Rule 2004
	(42-C-V).
	- WHO IS THE APPROVING AUTHORITY National Authority, NDMA.
>	WHETHER APPROVAL OF COMPETENT AUTHORITY WAS OBTAINED
	FOR USING A METHOD OTHER THAN OPEN COMPETITIVE BIDDING. $\underline{\text{Yes}}$
>	NUMBER OF BIDS RECEIVED N/A
A	WHETHER THE SUCCESSFUL BIDDER WAS LOWEST BIDDER $\underline{ exttt{N/A}}$ Yes / No
1	WHIETHER INTEGRITY PACT WAS SIGNEDYes / No

PUBLIC PROCUREMENT REGULATORY <u>AUTHORITY (PPRA)</u> (As Per Rule 47 of PP Rules, 2004)

CONTRACT AWARD PROFORMA - II

To Be Filled And Uploaded on PPRA Website In Respect of All Public Contracts of Works, Services & Goods

- > NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS N/A
- NAME AND ADDRESS OF THE SUCCESSFUL BIDDER M/s Sharif Oxygen Pvt. Ltd., Address 10.5 Km GT Road Ferozwala Shadhra, Lahore.

N/A

RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1st, 2nd, 3rd EVALUATED BID).

NEED ANALYSIS (Why the procurement was necessary?) ______
On the direction of National Command & Operation Centre and Federal Government for dissemination / distribution to National and Provincial Health System for COVID-19 Patients.

IN CASE EXTENSION WAS MADE IN RESPONSE TIME, WHAT WERE THE REASONS (Briefly describe)
No Extension was made



	WHETHER NAMES OF THE BIDDERS AND THEIR PRICES WERE READ
ŝ	OUT AT THE TIME OF OPENING OF BIDS N/A Yes / No
4	DATE OF CONTRACT SIGNING (Attach a copy of agreement) 29th June, 2020
A	CONTRACT AWARD PRICE Fourteen Million Seven Hundred One Thousand
	Five Hundred Forty Only, (PKR. 14,701,540)
A	WHETHER COPY OF EVALUATION REPORT GIVEN TO ALL BIDDERS N/A Yes / No (Attach copy of the bid evaluation report)
A	ANY COMPLAINTS RECEIVED No Yes / No (If yes result thereof)
>	ANY DEVIATION FROM SPECIFICATIONS GIVEN IN THE TENDER NOTICE/DOCUMENTS No Yes / No (If yes give details)
>	DEVIATION FROM QUALIFICATION CRITERIA No Yes / No (If yes give details)
>	SPECIAL CONDITIONS, IF Any (Give Brief Description)

[F.No.2/1/2008PPRA-RA.III]



