		ΓEN	IDER N	OTIC	CE		
Bids are in	vite	ed for the	e following:				
Tender No	Fender No. Descri		otion	Closing Date & Time		Opening Date & Time	
PD/O&M/P 27961/24	27961/24 exchan		for heat ger/air cooler, truments	13 June 2024 15:00 hrs		13 June 2024 15:30 hrs	
PD/GEN/PP/ 27962/24		Supply of electrical items		13 June 2024 15:00 hrs		13 June 2024 15:30 hrs	
PD/GEN/P 27716/24	P/	Annual maintenance of PABX system at Sui		13 June 2024 15:00 hrs		13 June 2024 15:30 hrs	
PD/GEN/PP/ 27984/24		Supply of grease and lubricants		13 June 2024 15:00 hrs		13 June 2024 15:30 hrs	
PD/GEN/PP/ 27983/24		Supply of open gear lube oil		13 June 2024 15:00 hrs		13 June 2024 15:30 hrs	
PD/O&M/PP/ 27989/24		Supply of Hydrochloric acid ampules		13 June 2024 15:00 hrs		13 June 2024 15:30 hrs	
PD/O&M/PP/ 27990/24		Spares for air compressor		13 June 2024 15:00 hrs		13 June 2024 15:30 hrs	
PD/O&M/PP/ 27991/24		Supply of sealant compound		13 June 2024 15:00 hrs		13 June 2024 15:30 hrs	
PD/O&M/PP/ 27992/24		Supply of miscellaneous lubricants		13 June 2024 15:00 hrs		13 June 2024 15:30 hrs	
PD/O&M/PP/ 27994/24		Supply cylinder	of nitrogen gas rs	10 Jun 2024 15:00 h		10 June 2024 15:30 hrs	
PD/O&M/PP/ 27998/24		Supply of infrared scanner		13 June 2024 15:00 hrs		13 June 2024 15:30 hrs	
PD/O&M/PP/ 27987/24		Supply of pressure gauge, regulators, etc		13 June 2024 15:00 hrs		13 June 2024 15:30 hrs	
E	Ξx	tens	sion in B	id Clo	osi	ng	
			sion in B d Openin dates of the fo				
extended a	as f	ollows:				sina	Opening
	as f	ollows: 0	Description	Published On	Clos Date Tir	and	Opening Date and Time
extended a PPRA's	as f Tei No PD	ollows: 0		Published	Clos Date Tir	and ne 3 ne 24	Date and
extended a PPRA's Ref. No.	AS f Ter No PD PP 24 PD	ollows: nder /O&M/	Description Fault rectification & replacement of parts/ battery bank of Emerson	Published On 25 March	Clos Date Tir 1. Jui 20. 15:00	and ne 24 0 hrs 3 ne 24	Date and Time 13 June 2024 15:30 hrs 13 June 2024
extended a PPRA's Ref. No. TS535584E TS538667E Bidders w may take	PD PP 24 PD PP 24 PD PP 24 PD PP 24	ollows:	Description Fault rectification & replacement of parts/ battery bank of Emerson UPS Supply of refrigerant gas (R-32) ready submitted / and resubmit th	Published On 25 March 2024 6 May 2024 (sent their e same b	Clos Date Tir 1 Jui 20 15:00 1 Jui 20 15:00	and ne 3 24 24 24 24 24 24 24 24 24 24 24 20 brs	Date and Time 13 June 2024 15:30 hrs 13 June 2024 15:30 hrs 15:30 hrs Is (bids)
extended a PPRA's Ref. No. TS535584E TS538667E Bidders w may take closing da Tender do be submi	PD PP 24 PD PP 24 PD PP 24 PD PP 24 vho the ate a cun	ollows: nder /O&M/ /27514/ /O&M/ /27852/ have all em back and time nents are d online	Description Fault rectification & replacement of parts/ battery bank of Emerson UPS Supply of refrigerant gas (R-32) ready submitted / and resubmit the ementioned abov e available online through PPL's	Published On 25 March 2024 6 May 2024 (sent theii e same b e. and bids a	Clos Date Tir 1: Jui 200 15:00 15:00 15:00 15:00 r prop efore	and ne 3 ne 24) hrs 3 ne 24) hrs coosal 24) hrs soosal 24 soosal	Date and Time 13 June 2024 15:30 hrs 2024 15:30 hrs 13 June 2024 15:30 hrs 15:30 hrs 15:30 hrs 15:30 hrs 10 10 10 10 10 10 10 10 10 10 10 10 10
extended a PPRA's Ref. No. TS535584E TS538667E Bidders w may take closing da Tender do be submi https://epr	PD PP 24 PD PP 24 PD PP 24 PD PP 24 vho the ate a cun itter occuls s	ollows: nder /O&M/ /O&M/ /27514/ /O&M/ /27552/ have allowed have	Description Fault rectification & replacement of parts/ battery bank of Emerson UPS Supply of refrigerant gas (R-32) ready submitted <i>i</i> and resubmit the mentioned abov	Published On 25 March 2024 6 May 2024 (sent their e same b e. and bids a s e-procu	Clos Date Tir 1 Jui 200 15:00 15:00 15:00 15:00 15:00 r prop efore	and ne 3 24 24 24 24 24 24 24 24 24 24 24 24 24	Date and Time 13 June 2024 15:30 hrs 2024 15:30 hrs s (bids) revised quired to portal at
extended a PPRA's Ref. No. TS535584E TS538667E Bidders w may take closing da Tender do be submi https://epr For detail document:	PD PP 24 PD PP 24 PD PP 24 PD PP 24 vho the ate a cun itter ocu Is s S.	ollows: nder /O&M/ /27514/ /O&M/ /2752/ have all and time nents are d online irement. iee "Inst 's e-pro	Description Fault rectification & replacement of parts/ battery bank of Emerson UPS Supply of refrigerant gas (R-32) ready submitted <i>J</i> and resubmit the mentioned abov e available online through PPL's ppl.com.pk truction for Bidd	Published On 25 March 2024 6 May 2024 (sent their e same b e. and bids a s e-procu ers Section port team)	Clos Date Tir 1 Jui 20 15:00 15:00 15:00 15:00 r prop efore re als reme	and ne 3 24 24 24 24 24 24 24 24 24 24 24 24 24	Date and Time 13 June 2024 15:30 hrs 2024 15:30 hrs s (bids) revised quired to portal at
extended a PPRA's Ref. No. TS535584E TS538667E Bidders w may take closing da Tender do be submi https://epr For detail document: T	PD PP 24 PD PP 24 PD PP 24 PD PP 24 PD PP 24 Vho the ate a cun itte vocu Is s S. PPL Eax	ollows: nder /O&M// /27514/ /O&M// /27514/ /O&M// /2752/ have alle ments are d online rement ee "Inst 's e-pro : +92 2 : +92 2	Description Fault rectification & replacement of parts/ battery bank of Emerson UPS Supply of refrigerant gas (R-32) ready submitted and resubmit the mentioned abov e available online through PPL's ppl.com.pk truction for Bidd curement (Supp 1 32271841, 021 1 32271845	Published On 25 March 2024 6 May 2024 (sent their e same b e. and bids a s e-procu ers Section oort team) -33132576	Clos Date Tir 1 Jui 200 15:00 15:00 15:00 15:00 r prop efore rre als reme	and ne 3 24 24 24 24 24 24 24 24 24 24 24 24 24	Date and Time 13 June 2024 15:30 hrs 2024 15:30 hrs s (bids) revised quired to portal at
extended a PPRA's Ref. No. TS535584E TS538667E Bidders w may take closing da Tender do be submi https://epr For detail document: T	PD PP 24 PD PP 24 PD PP 24 PD PP 24 PD PP 24 Vho the ate a cun itte vocu Is s S. PPL Eax	ollows: nder /O&M/ /27514/ /O&M/ /27514/ /O&M/ /27852/ have all emback and time hents are d online irement.] ee "Inst 's e-pro : +92 2 : +92 2 ail: supp supp	Description Fault rectification & replacement of parts/ battery bank of Emerson UPS Supply of refrigerant gas (R-32) ready submitted <i>J</i> and resubmit the mentioned abov e available online through PPL's ppl.com.pk truction for Bidd curement (Supp 1 32271841, 021	Published On 25 March 2024 6 May 2024 7 sent their e same b e. and bids a s e-procu ers Section -3313257(ngroup.co	Clos Date Tir 1 Jui 20 15:00 15:00 15:00 r prop efore rre als reme	and ne 3 24 24 24 24 24 24 24 24 24 24 24 24 24	Date and Time 13 June 2024 15:30 hrs 2024 15:30 hrs s (bids) revised quired to portal at
extended a PPRA's Ref. No. TS535584E TS538667E Bidders w may take closing da Tender do be submi https://epr For detail documents P T F E S P	As finance in the second secon	ollows: nder /O&M/ /27514/ /O&M/ /27514/ /O&M/ /27852/ have all ments are d online rement. ee "Inst 's e-pro : +92 2 : +92 2 ail: supp supp https or Mana stan Pe	Description Fault rectification & replacement of parts/ battery bank of Emerson UPS Supply of refrigerant gas (R-32) ready submitted / and resubmit the mentioned above the available online through PPL's ppl.com.pk truction for Bidd curement (Supp 1 32271841, 021 1 32271845 ort.tejari@zahda ort.eprocurement ://ppl.com.pk/ ger Procurement	Published On 25 March 2024 6 May 2024 7 sent their e same b e. and bids a s e-procu ers Section -33132570 ngroup.co i@ppl.com	Clos Date Tir 1 Jui 20 15:00 15:00 15:00 r prop efore rre als reme	and ne 3 24 24 24 24 24 24 24 24 24 24 24 24 24	Date and Time 13 June 2024 15:30 hrs 2024 15:30 hrs s (bids) revised quired to portal at
extended a PPRA's Ref. No. TS535584E TS538667E Bidders w may take closing da Tender do be submi https://epr For detail document: P T F E S P D	PDPP24 PDP24 PD	ollows: nder /O&M/ /27514/ /O&M/ /27514/ /O&M/ /27852/ have ali me back and time have ali me back and time have ali ee "Inst 's e-pro : +92 2 ail: supp supp https or Mana stan Pe C House iauddin	Description Fault rectification & replacement of parts/ battery bank of Emerson UPS Supply of refrigerant gas (R-32) ready submitted / and resubmit the mentioned above e available online through PPL's ppl.com.pk truction for Bidd curement (Supp 1 32271841, 021 1 32271845 ort.tejari@zahda ort.eprocurement troleum Limited , 4 th Floor Ahmed Road	Published On 25 March 2024 6 May 2024 7 sent their e same b e. and bids a s e-procu ers Section -33132570 ngroup.co i@ppl.com	Clos Date Tir 1 Jui 20 15:00 15:00 15:00 r prop efore rre als reme	and ne 3 24 24 24 24 24 24 24 24 24 24 24 24 24	Date and Time 13 June 2024 15:30 hrs 2024 15:30 hrs s (bids) revised quired to portal at
extended a PPRA's Ref. No. TS535584E TS538667E Bidders w may take closing da Tender do be submi https://epr For detail document: For detail document: For S P D K U	As finance in the second secon	ollows: nder /O&M/ /27514/ /O&M/ /27514/ /O&M/ /27852/ have all ments are d online rement. ee "Inst * e-pro : +92 2 ail: supp supp https or Mana stan Pe C House iauddin chi, Pak	Description Fault rectification & replacement of parts/ battery bank of Emerson UPS Supply of refrigerant gas (R-32) ready submitted / and resubmit the mentioned above e available online e through PPL's ppl.com.pk truction for Bidd curement (Supp 1 32271841, 021 1 32271845 ort.tejari@zahda ort.eprocurement troleum Limited , 4 th Floor Ahmed Road istan 92-21-111-568-56	Published On 25 March 2024 6 May 2024 / sent their e same b e. and bids a s e-procu ers Section ort team) -33132570 ngroup.com	Clos Date Tir 1 Jui 200 15:00 15:00 15:00 15:00 15:00 r propefore on" o 6 m	and ne 3 24 24 24 24 24 24 24 24 24 24 24 24 24	Date and Time 13 June 2024 15:30 hrs 2024 15:30 hrs s (bids) revised quired to portal at
extended a PPRA's Ref. No. TS535584E TS538667E Bidders w may take closing da Tender do be submi https://epr For detail document: PT For detail document: S P D K U F Please do team for a	As fine the second seco	oliows: nder /O&M/ /27514/ /O&M/ /27852/ have all ments are d online rement. ee "Inst 's e-pro : +92 2 : +92 2 ail: supp https or Mana stan Pe C House Tauddin cchi, Pak : + Nos.: + ot hesita queries	Description Fault rectification & replacement of parts/ battery bank of Emerson UPS Supply of refrigerant gas (R-32) ready submitted / and resubmit the mentioned above e available online through PPL's ppl.com.pk truction for Bidd curement (Supp 1 32271841, 021 1 32271845 ort.tejari@zahda ort.eprocurement troleum Limited , 4 th Floor Ahmed Road istan	Published On 25 March 2024 6 May 2024 (sent their e same b e. and bids a s e-procu ers Section ort team) -33132570 mgroup.com t@ppl.com	Closs Date Tir 1 Jui 20 15:00 15:00 15:00 15:00 r prope efore on" o 6 m n.pk	and ne 24 0 hrs 3 ne 24 0 hrs 50 osaal so recent p f the	Date and Time 13 June 2024 15:30 hrs 2024 15:30 hrs s (bids) revised quired to portal at a Tender

