CENTRAL ORDNANCE DEPOT - KARACHI

MOST IMED

Central Ordnance Depot Karachi - 15 Tel: Mil - 021-34570010 1002/KRD- 4/24-25/ /LP

2 Feb 2025

To: PPRA Islamabad

Subject: Amendment in Tender Inquiry no.1002/KRD-4/2024-25/LP dated 17 Jan 2025

- 1. Please add Annexure 'B' & 'C' to our tender inquiry no.1002/KRD-4/2024-25/LP dated 17 Jan 2025 having PPRA code no.TS555228E dated 20 Jan 2025 which will be opened on 06 Feb 2025.
- 2. Forwarded for information and publication at PPRA's website immediately, please.

Maj LPO (Rukhsana Zenab)

TENDER ORDNANCE STORE

Ser	Nomenclature	A/U	Rate
1.	Sign Boards 4'x8' (Best Quality)	Nos	
2.	Pole for Sign Boards 16' (Best Quality)	Nos	
3.	Sign Boards 2'x2' (Best Quality)	Nos	
4.	Pole for Sign Boards 10' (Best Quality)	Nos	
5.	Reflective Sheet for Ni Sign Bd (Best Quality)	Sqft	
6.	Rechargeable Torches High Beam (Best Quality)	Nos	
7.	Batons Rechargeable (Best Quality)	Nos	
8.	Delineators (Best Quality)	Nos	
9.	Reflective Vests (Best Quality)	Nos	
10.	Whistles (Best Quality)	Nos	
11.	LMR Set (Hytra) or equivalent	Nos	
12.	LED Based Ni Sign Boards (Best Quality)	Nos	
13.	LED Based Ni Sign Boards (Best Quality)	Nos	
14.	Digital Data Logger (DDL) Model no. ST-172 Standard Instrument Temp	Nos	
	Humidity Data Logger (China) or equivalent		

TENDER ORDNANCE STORE

Ser	Nomenclature	A/U
1.	Batting Gloves	Prs
2.	Ink Blue & Black for Board Marker	Nos
3.	Chest Guard	Nos
4.	Colour Pencil	Pkt
5.	Cricket Ball (Hard Ball, Grey Nicolls) or equivalent	Nos
6.	Cricket Bat for Hard Ball	Nos
7.	Cricket Helmet	Nos
8.	Cricket Kit Bag Large Size	Nos
9.	Cricket Pad	Prs
10.	Elbow Pad	Nos
11.	Hard Chart	Nos
12.	Keeping Gloves	Prs
13.	Keeping Gloves Inner	Prs
14.	Keeping Pad	Prs
15.	Milk Pot	Nos
16.	Note Book (Single Line Small Size)	Nos
17.	Note Book (Single Line Large Size)	Nos
18.	Safety Guard	Nos
19.	Stripes (Modified) for Steel Helmet	Nos
20.	Table Tennis Ball	Nos
21.	Thai Pad	Nos
22.	Tripod Stand for DSLR Camera D-5600	Nos
23.	White Board 6' x 4'	Nos
24.	Wickets Hard Ball	Prs
25.	Wiper Hand	Nos
26.	Handheld Mine Detector (dual sensor with active metal detection and ground penetrating radar)	Nos
27.	Veh Mounted Elec Countermeasure (jammer) against remotely activated improvised explosion devices	Nos
28.	Protective apron/ trousers	Nos
29.	Protective helmet and visor	Nos
30.	Protective Shoes	Nos
31.	Protective vest/ Jacket	Nos
32.	Reinforced Gloves (pair)	Nos
33.	EOD Disrupter	Nos
34.	EOD Operator Toolkit	Nos
35.	Expl Storage/ detonator Box	Nos
36.	Firing Cable (300 m)	Nos
37.	Firing Sys to Initiate Disruptors/ Charges	Nos
38.	Hook and line toolkit for EOD	Nos
39.	Improvised Expl Device/ Post Blast Investigation Kit	Nos
40.	Collapsible Ladder	Nos
41.	EOD Suit – Hy (min v50 rating of 1,600 for the chest and groin)	Nos
42.	EOD Suit – Lt (min v50 rating of 1,000 for the chest and groin)	Nos
43.	Man Potable High Power ECM (cell/gps/jammer)	Nos

Ser	Nomenclature	A/U
44.	Metal Detectors	Nos
45.	Mine Detector (capable to measure shape or explosive content in addition to metal content)	Nos
46.	Portable X-Ray sys for EOD	Nos
47.	Remote Con Bomb Disposal Eqpt	Nos
48.	Expl Vapour Detector / Expl Sensor	Nos
49.	Bomb Blanket	Nos
50.	Bomb Basket	Nos

ISLAMIC BANKING

Deposit Slip
Customer Copy

Branch:	D D M M Y Y
Account Title רנלנאטן	1 Date: 5 0 1 2 0 2
IRAN.	PPRH (Former Megrelabry Authory
P K	HABBOOO95400013100701
Currency:	PKR USD EURO GBP JPY Others Account Type: Current Saving
Credit Card No.	- Others Account Type: Current Saving
CASH iii	
BANK / BRANCH	خابرات CHEQUE/INSTRUMENT NO. بنكابرات المحالية
	7500
	TOTAL AMOUNT 305 AC- SOOT
Total Amount in Words:	titleen Thousand milie
	M. Affalb Online Cash Deposit
Depositor's Name	
جمع کننده کا نام	
Contact No.	03/2.2292901 Branch: 5436-Rashid Minhas Road Account: PUBLIC PROCUREM Date' 2025-0
Contact No. تيليفون نبر Depositor's CNIC No.	42201-22 40135-7 ACCOUNT: PUBLIC PROCUREM Date' 2025-01
Contact No. تيليفون نبر Depositor's CNIC No.	42201-22 40135-7 Account: PUBLIC PROCUREM Date' 2025-01-5 or non-HRL/Walk-in Customers Also attach CNIC Comments Public Procurem Date' 2025-01-5
Contact No. الميليفون نمبر Depositor's CNIC No. المحمل كالمورا مؤاشات كارونبر (For Depositor's Account No.	4220 1 - 22 40 135-7 Account: PUBLIC PROCUREM Date' 2025-01 5 or non-HBL/Walk-in Customers, Also attach CNIC Conv.)
Contact No. الميليفون نمبر Depositor's CNIC No. المحمل كالمورا مؤاشات كارونبر (For Depositor's Account No.	Account: PUBLIC PROCUREM Date' 2025-01 BAN PK17HABB000454001310070 Amount ************************************
Contact No. الميليفون نمبر Depositor's CNIC No. المحمل كالمورا مؤاشات كارونبر (For Depositor's Account No.	Account: PUBLIC PROCUREM Date' 2025-01 Jor non-HBL/Walk-in Customers. Also attach CNIC Copy) Amount ************************************

CENTRAL ORDNANCE DEPOT - KARACHI

Central Ordnance Depot Karachi - 15 Tel: Mil 021-34570010 1002/KRD-04/24-25/ /LP 17 Jan 2025

To: The Assistant Director IT, PPRA

1st Floor, FBC Building, Near State Bank of Pakistan

Sector G 5/2 Islamabad

(Attention Mr. Rizwan Mehmood)

Subject: Tender No. KRD- 04 Items - FY 2024-25

- 1. Date and time of closing of tender is 06 Feb 2025 up to 1030 hours.
- 2. Date and time of opening of tender is **06 Feb 2025 at 1100 hours** at the premises of Central Ordnance Depot Karachi.
- 3. Rates are invited for supply of items mentioned at **Anx 'A' To 'B'** to this tender inquiry.

4. TERMS AND CONDITIONS GOVERNING BIDDING / PURCHASES AND GENERAL INSTRUCTION FOR BIDDERS: - Following are the terms/conditions and general instructions for bidders: -

- a. The purchase can be waived off any of the condition (s) stipulated in this Tender Inquiry and reserves the right to accept or reject there to.
- b. Bidders should note that decision of Commandant Central Ordnance Depot Karachi will be final and binding in respect of acceptance / rejection of the offer (s).
- c. All supplies will be subject to tests and inspection (s) either by a Board of Officers constituted for the purpose or by ASID / IAS&C or user acceptance. Any cost incurred on tests / inspection (s) and store (s) consumed in the same will be borne by suppliers(s).
- d. Successful bidders will have to complete the supplies within stipulated period as specified in the purchase order(s), failing which appropriate penalty as decided by Commandant Central Ordnance Depot Karachi / Commanding Officer(s) of Ordnance Units(s) will be imposed along with, necessary / appropriate disciplinary action.
- e. During warranty period (if store(s) supplied is/are backed by warranty) if a fault (s) occurs in supplied store (s) then supplier will be responsible to either rectify the fault(s) communicated or get the faulty part(s) replaced within 7 (seven) days of receipt of information in this regard from the purchaser at his specified place(s) which can be other then the place of delivery of store (s). In case supplier fails to rectify the fault(s) or replace the faulty part(s) in a specified time then purchaser will have the right to take disciplinary action against the supplier and also impose penalty if considered necessary / appropriate.
- f. During warranty period, it will be the responsibility of the supplier to carry out periodic maintenance of supplied store (s) as prescribed by the manufacturers free of cost at purchaser's specified place (s) which can be other than the place of delivery of store(s)
- g. Store offered would be brand new, unused, as per Army's approved specifications, drawing, sample(s) where applicable and must be packed in standard packing i.e. wooden box, carton, cardboard box, crate etc.
- h. In case an item has no specifications, drawing or approved sample by Army then a Board of Officers appointed for the purpose will decide its acceptable standard(s)
- i. Make / Model / Brand and Country of Origin of store(s) must be mentioned where applicable.

- j. Price / Rate(s) will be quoted for store(s) as per Army's Specification(s), drawing (s) and approved sample(s) where applicable.
- k. Price(s) / Rate(s) will be quoted on delivery basis at COD Karachi.
- I. Price(s) / Rate(s) quoted must be inclusive of all applicable taxes / duties.
- m. Price(s) / Rate(s) quoted must be net per accounting unit.
- n. Price/Rate (s) will be quoted in Pakistani Currency.
- o. Price(s) / Rate(s) quoted will be valid till 30 Jun 2025 from date of opening of tender(s).
- p. Bid Security / performance guarantee may be asked, if required.
- q. Part delivery / Part payment will not be accepted / made.
- r. Payment will be made after acceptance of ordered store(s).
- s. Price reduction (PR) will also be imposed due to deviation in case the item (s) are not as per Army specs
- t. Successful bidder(s) will have to supply store(s) as per price(s) / rate(s) quoted for six months from date of opening of tender's or else appropriate disciplinary action will be taken against them.
- u. Sample(s) test/inspection for acceptance of store(s) to be supplied against purchase order(s) will not be taken as test / inspection processes will only commence when complete / ordered quantity(s) has been supplied.

5. **Special Instructions.**

- a. Bidders are prohibited from making changes / amendment in soft copy (CD) provided by Central Ordnance Depot with tender inquiry documents.
- b. As far as possible price(s) / rate(s) must be quoted against each item, where price(s) / rate(s) are not being quoted this should be reflected by words "Not Quoted".
- c. List of store(s) (hard copy) will be submitted duly typed, (not hand written) signed and stamped on each paper, or else offer will be rejected.
- d. Price(s) / Rate(s) **quoted must be typed** and not hand written on hard copy or else offer will be rejected.
- e. Hard copy (list of store(s) having quoted rates(s) will be taken as "Offer" instead of "Soft Copy" submitted with it.
- f. No change should be made in soft copy of tender inquiry provided (list of store(s) and bidders should fill price(s) / rate(s) in front of the item(s) without deleting / amending any column / row and without disturbing the serial number(s)
- 6. **Purchaser's Right.** Purchaser does not pledge to accept the lowest or any tender and reserves the right of accepting the whole or any part of the offer made.
- 7. <u>Delivery of Tender.</u> The offer is to be submitted while using **USB** (**soft copy in Excel Sheet**) / List of stores(s) (hard copy) issue with tender inquiry documents in one envelope.
- 8. <u>Date and Time of Receipt of Tender.</u> Your tender must reach this office / dropped in tender box placed at reception of Local Purchase Branch by time and date as specified in para above. This office will not accept any excuse of delay occurring in post. Tenders received after the appointed / fixed time will not be entertained. The appointed time will fall on next working day in case of closed / forced holiday.
- 9. <u>Tender Opening</u>. Tender will be opened half an hour after the above timing on same day (as of closing day).
- 10. Validity of Offer(s). The validity of offer(s) valid till 30 Jun 2025.
- 11. <u>With-drawl of Offer.</u> If a bidder / firm withdraw(s) its offer within validity period, the competent authority (Commandant Central Ordnance Depot Karachi) may place such bidder / firm under embargo or blacklist the same.

12. <u>Pre-Qualification of Supplier and Contractors</u>. Firm will have to submit under mentioned documents along with tenders in separate envelop by mentioning

"Pre-Qualification Documents"

- a. 1x copy of valid NTN Certificate.
- b. 1x copy of valid Sales Tax Certificate.
- c. 1x copy of valid Professional Sales Tax Certificate.
- d. 1x copy of CNIC of the proprietor.
- e. 1x photograph of proprietor.
- f. Original Bank Statement for last six months duly sealed / stamped by the bank.
- g. Application for registration in Central Ordnance Depot Karachi with complete profile.
- h. Incase firm is not properly registered with this installation would provide performance. Certificate from the installation where properly registered.
- 13. **Disqualification.** Offer(s) are liable to be rejected if:
 - a. There is any deviation from general / Special Instructions/Pre-qualification of supplier/contractors.
 - b. Price(s) / Rate(s) are offer excluding / applicable duties / taxes.
 - c. If price(s) / rate(s) are not quoted (where applicable) against store(s) / item(s) with Army's approved specification(s), drawing(s) / sample(s).
 - d. Offers are found conditional or incomplete in any respect.
 - e. Multiple price(s) / rate(s) quoted against an item.
 - f. More than one offer is made / submitted in same envelope.
 - g. Received later than appointed / fixed date and time.
 - h. Offers containing non initialed un-authenticated correction / over writing(s).
 - i. Offers not submitted while using CD (soft copy) / List of store(s) (Hard Copy) issued with tender inquiry documents.
 - j. If validity of offer is not quoted as required (as mentioned in tender inquiry) or made subject to confirmation later.
 - k. Offer made through Fax / E-mail /Telex.
 - I. If offer is found to be based on cartel action in connive with other sources / participants of the tender.
- 14. <u>Right's Reserved.</u> Commandant Central Ordnance Depot Karachi reserves the rights to accept or reject any or all offers including the lowest.
- 15. **Application of Official Secret Act**. All the matter connected with the inquiry and subsequent actions arising there from are within the scope of official secret Act, 1923.

Note: This tender inquiry is also available on PPRA website www.PPRA.Org.Pk

Maj For Comdt (Rukhsana Zenab) (021-34570010)

TENDER ORDNANCE STORES - FY 2024-25

Special Instruction:-

- a. Rate of items will be quoted along with standard packing i.e. wooden box, carton, cardboard box, crate etc
- b. Tech details / broachers of items must be attached with tender inquiry if any.

2. F	Poinjar Drilling Machine (European Made) or equivalent Poinjar Drilling Machine (Refurbished, European Made) or equivalent Poinjar Drilling Machine (China) or equivalent	Nos Nos	•
	or equivalent	Nos	1
			Specs att appendix I to anx "A"
3. F	Poiniar Drilling Machine (China) or equivalent		Specs all appendix I to allx. A
		Nos	
	Hoisting Belt 1500mm (3 Ton) for Hoist Storage and	Nos	
	Transportation Shelf (STS)		
	1 x Set Tech Cen		
	3x Sets		
	3 x 8=24)		
	8 x Ropes / Set)		
	Circular Sling Frt Long 2692mm (6 Ton) for Rkt Tube	Nos	
	Hoist (LTP)	1100	
	Circular Sling Frt Short 2544mm (6 Ton) for Rkt Tube	Nos	
	Hoist (LTP)		
	Circular Sling Back Long 5933mm (6 Ton) for Rkt Tube	Nos	
	Hoist (LTP) Circular Pools Cling 5022mm (6 Top) for Plst Tube Heigh		
	Circular Back Sling 5932mm (6 Ton) for Rkt Tube Hoist (LTP)	Nos	
	Circular Sling Adjuster 1140mm (6 Ton) for Rkt Tube		
	Hoist (2 per LTP Hoist)	Nos	
	Circular Sling Transfer 1000mm (6 Ton) for Rkt Tube		
	Hoist (1 per LTP Hoist)	Nos	
	Argon Purification Cartridge for Optical Emission	Nos	Specs att appendix II to anx "A"
	Spectrometer (Sertronic France) or equivalent		appearant it aim it
10		Nos	Specs att appendix III to anx "A"
'	Inflatable Rubber Boats without OBM		appearant in to any 70



Quality and experience

Atias Copco is a leading manufacturer of high quality machinery for construction and demolition applications. Our products are sold and serviced; throughout the world by our own dedicated sales companies, in more than 60 countries, and a wide international network of experienced local distributors.

Our products range from concrete crushers and pulverisers to breakers, pick and chipping hammers, rock drills and a variety of versatile accessories.

Our business objective is simple – to enhance our customers' productivity and profitability by designing and manufacturing machinery affording high performance, mechanical reliability and minimal maintenance requirements.

We are committed to supplying equipment that is characterised by low noise and vibration levels, minimal environmental impact and maximum operator comfort and safety.



2222 Drew Road, Mississauga, ON LSS 1B1 (905) 673-8200 • Fax (905) 673-8208 www.creightonrock.com 61B Auriga Drive, Ottawa, ON K6E 8B2 (613) 723-5554 • Fax (613) 723-1491 www.creightonrock.com



www.atlascopco.com



Power, performance, punch and portability

- Breaking, cutting and drilling capabilities
- Ideal for tie tamping, drilling, anchoring, asphalt and concrete cutting
- Petrol driven, no need for cables, power packs, hoses or compressors
- Easy to transport, use, maintain and service
- Cuts capital, running, transport and storage costs

Powerful and reliable

When it comes to rapid medium size jobs or emergency repairs that require breaking and drilling, the Pionär renge has an enviable record of delivering low-cost high performance solutions.

Versatile

Ponjär easily breaks up esphalt and concrete with an added bonus of being able to restore the working surface by compacting sand, rubble and stone after digging and breaking. It is also perfect for the tamping, post driving, splitting large boulders and concrete as wall as being able to dig fairt or frozen soil.

User friendly

The Plonjär is easy to transport in its protective wooden case and quick to set up on location, There is no need for cumbersome power packs, hydraulic or pneumatic hoses or electric cables. All the controls are together for easy operation, fignition is simple with just a quick pull to the start cord. Users also appreciate the arrii-vibration handles for extra comfort and its service friendly reputation due in part to its easy access to main service points.

Economical

Pionjär delivers an hours work using only 1.5 litres of fuel. Your profit margins are also helped as Pionjär reduces capital, running, transport and storage costs.

Two models to choose from

With economy and top of the range models, there is a Pionjar for any job and budget. Pionjar 120 offers dni// tireaker combinations while the Pionjar 130 has breaker capacity only. Models are powered by a single cylinder air cooled two stroke engins.

Ready for action

As a standard, the Pionjūr drillibreaker models are delivered in a special protective wooden case which is easy to transport. The case includes one 34 x 400 mm utili steet, and one 45 x 400 mm concrete chisel. There is also room for exita tools and accessuries.







Simple Electronic ignition ensures Pionjär is always easy to start.



Flexible Soft side grip for comfort and easy manoeuvrability.



Comfortable
For operator comfort Pionjär
120 AV and 130 AV has antivioration handles to reduce vioration.



Versatile Easy change from breaking to drilling. Switch up for breaking or down far drilling.



Clean
Easy access to the air filter
means dust particles can be
removed in seconds.







Handy

Pionjär model has daily service

tools, including a plug key for taking off the starter cover and changing the spark plug, plus a measuring can for the **two-stroke eil**.



Pionjär, a powerful and economical solution

Out on location Prorjär is a reliable and versatile power tool for rapid medium size jobs. Back at the office it works hard for your profit margins, helping to cut capital, running, transport and storage costs.

Model options at a glance

Pionjär 120 Drill/breaker combination with

soft grip handles.

Pionjär 120 AV Drill/breaker combination with anti-vibration handles.

Pionjär 130 Breaker with soft grip handles.

Pionjär 130 AV Breaker with anti-vibration handles.

Tools and accessories for extra applications

A robust power tool like Pionjär needs tough tools and accessories for different applications such as drilling, breaking, cutting and driving. Only Atlas Copco Originals ensure maximum safety and performance.




Technical data

roommour data			
Pionjër model	120/120 AV	130/130 AV	
Dimensions and weights			
Weight, kg	27.0	25.0	
Impact rate, blows/min	2600	2000	
Ording capacity, mm/min (In granite, 34 mm drill)	300	1	
Max drilling depth, m (In granide, 34 mm drill)	6	1	
Total shank, mm	22 x 108	22 x 100	
Engine			
Турс	185 to single cylinder, two stroke		
Cooling system	Forced air		
Starter system	Recoil starter		
Recommended fuel	>90 octane (unleaded on leaded)		
Recommended cil	Adias Copto Two-Stroke oil or a recommended two-stroke oil		
Fuel mix	1:12 (8%)	1:12 (8%)	
Fuel tank capacity, litres	1.5	1.5	
Fuel consumption, I/h (average)	1,4	1.4	
Article no.			
Honjär 120	8318 0325 07 drill/breaker		
Pionjár 120 AV	8318 0335 41 drill/breaker, anti-vibration handles		
Floright 130	8318 0328 05 breaker		
Filmjer 130 AV	8318 8335 34 breaker, and vibration hundles		
Specifications subject to alt	orations without prio	notice.	

Tools and accessories

De	signation	Shank	Working length	Tip width	Weight	Article no.
١	N/H and	mm	mm	mm	kg	244 4404
1	Crill steel	22x108	1200	32	4.2	714-1232
	Drill steel	22x108	800	33	3.0	714-0833
	Criti steel	72x108	400	34	1.8	714-0434
2	Reamer bit			76	1,2	175-9076
3	Pilot drill rod	72+108	800	26	3.3	575-3108
4	Tie tamper	22x108	390	50	25	3083 3237 00
	Tie tamper	72x108	460	90	27	9245 2823 30
	Tie tamper	72x108	550	90	29	9245 2822 40
5	Moil point	22x108	350		1.4	3083 3228 00
	Moil point	22x108	480		1,9	3083 3229 00
6	Wide chisel	22x108	240	45	1.2	3083 3231 00
	Wide chisel	22x108	340	45	1.4	3083 3230 00
	Wide chisel	22x108	380	75	0.9	3083 3232 00
7	Asphalt cutter	22x108	350	125	2.5	9245 2812 90
8	Digging chisel	22x108	280	75	25	3083 3233 00
9	Digging space	22x108	330	120	3.2	3083 3234 00
10	Wedge set Ø 29mm.				1.5	5245 2813 81
	Wedge set Ø 34mm				2.1	5245 2813 51
11	Ground rod driver	22x108	155	42	1.2	3083 3241 00
12	Clay space	22x108	350	125	3.2	3083 3235 00
	Wedge chisel	22x108	350	35	3.6	3083 3236 00
	Driver blank	22x108	195	55	25	9245 2822 80
	Shaft for pad	22x108	185	-	13	3083 3238 00
	Tanging pad, round	- K((**)	1,000	175	7.5	3083 3252 10
	Tanung pod, square			175	57	3083 3239 00
	Temps on remal.	22v105	160	175	5.7	3883 3240 80



Technical data

Pionjär model	120/120 AV	130/130 AV
Dimensions and weights		
Weight, kg	27.0	25.0
Impact rate, blows/min	2600	2600
Drilling capacity, mm/min (In granite, 34 mm drill)	300	-
Max drilling depth, m (In granite, 34 mm drill)	6	
Tool shank, mm	22 x 108	22 x 108

Engine			
Туре	185 cc single cylinder, two-stroke		
Cooling system	Forced air		
Starter system	Recoil starter		
Recommended fuel	>90 octane (unle	eaded or leaded)	
Recommended oil	Atlas Copco Two-Stroke oil or a recommended two-stroke oil		
Fuel mix	1:12 (8%)	1:12 (8%)	
Fuel tank capacity, litres	1.5	1.5	
Fuel consumption, I/h (average)	1,4	1,4	

Article no.	
Pionjär 120	8318 0326 07 drill/breaker
Pionjär 120 AV	8318 0335 41 drill/breaker, anti-vibration handles
Pionjär 130	8318 0328 05 breaker
Pionjär 130 AV	8318 0335 34 breaker, anti-vibration handles

Specifications subject to alterations without prior notice.



SPECIFICATIONS – ARGON PURIFICATION CARTRIDGE FOR OPTICAL EMISSION SPECTROMETER

1. General. It is used for purification of Argon gas which provides inert media in Optical Emission Spectrometer for testing of samples.

2. <u>Technical Specifications</u>

a. Purified Gas: Argon
b. Capacity: 250 Nm³

c. Compatibility: Optical Emission Spectrometer,

Model Minilab 150 (GNR Srl Italy)

d. Removed Impurity: O₂ & H₂O

e. Impurity Outlet Level: O2 < 0.1 ppm, H2O < 0.4

f. Connection Type: 1/4" DB

g. Dimensions: dia 42, length 530 mm

h. Weight: 1.4 Kg
i. Filtration: 20um
i Maximum Pressure: 50bar


k. Brand: Sertronic France/EU


 Standard Accessories. All std accessories including Vaseline oil for Liquid discharge filter.

4. Special Instructions

- a. Firm's offer will be accompanied with the foreign manufacturer proforma invoice (in original).
- b. The firm will provide original OEM certificate (both hard & soft copies) for dealership authentication.
- Store will be brand new ex-factory and latest model of current year's production.
- Quotee firms will ensure provision of and detail list of accessories at the time of technical scrutiny.

- specifications & special instructions for evaluation / scrutiny of the offered equipment.
- f. All standard accessories should be clearly defined in quotation.
- g. A set of operating instructions, maintenance manual and repair manual will be supplied with the equipment free of cost.
- h. It should be certified the firm that the store does not contain ozon depleting substances (ODS).
- The supplier Firm will install the part free of cost.
- j. The equipment will be supplied with all accessories, fitted for immediate operation on receipt. All accessories required for testing should be included as standard accessories and not optional accessories.
- k. Incomplete offers will not be entertained.
- Supplier / Firm will be responsible for following:-
 - (1) Complete installation of the offered egpt at CID Kci.
 - (2) Comprehensive trg of the CID staff.
 - (3) Provision of necessary safety equipment.





Appendix III to Anx "A"

INFLATABLE RUBBER BOAT WITHOUT OBMS

1. Specification

e.

a. Model: UB470

b. Length Overall :4.70 Metersc. Width Overall : 1.70 Metersd. Width Inside : 0.90 meters

Tube Dia Meters: 0.50 Meters

f. Air, Chamber: 4+1

g. Floor : Aluminum

h. Seating Capacity: 8-10 Persons

i. Maximum Loading Capacity: 1050 KG

j. Weight : 130 KG Approx

k. Country of Origen: China

2. Standard Accessories

a. Two piece aluminum oars

- b. Foot pump
- c. Carrying Bag
- d. Once piece aluminum bench seat
- e. Repairing kits (glue and material)
- f. Exterior Grab Rail
- g. Handles
- h. Floatable Rope

<u>Anx "B"</u>

CERTIFICATE

KRD ltr no. 1002/KRD-04/2024-25/LP

"Certified that the rates are reasonable and we have not quoted lower rates to any other department or organization. In case of stores found substandard or rates found higher than quoted by us to the other department/organizations, punitive action may be taken against our firm".

	Signature:
	Name:
Firm' Stamp	Designation:
	Firm:
	Mob:
	STAL ADDRESS & TELEPHONE NUMBERS
(Change	es if any will be communicated on immediate basis)
	·
	Rep:
	CNIC No: