

RESTRICTED

MOST IMMEDIATE

704 Aviation Medium Workshop  
EME Multan Cantonment  
Telephone PTCL: 061-4518600  
81201 / Normal Expendable LP /  
05 Aug 2024

To: Mr. Rizwan Mehmood,  
(Assistant Director – II)  
Public Procurement Regulatory Authority  
1<sup>st</sup> Floor FBC Building Near State Bank,  
Sector G-5/2, Islamabad

Subject: Local / Foreign Purchase of Aviation Stores (Financial Year 2024/25)

704 Aviation Medium Workshop EME Multan intends to purchase the items as given at Annex 'A & B' to this letter please.

TERMS AND CONDITIONS OF THE TENDER

1. Rates

- a. Quoted rates must be valid up to 30 Jun 2025.
- b. After submission of quotation, (valid till 30 Jun 2025) rates will not be changed, otherwise Pos will be cancelled.
- c. Quoted rates must be inclusive of all the Govt taxes i.e. GST, Income Tax and other etc.
- d. Quotation will be addressed to Commandant, 704 Aviation Medium Workshop EME Multan with following information on the envelopes:-
  - (i) Word '**Quotation**' on top.
  - (ii) '**Date and time of opening with IT no & date**' under the word Quotation.
  - (iii) **Rate will be quoted for brand new items only.**
  - (iv) Any other quotation or irrelevant documents should not be placed in same envelope.

2. Quotations.

- a. No columns should be left blank in quotation. However, NQ should be written in column for ITEMS NOT BEING QUOTED.
- b. All items quoted, must have Specifications Sheet/ Technical Data sheet for each item. Any item quoted, without Spec Sheet/ Technical Data sheet will not be include in CST.

3. Restrictions

- a. Quotation must be typed or printed. **CUTTING OR OVERWRITING and HAND WRITTEN RATE** in the quotation makes it liable to rejection, same may be avoided.
- b. The procuring agency may reject all bids or proposals at any time prior to the acceptance of a bid or proposal.

4. Supply Requirements

- a. Store(s)/ items should be exactly in accordance with the technical specifications/ sample, as mentioned against each item in Annexure A & B.
- b. **Shelf life** items will be supplied with **at least 70%** of the remaining shelf life, otherwise the items will be rejected.

5. Tender Opening

- a. Quotation / Technical offer must be dropped in the tender box of 704 Aviation Medium Workshop EME before 1100 hours on 28 Aug 2024.
- b. The tender will be opened at 1130 Hours on 28 Aug 2024.




c. No quotation will be accepted after due date and time.

6. **Important Note**

- a. **Delivery Period (DP) must be mentioned along with quotation, otherwise it will not be accepted.**
- b. As per PPRA Rules, any firm can participate in Tender, provided that they meet following conditions:-
  - 1) Security-wise cleared firm from GHQ, Military Intelligence Directorate.
  - 2) Registered with 704 Aviation Medium Workshop, Provisionally registered firm may also participate.
- c. Any breach of contract will render the firm liable to disciplinary action i.e. cancellation of Purchase Orders/ Cancellation of registration/ Blacklisting of the firm.
- d. **Purchase quantity can be increased or decreased.** Hence, all firms should mention **MOQ (if any), Unit Cost and Total Cost** against each of the quoted item(s).
- e. Rates for each item should be given separately.
- f. Purchases will be made in phases in FY 2024/25.
- g. The firm will provide authenticated source of supply of the item(s). Firm will also provide (TDS) Technical Data Sheet, shipping documents, copy of air way bills for all imported items (where applicable). Brand-wise specification sheet for each of the quoted item must be provided. Quote without specification sheet will be rejected.
- h. If the firm is facing difficulty in identification of the item(s) for quoting its price due to non-availability of book reference etc, the respective firm may contact this Workshop on **contact no: +923237418266** for any assistance/ reference if required.
- i. Each bid should accompany 2% (not exceeding as amount of Rs 200,000/-) of the bided amount of items as earnest money in the shape of PAY ORDER / BANK DRAFT in the name of Commandant 704 Aviation Medium Workshop, EME. **Tender without earnest money will not be entertained.**
- j. **Tender fee amounting to Rupees 3,000/- per tender** will also be enclosed with quotation. **No quotation will be entertained without Tender fee.**
- k. Firms must mention item **Brand, Specification and Country of Origin**, otherwise quote will be rejected.
- l. **Time lapse of supply must be given.**
- m. Quotation will be provided on proper letter head pad of the firm and each page of the quotation must bear firm's stamp and signature.
- n. In case of non-adherence to delivery period, LD charges will be imposed @ 0.5% of Purchase Order value per week up to 10% maximum.

**Sample Approval**

Successful supplier(s) should get the sample approved to avoid rejection of complete lot at the time of delivery.

  
Major  
For Commandant  
(Abdullah Ehtesham)

**RESTRICTED**

4500 P.3/5/8/24

**DETAIL OF EXPENDABLE (FOREIGN) ITEMS FOR IT FY 2024/25**

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
1.	MIL-G-25537	9150-00-506-4897	Bearing Grease (Aeroshell 14)	Tube	20	Brand: Aeroshell Grease 14 400 g Tube Pack	Foreign	
2.	MIL-G-81322 (Grease 28)	MIL-PRF-81322	Mobil Grease no 28	Kg	34	Brand: Aeroshell Grease 14 3 Kg CAn Packing		
3.	MIL-G-81322 (Grease 22)	9150-00-233-4003	Grease Aircraft (Grease 22)	Kg	60	Brand: Aeroshell Grease 22 3 Kg Can Packing	Foreign	
4.	3820-0	C-172	Grease Thixo SYN (3820-0)	Tube	16	Brand:Aeriol MIL-C-6864 440 g Tube Pack	Foreign	
5.	AER0THIX02-425G=C4	3810-0	Grease, High Pressure NLGI Grade 2, Thixo No 2 (3810-0)	Tube	18	NLGI Grade 2 , Thixo Grease High Pressure Thixo No 2 (3810-0) 440 g Tube Pack	Foreign	
6.	MIL-PRF-23699	(AEROSHELL T-500)	Lubricant Oil (Aeroshell T-500)	Qtz	60	Brand : AeroShell Turbine Oil 500 Approved MIL-PRF-23699G Grade STD Used for for Eng Oil Lub Cleaning Quartz Packing	Foreign	
7.	MIL-PRF-23699 (AEROSHELL T-600)	MIL-PRF-23699 (AEROSHELL T-600)	Lubricant Oil (Aeroshell T-600)	Qtz	50	Brand : NYCO Turbonycoil 500 Approved MIL-PRF-23699G NATO Code 0-156 Used for for Eng Oil Lub Cleaning Quartz Packing	Foreign	
8.	DOD-PRF-85734	-	Aero shell T-555 Oil	Lit	60	Brand AeroShell Turbine Oil 555 synthetic lubricating Oil for aircraft turbine engines NATO Code is O-160 DEF STAN 91-100 Quartz Packing	Foreign	
9.	MIL-PRF-5606H	-	Hydraulic Fluid (Royco 756)	Qtz	50	Brand: Royco 756/Ryco 756A Coy: LANXESS Hydraulic Fluid, Aircraft, Missile and Ordinance Petroleum Base Ryco 756 is red-dyed mineral Oil. Quartz Packing	Foreign	
10.	MIL-PRF-6081	9150-00-273-2388	Castrol Bryco 460 (Grade 1010)	Lit	30	Brand: Castrol Jet Engine Tubine Oil, 5 Gallon Pail NATO Code Number: O-133	Foreign	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
11.	PWC03-001	BP Turbo Oil 2380	Oil, Engine Lubricating 2380	Qtz	11	Brand : Turbo Oil 2380 Coy: bp marine Turbo Oil 2380 Aircraft gas turbine lubricant Turbo Oil 2380 temperature range is between -40C to +204C Pour point is -57C Quartz Packing	Foreign	
12.	9150-01-439-0858	TW25B	Lubricant Oil, Weapon, W 25B	Jar	5	Brand: MC MILCOMM 1 Jar = 8 oz Item # 25381 TW25B Series All Purpose Synthetic Lubricants -67 to +232C	Foreign	
13.	MIL-PRF-8188	-	Corrosion Preventive Oil	Bottle	20	Brand: LHB Industries Barkeley. 1 Bottle = 14.5 Oz	Foreign	
14.	3 IN 1 OR EQUIVALENT	-	Lubricating Oil Light Machine	Bottle	18	3 IN 1 Item Code: C-040 1 Bottle=50 ml	Foreign	
15.	16508258	-	Lubricant Oil Braycote 646	Lit	8	Brand : Castrol Castrol Braycote 646 lubricant oil semi-fluid (Automatic weapons) Tamprature range: -54 to 127 C NATO Code: O-158	Foreign	
16.	MIL-PRF-23377, TYPE I CLASS-II	MIL-PRF-23377	Epoxy Polyimide Primer , High Solid, Yellow	Kit	17	Brand: 3 CHEM Two Part A&B (1x Kit equal to 8 lit)	Foreign	
17.	MIL-PRF-23377, Type II CLASS C II	-	Epoxy Polyimide Primer , High Solid , Green	Kit	13	Brand: CHEM-SEAL, 3 CHEM Item Code: C-204 Two Part A&B (1x Kit equal to 8 lit)	Foreign	
18.	EWDE072	EWDE072A/B	Primer	Gal Kit	1	Brand: PPG Aerospace Coating Used for for ASB 412-8-129 Landing Gear Part A&B	Foreign	
19.	MIL-P-8585	8010-00-279-0593	Primer Zinc Chromate Green (C-201)	Bottle	22	Brand: Tricom Coating TT-P-1757. 1 Bottle – 12 Oz/ 340 gm	Foreign	
20.	299-947-060, TYPE I	C-202	Epoxy Primer	Lit	11	Brand Jaco aerospace Super koropon, type-I Item Code: C-202	Foreign	
21.	MIL-PRF-85582 Type 1	-	Primer	Kit	3	Imported brand : PPG, LEMPCO or CHEM SOLE Kit= 1xGal	Foreign	
22.	M99915	-	Ammonia Based Glass Cleaner	Bottle	1	Brand: Drackett 1 x bottle = (2 oz) For cleaning lenses and sensors of Spectrometer.	Foreign	Email:infoae tpk.com



Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/Foreign	Remarks
23.	M33004	-	Filter Sample Stand Exhaust	Nos	1	Exhaust filter for Spectroil M Series	Foreign	Email:infoae tpk.com
24.	M97201	-	Electrode Rod	Nos	200	MIL-C-SPEC	Foreign	Email:infoae tpk.com
25.	PWC06-004	-	Anti-Seize Compound	Bottle	4	Brand: DOW Corning Molykote G-N 1 bottle = 8 Oz supports the prevention of galling during run-in, extends lifetime of parts, and protects against fretting wear and corrosion.	Foreign	
26.	EC-090/C-452	2400-07427-00	Anti Sieze Compound,thread high temperature (8 OZ)	Bottle	18	Brand : LPS 1 x Bottle =08 Oz Used for for corrosion compound	Foreign	
27.	MIL-PRF-907	8030-00-597-5367	Molykote Antisieze Thread	Bottle	26	Brand: LPS NICKEL ANTI-SEIZE Silver Color, 1 x Bottle =1 Lbs/454 gms Used for for corrosion compound	Foreign	
28.	MIL-C-16173, GRADE 1	MIL-C-16173-GR1	CPC , Solvent	Gal	13	Tectyl 891 Class 1 Group 1 (Black, Soft To Touch) Item Code: C-101 Cutback, Cold Application (Hard Film)	Foreign	
29.	MIL-C-16173 Grade 2	-	Corrosion Preventive Compound (TECTYLE 502 C)	Gal	35	Brand: Tectyle 502C Class I Grade 2 TECTYL 502 C is a solvent cutback, soft wax base, corrosion preventive compound. 1USG Can	Foreign	
30.	MIL-C-16173 Grade 3	-	Corrosion Preventive Compound	Lit	26	Brand: PD680 Grade 3 Rust Preventatives are suitable for both "indoor" and "shedded outdoor" rust and corrosion protection of ferrous and non-ferrous metals.	Foreign	
31.	8030-00-144-9658	-	Adhesive Mixture Epon 826	Bottle	4	Resin/Compound light amber; liquid; for casting, encapsulating and potting applications 1bottle = 800 ml	Foreign	
32.	PERMALON 327	-	Lubricant Dry Film	Bottle	14	Brand: Aeroval Item Code: C-028 1Bottle = 12 oz (Permelon 327)	Foreign	
33.	TT-I-735	C-385	Isopropyl Alcohol	Lit	201	Brand: Interpid Coatings Case Number 57-63-0 s Weight 75% to 100%, Flamabel Limit is 1.7% to 12.8%	Foreign	
34.	MIL-C-372C	6850-00-224-6663	Cleaning Compound Rifle Bore Cleaner	Lit	10	Specific Gravity: 0.85-0.90 Available in UN Approved 5 Gallon Pail. Used for for Gun cleaning	Foreign	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
35.	05-651222	-	Epoxy Bonding Cement	Nos	10	Brand Quikrete Required for Repairing of Terminal Block	Foreign	
36.	MIL-I-15126	-	Electric Tape	Nos	10	Insulation repairing Ef-9 type Is a 1-mil, clear polyester film with a pressure-sensitive acrylic adhesive. A single coated tape, it features an adhesive system that offers resistance to most common cleaning solvents	Foreign	
37.	PWC11-012	-	Acetone	Lit	15	Kemko Aerospace It is a low boiling, fast evaporating, colourless, stable liquid. Packing in 25 Lit Can	Foreign	
38.	299-947-107	8040-00-165-8614	Adhesive EC776	Qtz	1	Brand: 3M Fuel Resistant Coatings EC-776 Net Weight= Quartz	Foreign	
39.	TT-S-300	-	Shellac Varnish	Gal	25	Brand: AEV Packing in Gal=5 Lit	Foreign	
40.	8030-00-893-4224	-	Versamide	Qtz	23	Brand: GABRIEL Versamide is a medium viscosity reactive polyamide resin desinged	Foreign	
41.	6810-00-995-4804	-	Diethylenetraimine DTA	Qtz	30	Brand : HEXION Epon 826 Quartz Bottle	Foreign	
42.	MMA-A-1754	8040-00-944-7292	Adhesive / Metalset A4	Tube	24	Brand: Smooth On Bell Spec 299-947-099 METALSET A-4 (Part A + Part B) Tube= 6 oz	Foreign	
43.	9550-00-250-0926	C-008	Petrolatum VV-P-236	Qtz	25	Brand: ARMITE LUBRICANTS Light Lubricant Grease Case Number: 8009-03-8 1 Quartz Packing	Foreign	
44.	PWC09-003	MIL-S-8660	Compound Silicone	Tube	14	Brand: Dow Corning DC4 Packing in 100 g Tube	Foreign	
45.	PWC11-003	-	Cleaning Solvent (Ardrex 6345) / Cleaner Alkaline	Lit	10	Brand Adrox 6345 Packing in 25 lit per can	Foreign	
46.	Zyglo ZL-67B	-	Florescent	Lit	85	Brand: MAGNAFLUX Storage Temprature: 10 C to 30 C Available in 25 Lit Can Packing Used for for FPI (Ferrous Particle Inspection)	Foreign	
47.	Zyglo ZL-37	-	Penetrant	Lit	35	Brand: MAGNAFLUX Storage Temprature: 50 C to 70 C Available in 25 Lit Can Packing Used for for FPI (Ferrous Particle	Foreign	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
						Inspection)		
48.	Zyglor ZR-10C		Post Emulsifier	Lit	85	Brand: MAGNAFLUX Form and Color is Pink/Red Liquid Storage Temperature: 5 C to 20 C Available in 25 Lit Can Packing Used for for FPI (Ferrous Particle Inspection)	Foreign	
49.	ZP-4B	-	Dry Developer	Kg	30	Brand: MAGNAFLUX Storage Temperature: 10 C to 30 C Available in 25 KG Can Packing Used for for FPI (Ferrous Particle Inspection)	Foreign	
50.	204-040-755-005	9150-00-506-8497	Lubricant, Tube Pack, Driveshaft Coupling	Tube	37	Brand: Syn-Tech Ltd Temperature Range: -40 F to +300 F Used for Driveshaft Coupling Mfg Part No: NS-3913-G1 Tube Pack= 6 Oz	Foreign	
51.	9150-01-079-6124	MIL-L-63460	Lubricant and reseruation Cleaner	Lit	33	Brand: ROYCO 634 or Break Free Inc. Temperature range -75 degrees F max pour point	Foreign	
52.	6850-00-0930-0995	MIL-C-25769H	Cleaning Compound ac Alkaline Water Base	Lit	80	Brand: PPG Aerospace Eldorado ED-500 Alkaline Water Based Cleaner Product No: 0000840 Used for for Body Cleaning	Foreign	
53.	PWC11-022	ASTM-D740	MEK Cleaning Solvent	Lit	5	Brand: Green chem Cleaning Solvent Product Code: MEK	Foreign	
54.	2845-12320-00	C-024	Assembly Fluid	Tube	22	Brand: Ultrachem Assy Fluid No.1 (4 Oz)	Foreign	
55.	A-A-59601 TY II	6850-00-274-5421	Dry Cleaning and Degreasing Solvent	Gal	325	Brand: Arpol Aerospace Used for for cleaning compound (Packing in per drum 18.9 Lit / 5xUS GALON)	Foreign	
56.	7930-00-282-9699	-	Detergent (5 Lit Galon) Detergent , Mild liquid	Lit	35	Model: Teepol Commercial. Used for for Multi Purpose Cleaning/ General Cleaning	Foreign	
57.	Araldite 2026	20000-00697-00	Adhesive	Kit	10	Used for for Bell-412 Temp Plate Installation (50 ml)	Foreign	
58.	3M, Scotch Clad No 3950	2010-06640-00 C-349	Edge Sealer, Vinyl and Mylar Films	Kit	12	Brand: 3M Edge Sealer 3950 Temperature Storage: +4 C to +40 C Sealer used for for Seal installation	Foreign	
59.	ASTM D5363 GP 04, Class-I,	C-352	Sealant Anaerobic Retaining	Tube	43	Brand: Loctite Used for for sealant Loctite 609 Sealant	Foreign	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
	Grade I		Compound			(50 CC)		
60.	MIL-PRF-87936 Type I	C-318	Cleaning Compound, Alkaline Base, Detergent (25 Lit per can)	Lit	26	Brand: Zip Product Type I Temperature: Below than 44 C Packing Avail in 1 Gal =3.78 Lit	Foreign	
61.	MIL-C-46156	-	Rust Remover	Lit	11	Brand: LPS Packing Avail in 1 Gal= 3.78 Lit Used ford for Corrosion Prevention	Foreign	
62.	O-T-620	PWC11-002	Trichloroethane	Can	39	Brand: BDH Analar (Can=10 Ltrs)	Foreign	
63.	PWC11-049	-	Corrosion Inhibitor	Ltr	13	Brand: Rustick-631 Packing Avail in 1 Gal =3.78 Lit	Foreign	
64.	ZA-70 Zyglo Kit	C-450	Penetrant Insp Kit, Fluorescent Dye	Kit	2	Brand: Magna Flux Spot Check SKC-S (Kit of 3 Bottles having 400 ml in each bottle)	Foreign	
65.	PWC05-207	-	Aluminum Oxide Abrasive Cloth	Sheet	150	Brand: 3M. 180 Grit. Size of each sheet – 11 x 9 Inch	Foreign	
66.	8305-00-503-7960	-	Cloth Satin No.120 Glass	Roll	4	Brand: Satin Fiber Glass.1 Roll = 90 Mtr x 36 Inch Used ford for MR Blade Layers Fiber	Foreign	
67.	MS9226-04	PWC05-090	Locking Wire 0.032 inch	Roll	33	Brand Malin Nickel Alloy Size: 1 Roll =1Lbs	Foreign	
68.	PWC05-089	MS9226-03	Lock wire 0.025" (0.64 mm Dia)	Roll	23	Brand Malin Nickel Alloy LW 0.025 Size: 1 Roll =1Lbs	Foreign	
69.	AS3510-218K	PWC-05-344	Safety Wire Cable Safety, Kit (C&S)	Roll	32	Manufacturer Kell-Strom PWA-316 Size: 1 Roll =1Lbs	Foreign	
70.	MIL-S-22473	-	Sealant Loctite 7471	Tube	1	Brand: Loctite Grade T Form R Tube= 50 ml	Foreign	
71.	MIL-C-85043	-	Loctite 271	Btl	22	Brand: Loctite 1 Bottle = 50 ml	Foreign	
72.	MIL-STD-454	-	Loctite 242	Btl	22	Brand: Loctite 1 Bottle = 50 ml	Foreign	
73.	ASTM D5363 GP 4, Class II, Grade I	-	Sealant , Anaerobic, Retaining Compound	Tube	31	Brand: Loctite Safety Lock For Swash Plate 1 Tube = 50 CC	Foreign	
74.	MIL-S-8802 B2	8030-00-081-2326	Sealant, Fuel Resistant, Rubber Base, High Adhesion (Sealing Compound)	Tube	72	Brands: CS 3204 B2 or PS 890 PR 1440-B2 A chemical composition formulated for coating or for filling voids, cracks, joints or seams of objects and/or materials to exclude foreign matter and/or prevent the transmission of fluids 1 Tube= 6 Oz	Foreign	



Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
75.	EA934NA	299-947-100	Hysol	Tube	2	Brand: Hysol EA934NA Type II Class II 1 Tube Kit = 6 Oz only tube will be accepted	Foreign	
76.	MS907	-	Epoxy Adhesive (Loctite 907)	Tube	22	Brands: Loctite 907 1 Tube Kit = 6 Oz	Foreign	
77.	MIL-A-46106B	-	RTV 106 (Red Adhesive)	Tube	31	Brand: RTV. Each Tube = 82.2 ml	Foreign	
78.	008A009	-	White Contrast Paint (WCP-2)	Bottle	22	Brand: Magna Flux. 1 Bottle = 400 ml	Foreign	
79.	008A103	-	Black Magnetic Ink	Bottle	30	Brand: Magna Flux 1 Bottle = 400 ml	Foreign	
80.	008A105	-	Florescent Magnetic Ink	Bottle	24	Brand: Magna Flux 1 Bottle = 400 ml	Foreign	
81.	MIL-C-15074	-	Finger Print Remover	Gal	13	Brand: Daubert Chemicals Company. 1 Gal Contain 3.8 Lit Used ford in Swash plate assembly.	Foreign	
82.	LC3814383	-	0.0575m EDTA	Lit	25	Formula – CH <sub>2</sub> N(CH <sub>2</sub> COOH) Used for for analysis of cadmium metal	Foreign	
83.	LC01714150	-	0.153N Silver Nitrate	Lit	26	Formula AgNO <sub>3</sub> -H <sub>4</sub> OH, Used for for Titration of cadmium & copper (Sodium cyanide CX.)	Foreign	
84.	LC742516	-	0.94N Sulphuric Acid	Lit	22	Formula H <sub>2</sub> SO <sub>4</sub> FECN , Used for for Titration of copper (Sodium Hydroxidex CX)	Foreign	
85.	LC01190	-	10% Potassium iodide	Jar	21	Formula KI, Used for for analysis of sodium cyonide. 1 Jar =250 ML	Foreign	
86.	LC03814115190	-	Caustic blue indicator	Jar	10	Formula C <sub>16</sub> H <sub>8</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> S <sub>2</sub> , Used for for Cyanide content & detection indicator 1 Jar =200 ML	Foreign	
87.	LC01413140	-	10% Sodium Cyanide	Jar	11	Formula NaCN , Used for for analysis of Cyanide plating bath 1 Jar =500 ML	Foreign	
88.	LC014819150	-	Ammonium Per Sulphate	Jar	11	Formula (NH <sub>4</sub> ) <sub>2</sub> S <sub>2</sub> O <sub>8</sub> ,Used for for copper plating sol & copper detector indicator 1 Jar =250 Grm	Foreign	
89.	LC0148150	-	Ammonium Hydroxide	Jar	19	Formula NH <sub>4</sub> OH ,Used for for analysis of cadmium metal in cadmium plating both 1 Jar =250 ML	Foreign	
90.	LC013212120	-	Murexide Indicator	Jar	13	Formula Mu.d <sub>2</sub> Na , Used for for analysis of cadmium metal 1 Jar =100 gram	Foreign	
91.	LC01483120	-	Ammonium chloride buffer solution	Jar	17	Formula NH <sub>4</sub> CL <sub>2</sub> (NHOH) used for for analysis of cadmium metal 1 Jar =500 ML	Foreign	
92.	LC019143180	-	Eriochrome Black T	Jar	18	Formula SOCR3CL <sub>2</sub> Used for for analysis of cadmium metal 1 Jar =50 Gram	Foreign	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
93.	LC1413140	-	Cyanide Indicator Solution	Lit	21	Brand: Libras Chemical Formula NACN(NH4OHCL2) Used for for check total cyanide solution	Foreign	
94.	LC026141480	-	0.0575M EDTA Zinc Solution	Lit	13	Brand: Libras Chemical Formula ZN(NH4) 2 Used for for analysis of copper metal	Foreign	
95.	SKD-S2	-	Magnaflux Spotcheck SKD-S2 Solvent based developer	Bottle	40	Brand: Magnaflux A bright white, non-aqueous developer, SKD-S2 creates an opaque white background for high-contrast penetrant testing. Density Bulk: 7.5 lb/gal (870 g/L) NPE-Free: Yes	Foreign	
96.	SKL-SP2	-	Magnaflux SPOTCHECK SKL-SP2 Red Penetrant	Bottle	36	Brand: Magnaflux Solvent-removable visible penetrant designed for portability, especially for welding operations, and is post-emulsifiable. Form and colour: Red liquid AMS 2644 class: Type 2, Method B/C/D Flash point > 93oC (bulk product) Density: 0.85 g/cm3 Viscosity: 3.8 mm2/s Sulphur content < 300 ppm Chloride content < 300 ppm Corrosion: Meets AMS 2644	Foreign	
97.	SKC-S	-	Magnaflux SPOTCHECK SKC-S Cleaner / Remover	Bottle	50	Brand: Magnaflux SKC-S is an NDT-approved solvent cleaner/remover for pre-cleaning before non-destructive testing and for removing excess surface penetrant from an inspection area before applying developer during liquid penetrant testing Flash Point > 57°F / 14°C Density: 6.29 lb/gal / 755 g/L Corrosion: Meets AMS 2644 requirements Non Volatile Residue <50 ppm NPE-Free Yes	Foreign	
98.	AMS 3277, Type II, Class B,	C-158/PRI828 CLASS B1/2	Sealant, Polythio-ether Rubber, Fuel Resistant, Fast Curing	Bottle	24	Brand: PRO -Seal CHEM Seal PR-1828 CLASS B-2 Item Code: C-158 Bottle=2.5 Oz	Foreign	
99.	A-A-59166, Type II	A-A-59166 (C-223)	Non Slip Compound, Walkway	Gal	4	Brand: PPG Aerospace APV® BLK,37038 Gal Item Code: C-223	Foreign	
100.	MIL-PRF-81733	C-251	Sealant, Corrosion Inhibitor	Kit	28	Brand: Pro-Seal Ps 870 A-2, PPG Aerospace Item Code: C-251 Kit=6 Oz	Foreign	
101.	DEVCON 2-TON	C-298	Adhesive, Epoxy	Pack	15	Brand: DEVCON Item Code: C-298 Metal Repair & Fairing Compound 1 Pack = 2 Tubes	Foreign	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
102.	DAPCO 3300	C-300	Adhesive, Silicone Base	Bottle	2	Brand: NSL AERO SPACE WB PARTS Silgrip SR-529 with 3% SRC-18 Catalyst Type I, Class 1 Item Code: C-300 Bottle= 1 Oz	Foreign	
103.	299-947-066 TYPE I	-	Adhesive	Bottle	2	Brand: 3M Scotch Weld EC3549 (TAN) Wb Parts ,Dapcotac 3013 (Natural Color) Item code: C-301 Bottle=25 ml	Foreign	
104.	299-947-152 TYPE I ,CLASS 2	RTV-732	Adhesive, Silicone, Clear	Tube	21	Brand: DOW® RTV 732 Item Code: C-307 Tube=3 Oz	Foreign	
105.	99-947-107 TYPE II CLASS 4	C-311	Adhesive, Rubber Base	Bottle	2	Brand: STABOND C-111 Item Code: C-311 General Purpose, Vinyl Bottle=50 ml	Foreign	
106.	299-947-152	RTV-730	Adhesive, Silicone Base	Tube	21	Brand: DOW ® RTV-730 (White), RP1258, FRV-1106 Item Code: C-314 Room Temperature Vulcanizing Tube=3 Oz	Foreign	
107.	299-947-152, TYPE II CLASS 2	-	Adhesive Magnabond 6398	Kit	2	MAGNOBOND 6398 CRO 62 Item Code: C-317 1xKit= 1 LBS	Foreign	
108.	TT-N-95, TYPE II		Aliphatic Naphtha	Gal	32	Brand: Silimid , Sky Geek Item Code: C-305	Foreign	
109.	299-947-072 TYPE 1	-	Fairing Compound	Qts	5	Brand: HYSOL EA960 , RP1257-3 Item Code: C-323	Foreign	
110.	INSTABOND 900	-	Adhesion Promotor	Bottle	22	Brand: INSTABOND Item Code: C-327 Metal Bond Bottle= 1 Lbs	Foreign	
111.	A-A-59107		Toluene, Technical Grade	Gal	21	Mach dynamics Chem seal Item Code: C-306	Foreign	
112.	AMS 3374, Type I	-	Sealing Compound	Bottle	18	NLC Aerospace DAPCO 2100 Item code: C-353 Bottle=3 Oz Pack	Foreign	
113.	AMS 3284, Type I	C-328	Sealant, Low Adhesion	Kit	7	CHEM SEAL CS 3330, Class B-2 PPG AERO PR-1773, Class B-2 Item Code: C-328 Kit=6 Oz	Foreign	
114.	MIL-PRF- 85285 TYPE 1 (24098)	-	Polyurethane Coating, Semi-Gloss Green (Olive) Paint	Kit	1	Brand : PPG, LEMPCO or CHEM SOLE Federal Standard: FED-STD-595 Class H, Color Code: 24098 Kit includes Base, Hardener and Thinner	Foreign	



Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
115.	MIL-PRF-85285 TYPE 1 (36440)	-	Polyurethane Coating, Light Gul gray Paint	Kit	2	Brand : PPG, LEMPCO or CHEM SOLE Federal Standard: FED-STD-595, Light Gul gray, Color Code: 36440 Kit includes Base, Hardener and Thinner	Foreign	
116.	LOCTITE 243	C-263	Sealant, Anaerobic,Treat,Locking	Tube	17	Brand: Loctite 1Tube=50 ml	Foreign	
117.	MIL-PRF-121G	8135-00-224-8885	Barrier Material	Roll	19	Barrier Material Type-I Grade A Class-I Measurement : 36" x 100 Yard Roll	Foreign	
118.	MIL-PRF-680	-	Universal Degreaser /Contact Cleaner	Btl	35	Brand: Perfects Bottl=200 ML Used ford for Connectors Cleaning	Foreign	
119.	EA9394	-	Hysol Epoxy Paste	Tube	12	200 ML two part Tube Kit used for for Honeycomb + MR Blade Patch Repair (Dual Cartridge ES)	Foreign	
120.	MIL-M-43719	-	Scotchcal 3M	Nos	20	Used for for Cleaning / Polish of DHC Piston	Foreign	
121.	Ardrox-6376	-	Immersion Multi-metal Alkaline Cleaner	Lit	50	Solvent used ford for cleaning of components / Parts Appearance: Clear. Straw Colored liquid Density: 1.04@200C g/ml PH: Approx 12 Flash point: none Miscibility in water: Fully miscible	Foreign	
122.	Ardrox-185L	-	Alkaline Rust and Scale Remover	Lit	100	Solvent used ford for cleaning of components / Parts Appearance: Colorless to light yellow liquid Density: 1.43@200C g/ml PH: Approx 14 at 200C	Foreign	
123.	Ardrox-3705	-	Aqueous Corrosion Inhibitor	Lit	50	Solvent used ford for cleaning of components / Parts Appearance: Clear. Pale Straw Colored liquid Density: 1.08 g/ml	Foreign	
124.	Ardrox-5503	-	Solvent Cleaner	Lit	500	Solvent used ford for cleaning of components / Parts Appearance: Clear. Colorless liquid Density: 0.77@150C g/ml Flash point: 630C Type II	Foreign	
125.	9150-01-415-9732	-	Grease Rheo Temp 500 (Ball and Roller Bearing Grease)	Kg	56	Brand: Nye Lubricant Grease for ball & roller bearings	Foreign	
126.	Sermetal - 249	PWC-07-023	Coating Aluminum and Zinc	Lit	24	PWA- 548/ CPW-584 High temperature corrosion preventive spraying as is chromate free.	Foreign	
127.	9150-01-263-3480	-	Lubrication Oil Grease	Kg	41	Brand: Royco Generator Hardware lubrication and is Corrosion resistive and low evaporation and low temperature and oxidation resistant	Foreign	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/Foreign	Remarks
128.	J 1966	-	Lubricating Oil, Grade 1100	Lit	12	Brand: Kemko Aerospace Used for T/R Hub Assembly	Foreign	
129.	9150-00-687-4241	MIL-L-46000	Lubricant Oil Braycote 646 Braycote Part No. 16058788	Lit	13	Brand: Braycote Antiwear and corrosion resistive and oxidation resistant Effective Temperature Range Rating: -65.0/+260.0 degrees fahrenheit	Foreign	
130.	9150-263-31	-	Petroleum Oil	Lit	15	Brand: Royco Corrosion resistive and low evaporation and low temperature and oxidation resistant used for Lubrication of Spline shafts	Foreign	
131.	EC-036	C-204	Epoxy Polyamide Primer	Bottle	16	Brand: ICA Used as an epoxy sealer	Foreign	
132.	D19-0-8	MIL-DTL-85694	Standard JOAP D19-0-8 (240 ml)	Nos	17	Brand: Standard JOAP (1 x bottle= 240 ML)	Foreign	
133.	D3-100-8	MIL-DTL-85694	Standard JOAP D3-100-8 (240 ml)	Nos	18	Brand: Standard JOAP (1 x bottle= 240 ML)	Foreign	
134.	D12-100-8	MIL-DTL-85694	Standard JOAP D12-100-8 (240 ml)	Nos	161	Brand: Standard JOAP (1 x bottle= 240 ML)	Foreign	
135.	M97200	-	Electrode Disk	Nos	1000	MIL-C-SPEC BOX/500	Foreign	Email:infoae tpk.com
136.	P-10524	-	Sample Holder High Temperature 1000 /Pkt	Pkt	32	1 Pkt =1000 Nos	Foreign	Email:infoae tpk.com
137.	M99913	-	Lint Free Tissue	Box	22	Brand: Kim wipes Used For Oil Sampling	Foreign	
138.	MIL-L-23398 Type II	9150-01-260-2534	Dry Solid Film/Lubricant Solid Film (12 oz)	Kit	11	Brand: Perma Silk G or Tiolube 70 (C-021) is intended to reduce wear and prevent seizing, corrosion and galling, the lubricant can be applied by dipping, brushing or spraying	Foreign	
139.	QQ-S-591	N09	Solder Eclips Alloy	Nos	19	Soldering Wire used for for circuit Card component replaced	Foreign	
140.	MIL-B-7883	-	Solder Eclips Alloy	Nos	18	Soldering Wire used for for circuit Card component replaced Grade III	Foreign	
141.	1540960-3	-	Lacing Tape	Roll	34	Brand: Nomex Extremely high temperature performance, Non flammable, Highly resistant to fluids and lubricants	Foreign	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
142.	MIL-G-23827A	-	Molybdenum Molykote Z	Nos	22	Brand: MOLYKOTE Can be used as a dry-burnished (rubbed-on) lubricating film for metallic contacts; as a solid lubricant additive for self-lubricating plastics and sinter metal parts	Foreign	
143.	9535-00-232-7439	-	Strip, Metal	Nos	38	Brand: WB Parts A ferrous or nonferrous product with corss-section	Foreign	
144.	EE-S-321	8945-00-945-5169	Shortening Compound	Nos	64	Brand: WB Parts Liquid physical form, iv type nondefinitive spec/std data.	Foreign	
145.	TT-P-385	-	Iron Blue Pigment	Lit	15	Brand:Aerospace adhesive Dry physical form, 1.000 pounds quantity within each unit package, blue color, paint media for which designed, pigment, iron blue supplementary featuresry	Foreign	
146.	PWC06-005	-	Lubricant Florescent	Tube	18	Brand: Kemko Aerospace Ignitor (PTFE Release Agent) Aeroshell spray PMC79904-1 , ms-122V, 16 oz, (CPW 310)	Foreign	
147.	PWC11-033	-	Cleaner Aquase	Lit	32	Brand: Kemko Aerospace Solitery 304 , PMC71254	Foreign	
148.	MIL-DTL-81706 Class 1A, Form III	C-100	Chemical Film Material	Gal	15	Brand: Bonderite Alodine 1201 (MOQ 4 Lit per Gal)	Foreign	
149.	MIL-G-3545	83298	Spline Lubricant	Lit	64	For Lubrication of Spline Gears	Foreign	
150.	PWC05-101	ANSIB74-18	Abrasive Cloth (No. 320)	Sheet	30	Brand: 3M. 320 No Grit P-C-451. Size of each sheet – 11 x 9 Inch	Foreign	
151.	8010-00-141-6081	-	Shellac Dry FED (75 ml)	Tube	33	Brand: WB Parts Orange type, fine lemon grade Used for for Armature Cleaning	Foreign	
152.	P413 (73159)	-	Heresite	Lit	56	Brand: Heresite Used for Protective Coating	Foreign	
153.	RB-160 (83298)	-	Epoxy Resin	Lit	14	Brand: RB Cement. Used ford for Re-impregnating of Generator Rotor	Foreign	
154.	MS9226-01	PWC05-110	Locking wire 0.061 inch Dia	Roll	19	Brand: Malian Nickel Alloy Size: 1x Roll =1Lbs	Foreign	
155.	3439-00-224-3567	QQ-S-571	Soldering Tin Alloy FED	Tube	25	Brand: WB Parts A solder whose main ingredient is tin. It is supplied in form of wire, bar, strip, or	Foreign	



Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
						grains (granular). Eclipsaloy No 9 Quantity: 75 ml		
156.	Rb-174	83298	Epoxy Resin	Nos	18	Brand: RB Cement. Used ford for Stator/ Rotor Cement	Foreign	
157.	FE192	-	Adhesive Resined Epoxy	Tube	16	Brand: H.B Fuller Co. Used ford for Bearing installation. Tube = 75 ml	Foreign	
158.	EA9309NA	299-947-125	Adhesive	Tube	32	Brand: Hysol Type II, Class II 1 Tube Kit= 6 Oz	Foreign	
159.	EA956	-	Hysol	Tube	18	Brand: Hysol EA956 Type II Class III 1 Tube Kit = 6 Oz only tube will be accepted	Foreign	
160.	J-STD-004/005	-	Soldering , Electronics	Roll	56	Brand: MG Chemicals Type Sn60 of Sn63	Foreign	
161.	A-934-BX	-	Adhesive Promoter	Tube	12	Brand: Hysol. 1 Tube Kit = 6 Oz. Used ford for Swash Plate.	Foreign	
162.	8030-01-229-2659	-	Filler Compound/ Sealing Compound	Kit	32	Brand: WB Parts Polyurethane RP3265 1 Kit= Polyol (22.70 Kg) and Isocyanate 22.70 kg.	Foreign	
163.	LC083120	-	Hydrochloric Acid	Jar	11	Formula HCL , Used for for copper metal CX & derusting of ms panel. 1 Jar =250 ML	Foreign	
164.	TPN/LC/704/01	-	8% Formaldahyde Solution	Jar	18	Formula HCONH2 Used for for Cadmium metal bath Clear color less solution. 1 Jar =250 ML	Foreign	
165.	EA9392	-	Adhesive, Epoxy Base, Heat Resistant	tube	15	Brand: HYSOL EA9392 299-947-152, TYPE II CLASS 2 Item Code: C-317 General Purpose 1xTube= 1 6 oz	Foreign	
166.	AS5685	C-447	Wire, Safety	Nos	32	Brand: MALIN Item code C-447 CRES, 0.041", AS100029	Foreign	
167.	299-947-494 (37038)	-	Polyurethane Coating, Black Paint	Kit	56	Brand : PPG, LEMPCO or CHEM SOLE Federal Standard: FED-STD-595 Series: 18 Series (Black), Color Code: 37038 Kit includes Base, Hardener and Thinner	Foreign	
168.	299-947-494 (27925)		Polyurethane Coating, Semi Gloss White Paint	Kit	26	Brand : PPG, LEMPCO or CHEM SOLE Federal Standard: FED-STD-595 Series: 18 Series, Semi-Gloss White Color Code: 27925 Kit includes base, Hardener and Thinner	Foreign	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/Foreign	Remarks
169.	601199	-	Polyurethane Coating, Semi Gloss White Paint	Gal	24	Brand: ADAMS. PPG AERO ELDORADO GD-500	Foreign	
170.	1615-01-041-7060	-	3"Skin Patch	Kit	1	Brand: Kaman-Aerospace-Corporation Includes 3ea paper 220 grit; 3ea paper 120 grit; 1ea tongue depressor 6x3/4; 1ea rymple cloth; 1 roll 3-m 691 masking tape; 1ea 1" wide paint brush; 1 pair 271-x13 cotton gloves; 1 pair plastic gloves; 1ea k747-202-49 template; 1ea k747-202-1 patch 3" dia	Foreign	
171.	1615-01-041-7061	-	5"Skin Patch	Kit	1	Brand: Kaman-Aerospace-Corporation 53 ea paper-220 grit; 3 ea paper-120 grit; 1 ea tongue depressor 6x3/4; 1 ea rymple cloth; 1 roll 3-m 691 masking tape; 1 ea 1" wide paint brush; 1 pair 271-x13 cotton gloves; 1 pair plastic gloves; 1 ea. K747-202-51 template; 1 ea k747-202-3 patch 5" dia	Foreign	
172.	1615-01-041-7062	-	9"Skin Patch	Kit	1	Brand: Kaman-Aerospace-Corporation Includes 3ea paper 220 grit; 3ea paper 120 grit; 1ea tongue depressor 6x3/4; 1ea rymple cloth; 1 roll 3-m 691 masking tape; 1ea 1" wide paint brush; 1 pair 271-x13 cotton gloves; 1 pair plastic gloves; 1ea k747-202-53 template; 1ea k747-202-5 patch 9" dia	Foreign	
173.	1615-01-041-7063	-	3"Skin Patch	Kit	1	Brand: Kaman-Aerospace-Corporation Includes 3ea paper 220 grit; 3ea paper 120 grit; 1ea tongue depressor 6x3/4; 1ea rymple cloth; 1 roll 3-m 691 masking tape; 1ea 1" wide paint brush; 1 pair 271-x13 cotton gloves; 1 pair plastic gloves; 1ea k747-202-51 template; 1ea k747-202-29 disc; k747-202-7 plug assembly	Foreign	
174.	1615-01-041-7064	-	3"Skin Patch	Kit	1	Brand: Kaman-Aerospace-Corporation Includes 3ea paper 220 grit; 3ea paper 120 grit; 1ea tongue depressor 6x3/4; 1ea rymple cloth; 1 roll 3-m 691 masking tape; 1ea 1" wide paint brush; 1 pair 271-x13 cotton gloves; 1 pair plastic gloves; 1ea k747-202-51 template; 1ea k747-202-29 disc; k747-202-9 plug assembly	Foreign	
175.	1615-01-041-7068	-	7"Skin Patch	Kit	1	Brand: Kaman-Aerospace-Corporation Includes 3ea paper 220 grit; 3ea paper	Foreign	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
						120 grit; 1ea tongue depressor 6x3/4; 1ea rymple cloth; 1 roll 3-m 691 masking tape; 1ea 1" wide paint brush; 1 pair 271-x13 cotton gloves; 1 pair plastic gloves; 1ea k747-202-53 template; 1ea k747-202-53 disc; k747-202-107 plug assembly		
176.	1615-01-04-9466	-	Trailing edge spline patch	Kit	1	Brand: Kaman-Aerospace-Corporation Includes 3ea paper 220 grit; 3ea paper 120 grit; 1ea tongue depressor 6x3/4; 1ea rymple cloth; 1 roll 3-m 691 masking tape; 1ea 1" wide paint brush; 1 pair 271-x13 cotton gloves; 1 pair plastic gloves; 1ea k747-202-55 template; k747-203-1 t e patch	Foreign	
177.	6850-00-551-3694	MIL-C-6864	Solvent Cleaning Compound	Lit	10	Brand: B&B, HARCO or MIL-PRF-6864 Used for Oil Cooler Cleaning	Foreign	
178.	7000002051 or 3M No 86A	C-558	Adhesive Promotor	Pint	10	Brand - 3M Transparent 86A Adhesive Adhesion Promoter - Pint Can 16 fl oz(1 pt)/ 473 ml	Foreign	
179.	7000088560 or 3M No 8663HS	C-557	Tape Erosion, Protective Polyurethane, Transpernt	Roll	01	Company: 3M Tough, thermoplastic polyurethane elastomer has a high shear strength adhesive and resists scratches, tears, erosion and punctures 6" Width x 36 Yard length Product Color- Transparent	Foreign	
180.	3M156225-ND Or DP-190	C-149	Edge Sealer, Erosion Protective Tape	Kit	03	Brand - 3M Epoxy Adhesive DP190 is a two-part epoxy adhesive (transparent) that delivers exceptional performance with high shear and peel strength 1 x Kit (200 ml) Transparent Epoxy, 2 Part	Foreign	
181.	Henkel 1515810		Fairing Compound HYSOL EA960	Qts	4	Brand- Loctite EA960F AERO Two Component System Rapid Cure Color Change when Mixed Good Filler Sandable and Paintable Smoothing, Fairing Compound Epoxy Paste Adhesive Part A/B 1US Q Kit	Foreign	
182.	MIL-C-87936 TYPE I		Cleaning Compound ac Alkaline Water Base	Gal	4	Brand: CALLA 800 Used for cleaning aerospace equipment	Foreign	



Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
						(aircraft, engines and aerospace ground equipment)		
183.	TEEPOL5LTR		Detergent (5 Lit Galon) Detergent , Mild liquid	Gal	1	Model: Teepol Commercial. Used for Multi Purpose Cleaning/ General Cleaning	Foreign	
184.	AF163 (FSCN 76381)	-	Adhesive	Tube	12	Used for Main Rotor Mast Assys	Foreign	
185.	EC3924 or EC3950	-	Primmer Adhesive	Btl	12	Used for Main Rotor Mast Assys	Foreign	

**DETAIL OF EXPENDABLE ITEMS (LOCAL) FOR IT FY 2024/25**

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
1.	AS002	C-436	Paint Remover water rinseable	Qts	82	Brand: Andrews Aerospace Coating Packing in Quartz (Made in Pakistan)	Local	
2.	RC3000-10	-	Cloth Non- Woven	Mtr	530	1 mtr Lengthy Piece For cleaning solvent apply	Local	
3.	8010-00-082-2450	5338	Cotton Rag	Kg	380	Without any button and unstitched	Local	
4.	AVN-4600222	-	Liquid Hand Wash	Nos	254	Detol Large	Local	
5.	SCPF4POP	-	Flux	Bottle	3	Brand: Decent 450 Bottle For repairing of PCB	Local	
6.	3439-00-255-4566	-	Soldering Flux	Nos	8	Brand: HI-TECH 450 g Jar For Soldering Purpose	Local	
7.	6810-184-4800	Q-T-634	Trichloroethylene Technical FED	Lit	10	Specific gravity :Between 1.450 and 1.460 10 Lit per Can For cleaning-Generator parts	Local	
8.	AVN-NIV-L-71-OLD	94499	Lint Free Cloth	Nos	10	2 x 2 Ft piece soft and wool	Local	
9.	AVN-503570	-	Scotch Brite	Nos	179	Brand: Scotch Brite. Used for Parts Cleaning	Local	
10.	PWC05-027	-	Marker, Ink Black	Nos	1	Brand : Kemko Aerospace Permanent marker use for marking	Local	
11.	6615-00-324-5500	-	Stirrers, wooden	Box	63	Tongue Depressor ¾ " x 6" 100 per box /tongue depressor China / Med spatulas	Local	
12.	TPN-EXP-755	-	Cup mixing	Nos	25	Plastic ½ Gal	Local	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
13.	TPN-EXP-95	-	Roller Paint	Nos	130	Short hair 3" wide short hair for adhesive	Local	
14.	TPN-EXP-01	-	Roller Handle	Nos	20	3" Roller	Local	
15.	NIV-EXP-03	-	Cutter blade	Nos	215	3" Length	Local	
16.	NIV-EXP-04	-	Handle Cutter Blade	Nos	45	For 3" cutter	Local	
17.	TPN-EXP-80	-	Sand Paper 80 grit, belt type	Feet	1044	Brand: DEFR Length 182', Width 4" For Grinding purpose	Local	
18.	TPN-NIV-SP-60	-	Sand Paper 60 grit, belt type	Feet	104	Brand: DEFR Resin Bond Electro coating For Grinding purpose (Length 182', Width 4")	Local	
19.	5350-00-224-7202	-	Sand Paper 80 Grit	Sheet	700	Brand: M10 (Abrasive Paper) Size: 11x9 inch For Grinding of MR Blade and GRP items.	Local	
20.	P-P-101	-	Sand Paper 220 grit	Sheet	4	Brand: 3M. Size of each sheet – 11 x 9 Inch Used for Corrosion Removal	Local	
21.	P-C-458	5350-00-221-0872	Cloth Crocus/ Abrasive Cloth	Sheet	58	Brand: 3M. Size of each sheet – 11 x 9 Inch For Removal of Nicks and Polishing	Local	
22.	PWC05-013	-	Cloth Abrasive	Nos	12	Manufacturer: Saint Gobain Abrasives Inc REF. NO. 400 GRIT	Local	
23.	5345-01-015-1419	-	Grinding Disk 80 Grit with 2 x Pad	Box	20	Brand: Velcro Disk 1 x Box 100 Pcs, Disk 4 Inches Dia with 2 x Disk Pad each Box	Local	
24.	TPN-NIV-GD-60	-	Grinding Disk 60 Grit with 2 x Pad	Box	50	Brand: Velcro Disk 1 x Box 100 Pcs, Disk 4 Inches Dia with 2 x Disk Pad each Box	Local	
25.	MS20995C41	-	Locking Wire No 41	Roll	3	1 Roll= 1 Lbs Lock,Nut Removal	Local	sales@asap-supplychain.com
26.	MS20995C20	299-947-113	Locking Wire No 20	Roll	6	1 Roll= 1 Lbs Lock,Nut Removal	Local	sales@asap-supplychai

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
								n.com
27.	6135-00-985-7845	-	Cell bty size 1.5V	Nos	3	Model: CAMELION Size AA Use for power dine and digital meter	Local	
28.	AVN-503563	-	POLYTHENE SHEET	Mtr	360	1x Roll equal to 100 Mtr, Width 8' Thickness 0.1 mm	Local	
29.	7510-00-290-2026	-	Tape Pressure	Roll	400	Brand: 3M Universal Tape width of 2 Inch &length of each roll of - 25 Mtr	Local	
30.	7510-00-226-6712	C-426 3M No 232	Tape Masking	Roll	45	Brand: Johnson Length of each roll - 25 Mtr Width of 1 inch	Local	
31.	7510-226-6712	-	Masking Tape	Roll	295	Brand: Johnson Length of each roll - 25 Mtr Width of 2 Inch	Local	
32.	AVN-NIV-T-46	-	Tape Insulation neto tape	Nos	120	Brand: 3M TAPE PRESSURE SENSITIVE ADHESIVE OPAQUE 60 YD LG 1" WIDE TAN Used for wiring safety	Local	
33.	7510-00-403-5544	-	Tape NO. 363, Aluminum Foil/Glass Cloth	Roll	3	Brand: 3M Roll : Width = 2", Length= 25 Mtr	Local	
34.	3M NO. 393	-	Tape NO. 393, Duct Tape	Nos	1	Brand: 3M Item Code: C-482 Roll 2 Inch Wide 25 Mtr	Local	
35.	A-A-59298	A-A-59298	Tape Adhesive	Roll	1	Brand: 3M Item Code: C-456 Wide= 2 Inch, Length= 25 Mtr	Local	
36.	TT-M-261	6810-00-281-2785	MEK	Lit	360	Brand: Dysol Cleaning Solvent Packing Avail in 200 Lit Per Drum	Local	
37.	S-215 (73159)	-	Methanol	Lit	3	Brand: SPEX CertiPrep	Local	
38.	TPN-704-PB-50		Pencil Brush 1 MM	Nos	50	Brand: Master. For Cleaning/ applying Compound	Local	
39.	AVN-5035519	-	Fiber Brush 2 inch	Nos	30	Brand: Master. For Cleaning/ applying Compound	Local	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
40.	AVN-503795	-	Cleaning Brush 1/2 inch	Nos	34	Brand: Master. For Cleaning/ applying Compound	Local	
41.	AVN-503559	-	Brush Lay Up 2 Inch	Nos	7	Brand: Captain. For Cleaning/ applying Compound	Local	
42.	AVN-NIV-B-151	-	Brush Cleaning 3 inch	Nos	40	Brand: Captain. For Cleaning/ applying Compound	Local	
43.	10625	-	Brush Cleaning 4 inch	Nos	20	Brand: Captain. For Cleaning/ applying Compound	Local	
44.	AVN-503977	-	Brush Cleaning 5 inch	Nos	20	Brand: Captain. For Cleaning/ applying Compound	Local	
45.	10643	-	Bristle Brush 2 inch	Nos	30	Brand: Eagle Used for Parts Cleaning	Local	
46.	AMS 3819	C0046	Cheese Cloth	Mtr	280	Brand: RYMPLECLOTH. Fine Quality Used for Cleaning Purpose	Local	
47.	AVN-NIV-S-469	C-411	Steel Wool	Nos	20	Used Corrosion Removal	Local	
48.	5006594-000	-	Soldering Wire	Roll	2	1 Roll=10 Feet	Local	
49.	900002698	-	Lacquer	Kit	10	Brand: ALPS. White Glassy Paint 1 Kit= Adhesive (1 Ltr) and with Hardener (500 ml)	Local	
50.	7510-00-465-0994	-	Marking Pencil Yellow No. 217	Nos	1	Brand: Mitsubishi Uni-Paint Marker	Local	
51.	7520-00-973-1062	-	Marking Pencil Red	Nos	1	Brand: Mitsubishi Uni-Paint Marker	Local	
52.	5120-00-294-4605	-	Putty Knife Semi Flexible Class 2	Nos	25	Brand: J Blackwood & SON LTD 2" Wide Stainless Steel Hard	Local	
53.	PWC05-054		Bag Polythene	Nos	280	Zipper Bag Polythene Locally Aval Small - 3"x6" Medium - 5"x10" Large - 8"x15" 3x3	Local	
54.	AVN-NIV-P-237	-	Polythene Transparent Film	Roll	3	Locally Aval, Used for component Safety/ Dust Proofing. Size Width=2 Ft length=100 Ft	Local	
55.	8415-00-268-7868	8415-00-268-8353	Surgical Gloves (50 Pairs box)	Box	25	Latex Powdered Examination Gloves (Black & White)	Local	



Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
56.	8515-00-266-8677	AVN-503620	Gloves Rubber	Pairs	143	Brand: Kramer Mfg Co Material: Thick/ Soft Rubber.	Local	
57.	8415-01-201-6936	-	Heat Protective Gloves	Pairs	15	Brand : Safepro inc Gloves made of heat-resistant materials designed to protect the hands from heat or burns	Local	
58.	6532-01-422-5282	-	Mask N95	Nos	185	Brand: 3M (N95) respirator used for air filtering infection control	Local	
59.	6515-01-187-1458	-	Surgical Mask	Nos	510	Brand: 3M item used by medical personnel to prevent infectious material from being extruded into the surgical operating field Locally Aval, PPE	Local	
60.	SPECIALIST WD-40	-	High Performance White Lithium Grease	Bottle	60	Brand: WD-40 Nozzle Type,1 Bottle – 400 ml	Local	
61.	WD 40	C-125/LSP-1	Corrosion Preventive Compound	Bottle	27	Brand: WD 40 1 Bottle=400 ml	Local	
62.	6640-01-475-7534	M99914	Dropping Pipet	Pkt	5	Brand: Spectro Scientific, Inc. Disposable pipette for collecting and dropping oil sample 1x Packet = 400 Pcs	Local	
63.	TPN/704/TP/56		Exit Sign Boards	Nos	80	Length= 10 inches, Width = 4.5 inches. White Text with Green background good quality plastic	Local	
64.	6810-00-222-9655	A-A-59105	Nitric Acid	Lit	1	Brand: Aerospace Adhesive Specific Gravity Value =1.375 and Composition And Percentage 61.0 by weight nitric acid	Local	
65.	ABRASIVE STONE	C-464	Indian Stone	Nos	5	Brand: NORTON. GESSWEIN. Item Code: C-464	Local	
66.	AS006-0027	-	Mating Paste Black	Lit	20	Brand: Andrews Aerospace Coating black mate paint	Local	
67.	MIL-C-83286	8010-00-482-5671	Polyurethane Color Black 37038	Qtz	47	Brand: Andrew's Aerospace coating. Mat Paint Black	Local	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
68.	MIL-PRF-85285 Type I	C-245	Coating Polyurethane, Aircraft support	Qtz	40	Brand: Andrew's Aerospace Coating. Light Gull Grey Colour No. 36440, 2K PU Grade.	Local	
69.	MIL-PRF-85285 Ty I, Clear	C-245	Clear Coating	Gal	1	Brand: Andrew's Aerospace Coating, 2K PU Grade. Two part Galon Kit	Local	
70.	MIL-C-85285	-	Enamel, Gloss white	Qtz	1	Brand: Andrews Aerospace Coating. 2K PU Grade-I	Local	
71.	TPN/704/BLACK/01	-	Black Paint	Liter	10	Brand: Automax, Grade I , High solid, PU 2K	Local	
72.	TPN/704/GREEN/01	-	Olive Green Paint	Liter	10	Brand: Automax Grade I , High solid, PU 2K	Local	
73.	TPN/704/WHITE/01	-	Semi-Gloss White Paint	Liter	5	Brand: Automax Grade I , High solid, PU 2K	Local	
74.	TPN/704/RED/01	-	Red Paint	Liter	20	Brand: Automax Grade I , High solid, PU 2K	Local	
75.	TPN/704/YELLOW/01	-	Yellow Paint	Liter	60	Brand: Automax Grade I , High solid, PU 2K	Local	
76.	SP-512	7920-ZO-250-0104-OLD	Acrylic Aerosol Spray Paint Black	Bottle	15	Brand: Mubah SP-512 1 Bottle - 400 ml	Local	
77.	AVN-EXP-38047	-	Spray Bottle Red	Bottle	10	Brand: Mubah SP-512 1 Bottle - 400 ml	Local	
78.	TPN-704-SP-512	-	Spray Bottle Yellow	Bottle	10	Brand: Mubah SP-512 1 Bottle - 400 ml	Local	
79.	TPN/AVN/1/45	TPN-EXP-05	Thinner 2K Kapci	Qtz	220	Brand : Andrew Packing in Quatz Locally Avail	Local	
80.	TPN/5/4	-	Slippage Torque Seal	Tube	41	Brand : CROSSCHECK Coy: ITW Tube= 1 Oz	Local	
81.	6850-00-550-5565 II	MIL-C-14460	Pencil (C5572)	Lit	2	Physical Form Granular or flake 54.0 by weight sodium hydroxide Used for rust removal	Local	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
		Type-						
82.	TPN-EXP-583		Glint (500 ml)	Bottle	18	Brand: King Coy: Klear 1 x Bottle= 500 ML Use for Glass cleaner	Local	
83.	AVN-GSE-9-780	-	Drill Bit Set Carbon Steel	Pkt	2	Brand: DORMOR 1 Pkt= 10 Drill Bits Size: 1/16" to 1/2" Material: HSS Cobalt	Local	
84.	5133-00-227-9650	-	Twist Drill 1/8"	Pkt	11	Brand: DORMOR 1 Pkt= 10 Drill Bits Size 1/8" Material: HSS Cobalt	Local	
85.	5133-00-227-9652	-	Twist Drill 5/32"	Pkt	11	Brand: DORMOR 1 Pkt= 10 Drill Bits Size 5/32" Material: HSS Cobalt	Local	
86.	5133-00-227-9658	-	Twist Drill 1/4"	Pkt	11	Brand: DORMOR 1 Pkt= 10 Drill Bits Size 1/4" Material: HSS Cobalt	Local	
87.	5133-00-189-9266	-	Twist Drill No 21	Pkt	11	Brand: DORMOR 1 Pkt= 10 Drill Bits Size No 21 Material: HSS Cobalt	Local	
88.	0380	-	Cadmium Makeup	Lit	20	Brand/Coy: LIBRAS Chemical Company Karachi Used for Cadmium Plating	Local	
89.	LC081530 / 503454	-	Cadmium Purifier	Lit	15	Brand/Coy: LIBRAS Chemical Company Karachi Used for Cadmium Plating	Local	
90.	3815382315	-	Cadmium Grain Refiner	Lit	24	Brand/Coy: LIBRAS Chemical Company Karachi Used for Cadmium Plating	Local	
91.	14119381530	-	Cadmium Brightener	Lit	24	Brand/Coy: LIBRAS Chemical Company Karachi Used for Cadmium Plating	Local	
92.	LC03213140	-	Copper Plating Salt	Kg	192	Brand/Coy: LIBRAS Chemical Company Karachi Used for Copper Plating	Local	
93.	LC038150	-	Copper Makeup	Lit	24	Brand/Coy: LIBRAS Chemical Company Karachi Used for Copper Plating	Local	
94.	1119	-	Coper Purifier	Lit	24	Brand/Coy: LIBRAS Chemical Company Karachi Used for Copper	Local	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
						Plating		
95.	1418191410	-	Copper Grain Refiner	Lit	24	Brand/Coy: LIBRAS Chemical Company Karachi Used for Copper Plating	Local	
96.	31141190	-	Copper Brightener	Lit	24	Brand/Coy: LIBRAS Chemical Company Karachi Used for Copper Plating	Local	
97.	4814150	-	Decadium Salt	Kg	96	Brand/Coy: LIBRAS Chemical Company Karachi	Local	
98.	14116150	-	Electrolytic Cleaner Cleaning Salt Maint	Kg	120	Brand/Coy: LIBRAS Chemical Company Karachi use for Electrolytic cleaning of parts	Local	
99.	343140	-	Cadmium Salt	Kg	50	Brand/Coy: LIBRAS Chemical Company Karachi Used for Cadmium Plating	Local	
100.	31815	-	Golden Passivation Salt	Kg	40	Brand/Coy: LIBRAS Chemical Company Karachi.For Cadmium Plating	Local	
101.	LC08315140	-	Paper Filter	Nos	100	Company: LIBRAS Chemical Coy Karachi For electro plating filler units	Local	
102.	NIV-505-OLD	C-344	Alcoholic Phosphoric Cleaner	Lit	6	Brand: TURCO	Local	
103.	5350-00-012-1869	MIL-G9954	Glass Beads	Nos	2	Brand: Lukens General Industries Inc Used For Mast Assembly A size graded organic or mineral cutting or polishing agent of natural or artificial origin. Excludes sand, sandblast (silica sand); polishing abrasive, optical glass; pumice, technical; rottenstone; and rouge, abrasive	Local	
104.	TPN-EXP-60	-	Sand Paper 120 grit, belt type	Feet	182	Brand: DEFR Resin Bond Electro coating Used For Grinding purpose (Length 182', Width 4")	Local	
105.	MIL-A-9962	5350-00-584-5795	Abrasive Mat	Nos	15	Brand: Aerobase Group Grit size 280 to 400; 0.250in. Min. Thickness.; 9 x 11in. Sheets For Main Rotor Hub Cleaning	Local	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
106.	A-A1206	PWC05-061	Cloth, Coated Abrasive 400 grit	Sheet	24	Brand: 3M Size of each sheet -11 x 9 Inch	Local	
107.	5060-60171-00	C-423	Abrasive Cloth Or Paper, Silicon Carbide	Nos	10	240 Grit	Local	
108.	MS202099C3 2	-	Lock Wire No 32	Nos	13	Brand: Malin co Diameter .032, 1 Lb.Can For Locking	Local	
109.	5935-01-437-9947	C-483	Tape Adhesive, Reflector Sheet	Roll	1	Brand: SABRI Width - 2 inch, Length -120 Ft For Vibration Tracking/ Marking	Local	
110.	BT 102/3M NO. 425	-	Aluminum Foil Tape	Nos	1	Brand:3M Item Code: C-439 Roll, 2" Wide 25 Mtr Roll	Local	
111.	2100-06114-00	C-326	Denatured Alcohol	Lit	11	Brand: BDH. Used for Cleaning Purpose	Local	
112.	AVN-NIV-B-132	-	Cleaning Compound (Brass Metal) Polish	Tube	2	Brand: Brasso Each Tube-75 ml Used for Cleaning	Local	
113.	F-1200 Vapor-Off Pen	C-494	Metal Marking Ink Non-Permanent (Pen)	Nos	4	Brand: F-1200 Vapor-off Pen	Local	
114.	ER-41	72688	Red Insulator	Mtr	2	Brand: Dolph's Viscosity: 200 cP, Dielectric Strength 1800 V/mil , Temperature Rating 155 °C Used for Terminal Lugs, Wire Insulation	Local	
115.	3466AA-04	-	Gloves Heat Resistant	Prs	5	For Oven Use. (Assys Handling)	Local	
116.	AMS-C-9084 CLASS II,TYPE VIII A	AMS-C-9048CL2T Y8A	Glass Cloth	Lbs	2	Brand: SAE AMS 3915 ® Engineering 360 Item Code: C-404 0.010 Inch Thick	Local	
117.	AS006-M-BR	-	Brown Paint For Final Touch Up	Qtz	10	Brand: Andrew's Aerospace Coating.Brown 2K Paint	Local	
118.	9150-01-053-6688	-	Kapci Hardner 2k	Qtz	120	Brand : Andrew	Local	



Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
119.	AVN-503989	-	Pak Army Decal Sheet Size (2' x 8')	Nos	2	Locally Mfr Acrylic Sheet Sheet Size (2' x 8') Laser cutting/Stencil	Local	
120.	AVN-NIV-S-66	-	Samad Bond	Tube	17	Brand: Samad Bond Used for Rubber Solutions	Local	
121.	TPN-704-UTA-06	-	Led Tape	Nos	10	Size 2 InchAlmunium Tape	Local	
122.	D20		Diesel	Lit	300	Packing in 20 Lit Can Use for paint booth for maintain temprature	Local	
123.	SAE15W-40		Compressor Oil	Lit	40	Small Compressors, Compressor 4BG1	Local	
124.	hyspin 100		Oil	Lit	5	Milling Machine	Local	
125.	Shell: tona 41		Oil	Lit	1	Milling Machine	Local	
126.	PSO Hyspin 140		Oil	Lit	1	Drilling Machine, Lathe Machine	Local	
127.	Mobil #2 vactra oil		Oil	Gal	2	Universal Grinding Machine Gal=3.78 Lit	Local	
128.	Mobile #6 velocite oil		Oil	Gal	2	Universal Grinding Machine Gal=3.78 Lit	Local	
129.	M-90012	-	Computer Paper (White Plain 500 Page)	Box	1	20 Lbs, 9-1/2x11 inches, 2550 sheetss count, white (SPR61391)	Local	
130.	5970-161-7421	2000/372 CLASS H	Insulating Varnish Elec	Nos	1	Bottle : 400 ML Winding Insulation	Local	
131.	88-1842342	-	Insulation Sleeving	Mtr	1	Size 0.2 MM Use on Permanent Magnet Stator Insulation Sleeve	Local	
132.	20-7105065-009	-	Insulation Sleeve	Mtr	1	Size 0.1 MM Use on Permanent Magnet Stator Insulation Sleeve	Local	
133.	8010-00-141-6081	-	Shellac Dry	Tube	1	Use for Armature Cleaning Tube= 75 ml	Local	
134.	LC0141314	-	Sodium Cyanide	KG	35	Crystalline white bricks highly alkaline Use for cadmium plating	Local	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
			(NaCN)			Company: Libras Chemical		
135.	LC0141158	-	Sodium Hydroxide (NaOH)	KG	7	Crystal Flex or grain Highly alkaline Use for cadmium plating Company: Libras Chemical	Local	
136.	LC03415	-	Cadmium Oxide (CdO <sub>2</sub> )	KG	21	Grain white yellowish powder highly alkaline Use for cadmium plating Company: Libras Chemical	Local	
137.	LC01418315	-	Sodium Bi Carbonate (NaHCO <sub>3</sub> )	KG	3	Fine white powder highly alkaline Use for cadmium plating Company: Libras Chemical	Local	
138.	LC01413115	-	Sodium Carbonate (NaCO <sub>3</sub> )	KG	5	White powder Highly alkaline Use for cadmium plating Company: Libras Chemical	Local	
139.	LC08312	-	0.1N Sulphuric acid (H <sub>2</sub> SO <sub>4</sub> )	Lit	2	Highly Acidic Sol Use for alkline sol titration <b>Packing 1 Lit Jar</b> Company: Libras Chemical	Local	
140.	LC0819	-	0.1N Hydrochloric acid (HCL)	Lit	2	Highly Acidic Sol Use for alkline sol determination of alkaline <b>Packing 1 Lit Jar</b> Company: Libras Chemical	Local	
141.	LC003814	-	Thymolphthaline (C <sub>28</sub> H <sub>30</sub> O <sub>4</sub> )	Jar	1	Colorless or blue use for as an acidic base indicator ph 9.3 to 10.5 <b>Packing in 250 ML Jar</b> Company: Libras Chemical	Local	
142.	LC03814	-	Phenolphthaline (C <sub>20</sub> H <sub>14</sub> O <sub>4</sub> )	Jar	1	Organic compound use for acid base indicator <b>Packing in 250 ML Jar</b> Company: Libras Chemical	Local	
143.	LC031814	-	Whatman filter paper	Pkt	1	Rough 360 degree 125 mmΦ Avail in 50 packet Company: Libras Chemical	Local	
144.	LC003821519	-	Bromophenol Blue	Jar	1	Bromophenol Blue is obtained as pinkish crystle use as acidic bas indicator <b>Packing in 250 ML Jar</b>	Local	

Ser	Part No	ALTR P/NO	Nomenclature	A/U	Qty (Approx)	Specification	Local/ Foreign	Remarks
145.	LC03821519	-	Bromorecol Green	Jar	1	Bromorecol Green is brominated acid dye that is obtained as a yellowish crystalline powder and use as a acidic base indicator <b>Packing in 250 ML Jar</b>	Local	
146.	AW IS032	1680-015622-405	Jack Oil	Gal	2	Jack Oil 3.74 lit Gal	Local	
147.	TPN-AF-704-08	-	Air Fresheners	Nos	8	Brand Topic 300 ML bottle	Local	
148.	0417-0552	-	Air Intake Filter	Nos	5	Air Cleaner wth 5 ft Length 10 ft Piece	Local	
149.	VF-600G	F-5/ F-1	Vitco Filter (II)	Nos	5	Air Cleaner width 10 ft Length 20 ft Piece	Local	
150.	TPN-FTF-704-05	-	Fiber Type Filter	Nos	5	Width 3' length100' Piece	Local	
151.	1630-0918-00	-	Oil (N-Durance)	Lit	20	Model GA 18 Air Compressor	Local	
152.	1613872000	-	Air element Filter (paper type)	Nos	05	Model GA 18	Local	
153.	1625480000	-	Oil Filter	Nos	01	Air Compressor	Local	
154.	1625775300	-	Oil Filter	Nos	01	Model GA 18	Local	
155.	LC 79-1	-	Magnificent Stirrior	Nos	1	-	Local	
156.	LC 00TDS	-	Deionized Water Producer	Nos	1	-	Local	
157.	LC 13CR	-	Activated Carbon	Grm	250	-	Local	
158.	LC 114	-	1 to 4 PH Paper	Pkt	2	-	Local	