

EVALUATION REPORT

(As Per Rule 35 of PP Rules, 2004)

1. Name of Procuring Agency: Pakistan Naval Stores Depot, PNS Shifa Karachi.
2. Method of Procurement: Single Stage Two Envelope Procedure
3. Title of Procurement: Procurement of Electromedical Equipments /Instruments for PN Hospitals/ Ships
4. Tender Inquiry No.: MSD-EME/2022-23/04
5. PPRA Ref. No. (TSE): TS492701E
6. Date and Time of Bid Closing: 03 November 2022 AT 1000 Hrs
7. Date and Time of Bid Opening: 03 November AT 1030 Hrs (Technical Bid)

8. No of Bids Received: 08 x firms
9. Criteria for Bid Evaluation: As per tender document no MSD-EME/2022-23/04
10. Details of Bid Evaluation: As under

S. No	Name of Bidder	No of Quoted Items	No of Technically Accepted items	Rule/Regulation/SBD/Policy/ Basis for Technical Rejection/ Acceptance as per Rule-35 of PPRA
1.	M/s Product Zone	23	10	Acceptance: Due to good Quality of quoted product. Rejection: Due to poor quality of quoted product. Items are not in accordance with required tender specification.
2.	M/s Bahria Pharmacy	83	54	Acceptance: Due to good Quality of quoted product. Rejection: Due to poor quality of quoted product. Items are not in accordance with required tender specification.
3.	M/s Quality Medical	69	65	Acceptance: Due to good Quality of quoted product. Rejection: Due to poor quality of quoted product. Items are not in accordance with required tender specification.

4.	M/s V Med Inter Trade	14	14	Acceptance: Due to good quality product. Rejection: Due to poor quality of quoted product. Items are not in accordance with required tender specification.
5.	M/s Bio Tech Pakistan	03	03	Acceptance: Due to good Quality quoted product. Rejection: Due to poor quality of quoted product. Items are not in accordance with required tender specification.
6.	M/s Combined Engineers	15	15	Acceptance: Due to good Quality quoted product. Rejection: Due to poor quality of quoted product. Items are not in accordance with required tender specification.
7.	M/s Popular International	06	03	Acceptance: Due to good Quality quoted product. Rejection: Due to poor quality of quoted product. Items are not in accordance with required tender specification.
8.	M/s Rech International	11	10	Acceptance: Due to good Quality quoted product. Rejection: Due to poor quality of quoted product. Items are not in accordance with required tender specification.

Note: Detailed TSR may be obtained/checked from the office of OI/C PNMSD during working hours.