

PRINTING CORPORATION OF PAKISTAN, ISLAMABAD


EVALUATION REPORT

(As per Rule 35 of PPRA Rules, 2004)

1. Name of procuring agency: Printing Corporation of Pakistan (Pvt) Limited, Islamabad
2. Method of procurement: Open competitive bidding in accordance with Rule 21 of PP Rules, 2004.
3. Title of procurement: Procurement of Printing Machines.
4. Tender Enquiry No. PCP.1-16/2022-P&D/731
5. PPRA Ref. No.(TSE): TS505904E
6. Date & Time of bid closing: 04.04.2023 at 2.00 p.m.
7. Date & Time of bid opening: 04.04.2023 at 2.30 p.m
8. No. of bids received: 02 Nos.
9. Criteria for Evaluation: Terms and conditions and the item-wise specifications given in the tender notice.

10. Details of Bids Evaluation:

S. No.	Name of Bidder	Marks		Evaluated Cost (Rs.)	Rule/Regulation/SBD/Policy Basis for Rejection/ Acceptance as per Rule 35 of PP Rules, 2004
		Technical (if applicable)	Financial (if applicable)		
1.	M/s. Office Automation Group, Islamabad	/	Nil	--	Analysis of offered bid of the participating firms with reasons of rejection and acceptance is enclosed.
2.	M/s. Pakland Corporation (Pvt) Ltd, Rawalpindi	/	Nil	--	
3.	M/s. Shirazi Trading Co. (Pvt) Limited, Islamabad	/	Nil	/	do /
4.	M/s. Digital Machine World, Islamabad	/	Nil	/	do /


(HAMEED AKHTAR)
Deputy Manager (P&D)

2 PCP 16/23 P 50912

PRINTING CORPORATION OF PAKISTAN, ISLAMABAD

Technical Evaluation Report as per Pakistan Procurement Rules, 2004

Tender Enquiry No.PCP.1-16/2022-P&D/731 opened on 04.04.2023

Sr. No.	Description	Required specifications equivalent of more	Machines offered by				Analysis for rejection/ acceptance of technical bid
			M/s. Office Automation Group, Islamabad	M/s. Pakland Corporation (Pvt) Ltd, Rawalpindi	M/s. Shirazi Trading Co. (Pvt) Limited, Islamabad	M/s. Digital Machine World, Islamabad	
	DIGITAL FOUR COLOR PRODUCTION PRINTER Quantity:01	KONICA MINOLTA ACCURIO COLOR DIGITAL PRESS C4065	Not offered		CANON IMAGE PRESS V700 Digital Color Cut-Sheet Press	ACCURIO PRESS C4065	The machine's specifications / features offered by M/s. M/s.Office Automation, Islamabad and Digital Machine World, Islamabad are in accordance with the specifications advertised in the tender therefore qualified for procurement subject to approval of the competent authority
1.	Color	CMYK	CMYK/B&W		CMYK	CMYK	
2.	Printer Speed	65 ppm – 70 ppm or above	65 sheets/min (A4)		70 ppm	65 ppm	
3.	Print Size	A3, A4	A3, A4		A3S, B4S, A4L, A4S, B5S, B5L, A5S, 12" x 18", 13", 19", Custom size upto 1300 mm	A3	
4.	Standard Paper Capacity	3,000 sheets or more	Trays : Tray 1 (1500 Sheets), (LU-202XLm) Paper sheets (2500 Sheets) Multi Bypass (Multi-Bypass, 250 Sheets)		1650 Sheet + 250 multi Bypass	3,000	
5.	Print Resolution	3600 x 2400 dpi – 8 bit	3,600x2400 dip x 8 bit		2400x2400 dpi	3600x2400 DPI-8 bit	
6.	Print Features	Print, Copy and Scan including scan to PC, USB or email and mobile printing	Copier + N/W Printer + N/W Color Scanner + ADV + Electronic Sorting		Print, copy, Scan, Send, Store, Scan to USB, PC, Mobile Printing	Print, Copy & Scan including scan to PC, USB or email & Mobile Printing	

7.	Media Thickness	62-360 Gsm	62-360 gsm		Coated and un-coated upto 52-350 Gsm	62-360 Gsm	
8.	Maximum Scan Area	11 x 17 inches	13"x19", 13"52"		11" x 17"	11x17 inches	
9.	Processor	3.0 GHz or above	Intel Pentium Processor G4400 Clock Speed 3.3 GHz		1.8 GHz Dual Core	3.3 GHz	
10.	Memory	16 GB or above	16 GB		6 GB	16 GB	
11.	System Disk	2 TB Hard Disk Drive	2 TB (2x1 TB)		Standard: 512 SSD	2 TB HDD	
12.	Display	Standard in color touch screen flat-panel	8-bit / 256 Gradation		10.1 inch WSVGA	Standard in color Touch Screen Flat Panel	
13.	Printing Side	Duplex	Duplex Unit Standard (Built-in)		200 Sheet 135 ppm/270 ipm B&W/Color	Duplex	
14.	Copy Selector	1-9999	1-9999		1-9999	1-9999	
15.	Print (Log Shed)	48" or above	Banner Support 13"x52"		--	52"	
			Paper type	Plain, Fine, Recycled Paper, Color Coated-GL, Coated-ML, Coated-GO, Tab Paper	1 st Copy Out Time	BW 7.4 sec/ CL 8.2 sec	
			Image Controller	Included for High Resolution Printing IC-106 EFI	Warm up Time	30 Sec.	
			Interface	Ethernet, USB			
			Power Source	Inch: AC208 to 240 V 21A 60 Hz			
			Power Consumption	Inch: 3,840W or less (Main Body only)			
			Type	Console Type Dual Component Technology			
			Original Type	Sheet, Book, Solid Object			
			Warm-upTime	390 Seconds or less			

			First Copy Out time	Color :6.9 Seconds or less B&W 4.2 Seconds or less				
			Continuous Copy speed	Color 65 Sheets/min (A4) B&W 65 Sheets/min (A4)				
			Zoom	25% - 400%				
FOUR COLOR DIGITAL PRINTER Quantity : 02			KONICA MINOLTA BIZHUB C650i COLOR DIGITAL PRINTER	XROX PRIMELINK C9070DIGITAL PRINTER 08 COLOR	CONSOLE CANNON IMAGEPRESS C265	TOSHIBA E-STUDIO 6526 AC		
1	Color	Four color CMYK (Green, Silver, Clear, White)	CMYK	Four color CMYK (Gold, Silver, Clear, White) Eight color	CMYK	CMYK	The machine's specifications / features offered by all the four bidders are in accordance with the specifications advertised in the tender therefore qualified for procurement subject to approval of the competent authority.	
2	Resolution	2400 x 2400 dpi	Printing: 1200 x 1200 dpi/Scanning: 600 x 600 dpi	2400 x 2400 dpi	2400x2400 dpi	Print Resolution 3600x1200 dpi		
3	CPM	65-70 CPM or more	Print speed (8.5"x11") Up to 65 ppm Color & Mono Print speed (11"x17") Up to 32 ppm Auto duplex speed (8.5"x11") Up to 65 ppm	65-70 CPM (B&W/Color)	65 ppm	65 ppm		
4	Copy size	A4, A3 and Banner Size	12"x18" (11"x17") 47.25"	A4, A3 and Banner Size 13"x26"	A3, A4, Legal, A4 or B5, 13"x19", Banner Printing	A3, A4		
5	Duplex	Built- in (Automatic Two Side Printing)	Built-in	Built- in	Buil-in	Buil-in		
6	Memory	4 GB or above	8 GB	4 GB or above	5 GB	6 GB		
7	USB Direct print	Built-in (PDF, JPGE, DOC)	10-Base-T/100-Base-TX/1000-Base-T Ethernet USB 2.0	Built-in (PDF, JPGE, DOC)	--	Print, Copy & Scan including scan to PC, USB or email & Mobile Printing		
8	Network Color Scanner	Built-in	Built-in	Built-in	Built-in	Built-in		

9	Network Printer	Built-in	Built-in	Built-in	Built-in	Built-in			
10	Display	Minimum 10" Touch Screen Full Color Display	10" Touch Screen Full Color Display	Minimum 10" Touch Screen Full Color Display	10.1" Display	--			
11	Paper Weight	52 to350 gsm	52-300 g/m	52 to350 gsm	Coated and uncoated upto 350 gsm	--			
12	System Storage	250 GB SSD or above	256 GB SSD	250 GB SSD or above	1 TB	128 GB SSD/320 GB HDD			
			Type	Heavy Duty Color Printer (Printer/Color Scanner/Copier)	Heavy Duty Digital 8 Color Printing Press	Standard Paper Capacity	3550 Sheets	Processor	1.33 GHz
			Power Supply	220V to 240 Volts		Warm up Time	30 Sec.	Network Color	Scanner & Printer Built in
			Warm-up Time	Less than 14 seconds (at room temperature 73 F)		1 st Copy Out Time	4.8/5.9 Sec	Copy Selector	1-9999
			Printable paper size	Scanning/Copying: upto 11" x 17" Printing: upto 11" x 17" full bleed on 12" x 18" paper custom paper sizes banner paper max 11.75" x 47.25"		CPU	1.8 Ghz		
			Multiple Copies	1 to 9,999 Sheets		Multi Bypass Tray	250 Sheets		
			Network Protocols	TCP/IP (IPv4/IPv6), SMB, LPD, IPP, SNMP, HTTP, HTTPS		Maximum Scan Area	11"x17"		
			Frame Types	Ehernet 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP		Page Description language	Postscript 3 TM PDF PCL 6c, PS		

			Zoom Range	25% tp 400%		Print Feature	Print, Copy, Scan, Network Printers, Network Scanner, Wireless Printing			
			52-300 g/m Weight	Approx, 212 lb						
			ADF Capacity	Dual Scan document feeder 300 Sheets standard						
			Paper input capacity	1150 Sheets standard	3,200 Sheets					
			Monthly Duty Cycle	250,000 Pages	300,000 Pages					
			PRINTER SPECIFICATIONS							
			PDL	PCL6 (XL 3.0), PCL5c, PostScript 3 (ver. 3016), XPS						
			Operating System	Windows (x32/x64): Vista/7/8/10 Windows Server (x32/x64): 2008/2008 R23.20123/20163 Macintosh OSx10.8 or later Linux/Unix/Citrix						
			Processor	1.6 Ghz Quad Core						
			COPIER SPECIFICATIONS							
			Copying process	Electrostatic laser copy, tandem, indirect						
			Copy Resolution	600 x 600 dpi						
			Copy Functions	Electronic sorting, multi-job, adjustments, (contrast, sharpness, image density), proof						

				copy interrupt mode, color mode, separate scan, sort/group, combination original selection, ID card copy, 2 in 1, 4 in 1					
			COLOR SCANNER SPECIFICATIONS						
			Scan speed	B&W/Color: upto 280 opm					
			Scan mode	Scan-to-Email, SMB, FTP, Box, USB, WebDAV, DPWS, Network TWAIN scan					
			File Format	JPEG, TIFF, PDF, PDF/A etc.					
			Scan functions	Annotation (text/time/date) for PDF, upto 400 job Programs, real time scan preview					
			Comprehensive warranty	1 Year					
BLACK DIGITAL PRESS Quantity : 01			KONICA MINOLTA ACCURIO 2100 BLACK DIGITAL PRESS		Not offered	SUPER HEAVY DUTY DIGITAL MACHINE CANNON IRA DV-DX 8705	TOSHIBA E-STUDIO 1057		
1	Paper Feed Cabinet with original Trolley	Standard (Built-in)	Console design Plain Paper Dul Component Copies			--	Trolley Paper Feed Cabinet with original Trolley	The machine's specifications / features offered by M/s. M/s.Office Automation, Islamabad and Digital Machine World, Islamabad are in accordance with the specifications advertised in the tender therefore qualified for procurement subject to approval of the competent authority	

8


2	Resolution	1200 x 1200 dpi	Printing Resolution True 1200 x 1200 dpi		1,200x1,200 dpi	1200x1200 DPI		
3	CPM	100-105 PPM A4	100 PPM (A4)		105 ppm (A4)	105 CPM		
4	Paper Weight	40 to 300 gsm	40 to 300 gsm		--	--		
5	Duplex	Built- in	Automatic Duplex Unit Standard (Duplex Printing)		--	Built in		
6	Hard Disk	250 GB or above	Hard Disk 1TB HHD + 4 GB SSD		Standard: 320 GB (available disk space 250 GB)	1 TB		
7	Memory	4 GB or above	12 GB		--	5 GB		
8	USB Direct print	Built-in (PDF, JPGE)	Direct print & Scan from USB (Output Formats: JPEG, PDF, XPS)		1000 Base-T-TX/108Base-T, Wireless LAN (IEEE 801.11 b/g/n), USB 2.0 (Host) x1, USB 3.0 (Host)x1, USB 2.0 (Device)x1	USB Direct Print Built in (PDF, JPGE)		
9	Network Color Scanner	Built-in	Network Color Duplex Scanner		Built-in	Built in		
10	Network Printer	Built-in	Network printer (Printing Speed 100 PM)		Built-in	Built in		
11	Display	10." Touch Screen Full Color Display	15" full color touch screen LDC Display		10.1" TFT LDC WSVGA Color Touch panel	10" Touch Screen Full color		
12	Paper Capacity	2800 Sheets or above	Paper input capacity: 3000 Sheets		Standard: 4,200 sheets	3,000 Sheets		
			Password & Login Authentication		Copy Density	Automatic or Manual (9 levels)	Processor	1.8 GHz
			Dual Scanner Document Feeder		Automatic Single pass Duplex Scanner	Single-pass Scanner with Multi-feed detection	Multiple Copy	1-9999
			25-400% Zoom Reduction/Enlargement		Drum Life warranted by O.E.M.	6,000,000 pages		

			Image Combination Mode/Image Shift Mode/Frame Erase Mode/Repeat Image		Tracking and Reporting	Universal Login Manager(ULM), uniFLOW Online Express			
			B6 to A3 / SRA3 (12" x 18") wide copy capability		Machine Technology	Latest Single Component Technology			
			Standard 12GB Memory		Core Function	Print, Copy, Scan, Send and Store			
			Monochrome laser multifunctional		Processor	1.75 GHz Dual Core Processor			
			Single Pass Color Duplex Scanning @ 2400 PM		First copy out time (a4)	Approx 2.7 seconds or less			
			Duty Cycle 3,000,000 images per month		Print Features	Secured Print, Secure Watermark, Toner Reduction, Poster Printing, Forced Hold Printing			
			User Authentication: User ID/Password Protection Enabled		Multiple Copies	Up to 9,999 copies			
			Remote Management Services/Accounts Management System						
			Banner Printing (12" x 48") / Android Devices Compatibility						

			Scan to Email, Scan to USB, Scan to HDD, Scan to SMB, Scan to PC				
			Warm up time approximately 390 Sec/First Copy out time less than 3.4 Seconds				
			Processor 3.3 Ghz				
			Continuous copying 1-9999				
BLACK DIGITAL PRINTER Quantity : 02			KONICA MINOLTA BIZHUB 450i BLACK DIGITAL PRINTER	Not offered	CANON IMAGE RUNNER ADVANCE DX-485I	XEROX ALTALINK B8145	
1	CPM	45 – 50 PPM or above	45 Copies per minute		Copy/Print speed 45 cpm	45 ppm/cpm	The machine's specifications / features offered by M/s. M/s.Office Automation, Islamabad , Shirazi Trading Co. (Pvt) Ltd, Islamabad and Digital Machine World, Islamabad are in accordance with the specifications advertised in the tender therefore qualified for procurement subject to approval of the competent authority
2	Resolution	1200 x 1200 dpi	Printing Resolution 1200x1200 dpi & 1800x600 dpi		Printing Resolution 1200x1200 dpi	1200x1200 dpi	
3	Display	10.1" Touch Screen Full Color Display	10.1 inch full color touch screen LCD Panel		10.1 inch TFT LDC Color Touch Panel	10.1 inch TFT LDC Color Touch Panel	
4	Copy selector	1 to 9999	Continuous copying 1-9999		Continuous copying 1-9999	1-9999	
5	Paper Weight	52 to 300 gsm	52 to 300 gsm		--	Upto 256 GMS	
6	Duplex	Built- in	Electronic Sorting Duplexer Standard		Built-in	Built-in	
7	Memory	4 GB or above	System Memory 8 GB		3.3 GB RAM & Built in WiFi	4 GB	
8	Hard Disk	250 GB SSD or above	256 GB (SSD)		256 GB SSD & Extendable upto 1 TB	250 GB	

9	USB Direct print	Built-in (PDF, JPGE)	Direct printing & Color Scanning from/to USB		USB 3.0 Connectivity	Print, Copy & scan including scan to PC, USB or email & mobile printing	
10	Processor	1.5 GHz or above	Processor 1.6 Ghz Quad Core		Dual Processor 1.8 GHz Dual Core	1.9 Ghz Dual processor 1.8 GHz Dual Core	
11	Size	A4, A3	SA3 to A5 wide copy capability		Print Copy SRA-3 Size	A3, A4	
			Desktop Dual Component Technology		Device & Functional Level Login	Network Color	Scanner & Printer Built in
			25-400% Zoom Reduction/Enlargement		Standard Scan and Send Feature	DADF for 100 sheets max	
			Paper feed: 500x2 Sheets		DADF for 100 Sheets	Standard access management system	
			Bypass: 150 Sheets		Latest Mono component Technology	Toner Life 42000 prints @ 6%	
			Copy & Scanning Resolution 600x600 dpi		Developer Free printing		
			Dual Scan Document Feeder (DSDF) 300 sheets		Standard Access Management System		
			Banner Printing 12" x 48"		Toner Life 42000 Prints @ 6%		
			Warm up time 15 Second		Picture Login Authentication		
			First copy out time: 3.3. seconds		Standard Paper capacity (1200 Sheets)		
			Network Interface standard 10 BaseT/100 Base TX				
			Exposure (Automatic or Manual)				
			Twin Laser Beam Exposure System				
			Image Combination Mode/Image Shift Mode/Frame Erase Mode/Image Rotation				
			Network color scanner (Scanning speed 140 IPM simplex / 280 IPM Duplex)				
			Network Printer				

TWO HEAD EYELETING MACHINE			Not offered		Not offered		Not offered		Not offered	
Quantity : 01										
1	Binding Thickness	≤4mm								
2	Hold distance adjust range	60-160 mm								
3	Binding Speed	190 cycles per min.								
4	Diameter of Eyelet	4 mm, 5 mm, 6 mm								
5	Power Supply	220 or 380 Volts, not more than 1 KW								
HEAVY DUTY POWER DRIVEN BOOKS WIRE STITCHING MACHINE (IMPORTED) Quantity : 01			Not Offered		Not Offered		Not Offered		Not Offered	
1	Stitching Wire	0.2 - 10 mm								
2	Speed	142-200 Staple per Minute								
3	Stitching capacity	02 sheets to 500 sheets								
4	Staple Crown Size	10 - 12.5 mm								
5	Head	Double Head								
6.	Power	½ or 1 H.P. Single or Three Phase Motor								


(HAMEED AKHTAR)
Dy. Manager(P&D)