

## Bid Evaluation Report

AS PER RULE 35 OF PPRA RULES 2004

<b>Name of procuring Agency</b>	Bureau of Emigration and Overseas Employment
<b>Method of Procurement</b>	Single Stage – One Envelop Bidding procedure
<b>Title of Procurement:</b>	Procurement of Different Store Items at Emigration Tower
<b>Tender receipt No.:</b>	175649
<b>PPRA Ref. No.</b>	TS513881E
<b>Tender No.</b>	BE (Tower) / Elect-Plumb / 2023
<b>Date &amp; Time of Bid Closing:</b>	12 <sup>th</sup> July, 2023 at 12:00 PM
<b>Date &amp; Time of Bid Opening</b>	12 <sup>th</sup> July, 2023 at 12:30 PM
<b>No of Bids Received</b>	Three (03)
<b>Details of Bid (s) Evaluation</b>	As mentioned below



**(Muhammad Isra**  
Assistant Director (Operati

**MINUTES OF THE MEETING OF PROCUREMENT COMMITTEE FOR OPENING OF BIDS – “PROCUREMENT OF DIFFERENT STORE ITEMS AT EMIGRATION TOWER”**

A meeting of the Procurement Committee for opening of bids regarding “Procurement of different store items at Emigration Tower” was held at 12:30 PM on 12-07-2023 in the Conference Hall at 9<sup>th</sup> floor, Emigration Tower. Following members attended the meeting: -

- a) Director (Coordination) – (Chairman)
- b) Deputy Director (Ops) – (Member)
- c) Network System Engineer (IT) – (Member)
- d) Assistant Director (Admn) – (Member)
- e) Assistant Director (Policy) – (Secretary / Member)

2. Total Five (05) Companies, i.e. M/s JASCO Pvt. Ltd., M/s Sisko Technical Services, M/s Mohsin Javed & Co., M/s Protech Solutions, and M/s Professional Engineering Services collected the tender document (**Annex-A**). Subsequently, the following three (03) Companies submitted their bids within due time period. Representative of the all Companies were present at the time of bid opening. Attendance sheet is placed at (**Annex-B**): -

- a) M/s Protech Solutions
- b) M/s JASCO Pvt. Ltd
- c) M/s Professional Engineering Services

3. Initially, the bids were evaluated as per the Mandatory Eligibility Criteria defined in Tender Document. M/s Protech Solutions and M/s Professional Engineering Services fulfilled the Mandatory Eligibility Criteria and qualified for financial bid evaluation while M/s JASCO Pvt. Ltd. disqualified due to non-fulfillment of Mandatory Eligibility Criteria. Detailed Mandatory Evaluation sheet duly signed by members of the Procurement Committee is enclosed at (**Annex-C**) and summary of the same is also reproduced as below:-

**MANDATORY ELIGIBILITY CRITERIA**

Sr No	Requirements/ documents	M/s Protech Solutions Pvt. Ltd	M/s JASCO Pvt. Ltd	M/s Professional Engineering Services
1.	Profile/Boucher of the Firm/ Company, including complete details of Firm, i.e., telephone number/mobile number and office address of the Company	Provided	Not Provided	Provided

**FARRUKH JAMAL**  
Director  
Bureau of Emigration &  
Overseas Employment  
HQ's Islamabad

**(Muhammad Israr)**  
Assistant Director (Operations)

**ATIF SULTAN**  
Network System Engineer  
Bureau of Emigration & Overseas Employment  
Government of Pakistan  
Islamabad

**Deputy Director**  
Bureau of Emigration  
& Overseas Employment  
GOVERNMENT OF PAKISTAN  
Islamabad.

**Syed Saad Ali Shah**  
Assistant Director (BS-17)  
Bureau of Emigration &  
Overseas Employment  
Government of Pakistan



2.	The Company/Firm must be 05 years old (attach documents of registration as a Company as an evidence)	Provided	Provided	Provided
3.	Copy of valid NTN certificate, Sales Tax registration certificate and Proof of Active Taxpayer List (ATL) with FBR.	Provided	Sale tax not provided	Provided
4.	Affidavit on stamp paper of Rs.50/- that Supplier/company/firm has never been blacklisted by any government (Federal/Provincial) or Autonomous Bodies.	Provided	Provided	Provided
5.	Bank Statement/ Letter from Bank duly signed and stamped of the period 01 <sup>st</sup> June 2022 to 31 <sup>st</sup> May 2023) (During this period, Annual turnover (Debit & Credit) should not be less than Ten (10) million)	Provided (Additional support documents needed)	Not fulfill the criteria	Provided
6.	The Company will provide in writing (duly signed and stamped) on letter-head that it will be bound to provide the items mentioned in the bid according to quoted rates during FY 2023-24 (till 30-06-2024) as per requirement of this office.	Provided	Not Provided	Provided
7.	The Company will ensure minimum warranty of one (01) year of each product and shall furnish warranty on letter head of the company in which it should be clearly mentioned that during the period of warranty, if any electrical item provided by the company gets out of order, the company will replace the same product within two weeks (15 days).	Provided	Not Provided	Provided

4. As the bids have been evaluated under single stage – one envelope procedure, the Procurement Committee evaluated the financial bids of all bidders. Summary of the financial bids is as under: -

Sr. No	Description of all electrical items / devices	Price Per Unit (PKR)		
		M/s Protech Solutions Pvt. Ltd	M/s JASCO Pvt. Ltd	M/s Professional Engineering Services
1	LED Tube Rods of 600 mm (2 feet) for ceiling panels Power Consumption 8 W Luminous Flux: greater than 1,000 lumen Color Designation Cool Daylight Correlated Color Temperature (Nom): 6500 K Nominal lifetime: greater than 55,000 hour(s)	1368.80	2393	2950
2	LED Tube Rods of 1200 mm (4 feet) Power Consumption 10 Watt to 16 Watt	1608.34	2889	3186

**FARRUKH JAMALI**  
Director, Power & Energy  
Bureau of Emigration & Overseas Employment  
HQ's Islamabad

**(Muhammad Israr)**  
Director (Operations),  
Bureau of Emigration & Overseas Employment  
Islamabad

**ATIF SUFI TAN**  
Network System Engineer  
Bureau of Emigration & Overseas Employment  
Government of Pakistan  
Islamabad

**Syed Ghous Ali Shah**  
Assistant Director (ES & E)  
Bureau of Emigration & Overseas Employment  
Government of Pakistan  
Islamabad



	Luminous Flux: greater than 1,500 lumen Color Designation Cool Daylight Correlated Color Temperature (Nom): 6500 K Nominal lifetime: greater than 45,000 hour(s)			
3	Energy Saviour of (13 W) (White) (Screw)	1026.60	1056	1770
4	LED Bulb (13 W) (Screw) Luminous Flux: greater than 1,200 lumen Color Designation Cool Daylight Correlated Color Temperature (Nom): 6500 K Nominal lifetime: greater than 14,000 hour(s)	1026.60	891	2183
5	SMD / Down light (7 W) (of 3 inches) for ceiling	1762.33	1040	1770
6	SMD / Down light 11 watt (of 5 inch ) for ceiling	3627.65	1370	2950
7	Energy Saver (23 W) (warm) (Screw)	1967.65	1353	2950
8	LED Flood Lights (100 W) Luminous Flux: greater than 7,700 lumen Correlated Color Temperature (Nom): greater than 5600 K Light source Color: cool white Ingress protection code: IP65 [Dust penetration protected], Ingress protection code: IP66 [Water proof]	50594.27	11550	47200
9	LED Flood Lights (50 W) Luminous Flux: greater than 4200 lumen Correlated Color Temperature (Nom): greater than 5600 K Light source color: cool white Ingress protection code: IP65 [Dust penetration protected], Ingress protection code: IP66 [Water proof]	24261.98	10725	29500
10	Globe (14 inch) Base Material : Metal Lamp Body Material: Plastic IP Rating: IP65	4277.50	2475	8024
11	Porcelain Ring holder (Screw)	171.10	264	450
12	Tube Rod holder	342.20	4113	450
13	Window Exhaust Fan (8 inch) Plastic Body Specially Designed for Mounting on Glass and Window	8127.25	6600	9440

**FARRUKH JAMAL**  
Director  
Bureau of Emigration &  
Overseas Employment  
HQ's Islamabad

**(Muhammad Israr)**  
Assistant Director (Operations)

**ATIF SULTAN**  
Network System Engineer  
Bureau of Emigration & Overseas Employment  
Government of Pakistan  
Islamabad

**Deputy Director**  
Bureau of Emigration  
& Overseas Employment  
GOVERNMENT OF PAKIS  
Islamabad

**Syed Safdar Ali Shah**  
Assistant Director (BS-17)  
Bureau of Emigration &  
Overseas Employment  
Government of Pakistan



34.  
35.  
36.

	Power Consumption: 30 watt 99.99% Copper Wire			
14	Window Exhaust Fan (6 inch) Plastic Body Specially Designed for Mounting on Glass and Window Power Consumption: greater than 20 watt 99.99% Copper Wire	7613.95	8250	9440
15.	Power Plug (Standard Quality)	2053.20	825	4602
16.	Light Plug (Standard Quality)	1950.54	743	4602
17.	Light Switch (On/Off) Button (Standard Quality) Single way	769.95	908	1062
18.	Circuit Breaker (Standard Quality) Specs: C-20	2053.20	1568	1800
19.	MCB Circuit Breaker (Standard Quality) Specs: Three Phase , 50 Ampere	4277.50	3218	4500
20.	MCB Circuit Breaker (Standard Quality) Specs: Three Phase , 63 Ampere	4277.50	4125	4500
21.	MCB Circuit Breaker (Standard Quality) Specs: Three Phase , 100 Ampere	11977	10725	5500
22.	Electrical Wire 3/0.029 Specs: Pure Copper	10693.75	9818	9440
23.	Electrical Wire 7/0.029 Specs: Pure Copper	22841.85	21203	15340
24.	Electrical Wire 40/0.076 Specs: Flexible, Pure Copper, two core	31653.50	43643	17700
25.	Insulation Tapes (Standard Quality) Color: Red, Yellow, Blue, Green and Black	119.77	248	450
26.	HRC Fuse for multi socket shoe (Best Quality) Specs: 10 Ampere	1454.35	2879	450
27.	Voltmeter for Electric Panel Specs: Digital, Three Phase, 440 V	9410.50	825	7000
28.	Indication Light (Panel)	256.65	1361	200
29.	Magnetic Contactor for Circuit of Expulsion Motor (2.5 HP) Model- MC-9B Company - LS	3250.90	3300	2000
30.	Overload Relay for Circuit of Expulsion Motor (2.5 HP) Model: GTH-22	8897.20	7500	1200
31.	Timer for Circuit of Expulsion Motor (2.5 HP) Model: RM 35TF	11121.50	10500	7500
32.	Moulded Case Circuit Breakers (MCCB)	22243	12375	3000

**FARRUKH JAMAL**  
Director  
Bureau of Emigration &  
Overseas Employment  
HQ's Islamabad

**Syad Qadir Ali Shah**  
Assistant Director (BS-17)  
Bureau of Emigration &  
Overseas Employment  
Government of Pakistan

**(Muhammad Isra:**  
Assistant Director (Operations)

**ATIF SULTAN**  
Network System Engineer  
Bureau of Emigration & Overseas Employment  
Government of Pakistan  
Islamabad

**Deputy Director**  
Bureau of Emigration  
& Overseas Employment  
GOVERNMENT OF PAKISTAN  
Islamabad.




33.	Specs: 30 Ampere, 3 pole Circuit Breaker Single Pole Specs: 20 Ampere	2053	1568	1200
34.	8 pin Relay 60.12.8.230	11121.50	11220	400
35.	8 pin Relay Base 60.12.8.230	11121.50	2500	400
36.	Float Switch Model: 61F-G-AP	11463.70	4043	2500
37.	Relay Model: 61F-11	3422	2550	2500
38.	Auto Manual Switches for Electric Panels	5133	5775	250
39.	Selector Switch for Ampere Meter	4277.50	2475	250
40.	Ampere meter (Analog) up to 30 Ampere	6501.80	2500	750
41.	Voltmeter (Analog) for Three Phase system	7699.50	1980	1000
42.	Push Button for Electric Panel with indicator (Green & Red)	3079.80	743	50
43.	Circuit Breaker (Standard Quality) Specs: 40 Ampere, 3 phase	4277.50	7920	3000
44.	Lawn Bollard Light (Standard Quality) Height- 32 inch Width- 6 inch	24895.05	7425	2200
<b>Total Amount (PKR)</b>		<b>352,123/-</b>	<b>241,432/-</b>	<b>220,859/-</b>

5. In view of above position, the financial bid of M/s Professional Engineering Services is most advantageous. Therefore, the Procurement Committee unanimously recommends that the Competent Authority may please accept the Financial Bid of M/s Professional Engineering Services being the most advantageous bid.

6. The meeting ended with a vote of thanks to and from the chair.

  
Assistant Director -II (Policy)  
Member / Secretary

**(Muhammad Israr)**  
Assistant Director (Operation)

  
**ATIF SULTAN**  
Network System Engineer  
Bureau of Emigration & Overseas Employment  
Government of Pakistan  
Islamabad  
Member

  
Deputy Director (Ops)  
Member  
Bureau of Emigration  
& Overseas Employment  
GOVERNMENT OF PAKISTAN  
Islamabad.

  
Assistant Director (Admin)  
Member  
Assistant Director (BS)  
Bureau of Emigration  
& Overseas Employment  
Government of Pakistan.

  
Director (Coord)

Chairman Procurement Committee  
**FARRUKH JAMAL**  
Director  
Bureau of Emigration &  
Overseas Employment  
HQ's Islamabad