

EVALUATION REPORT

(As per Rule 35 of PP Rules, 2004)

- | | |
|-----------------------------------|---|
| 1. Name of Procuring Agency: | Cantonment Board Clifton |
| 2. Method of Procurement: | Single Stage Two Envelop |
| 3. Title of Procurement: | Annual M&R Works of Misc. Public Improvement 2021-22 |
| 4. Tender Inquiry No.: | Re-Tender Notice vide dailies "Duniya" "Jang" & "Dawn" dated 09-07-2021 |
| 5. PPRA Ref NO. (TSE): | TS455375E dated 09-07-2021 |
| 6. Date & Time of Bid closing: | 28-07-2021 at 11:00 am |
| 7. Date & Time of Bid Opening: | 28-07--2021 at 11:30 am |
| 8. No. of Bids Received: | 05 Nos. |
| 9. Criteria of Bid Evaluation: | Attached as Annex-A |
| 10. Details of Bid(s) Evaluation: | Given Below |

S #	Name of Bidder	Technical Evaluation (Marks)	Financial Bid	Lowest evaluated bidder	Rule/Regulation/SBD*/ Policy/ Basis for rejection/ Acceptance as per Rule 35 of PP Rule, 2004
1	M/s Standard Corporation	60	-	-	Non-responsive due to non-submission of 2% bid security with financial bid
2	M/s GQS Contractors	68	As per Table-1 given below	-	Accepted
3	M/s King Enterprises	78		-	Accepted
4	M/s Yousuf Khan & Brothers	59		-	Accepted
5	M/s NR Enterprises	66		-	Accepted

FINANCIAL BIDS

Table-1

a. MISC. PUBLIC IMPROVEMENT WORKS (CIVIL)

S. No.	Name of Work	Est Cost (In Million)	Firm	Rate quoted on MES Schedule of Rates 2014 (as amended)	Firm Quoted lowest rate
1	Misc. Public Improvement Works;	823	M/s NR Enterprises	2.25 below	Lowest (M/s NR Enterprises)
	Civil Works (i.e. maintenance of green belts, centre median, footpath and improvement works in CBC Nurseries, Parks, Grave Yards including painting to stone Kerbs, construction of culverts, Nullahs, construction of speed breakers, etc. maintenance)		M/s King Enterprises	4% above	
			M/s GQS	36% above	
			M/s Yousuf Khan & Brothers	47% above	

b (I). SUPPLY & FIXING OF LED STREET LIGHTS

S. No.	Description of work	Unit	Rate to be Quoted by the bidder (Rs.)				Firm Quoted lowest rate
			M/s GQS	M/s NR Enterprises	M/s King Enterprises	M/s Yousuf Khan & Bros.	
	PHILLIPS						
1	Supply/Fixing of LED Road street light Road Flair, 50 watt, 220-240 volts, Model BRP 391 including bracket	Each (Rs.)	39319	3645	27000	34000	M/s NR Enterprises
2	Supply/Fixing of LED Road street light Road Flair, 60 watt, 220-240 volts, Model BRP 391 including bracket	Each (Rs.)	39591	4650	28000	36000	M/s NR Enterprises
3	Supply/Fixing of LED Road street light Road Flair, 70 watt, 220-240 volts, Model BRP 391 including bracket	Each (Rs.)	40815	43477	29000	39000	M/s King Enterprises
4	Supply/Fixing of LED Road street light Road Flair, 80 watt, 220-240 volts, Model BRP 391 including bracket	Each (Rs.)	41087	6975	30000	45000	M/s NR Enterprises
5	Supply/Fixing of LED Road street light Road Flair, 90 watt, 220-240 volts, Model BRP 392 including bracket	Each (Rs.)	45439	7440	31000	50000	M/s NR Enterprises
6	Supply/Fixing of LED Road street light Road Flair, 100 watt, 220-240 volts, Model BRP 392 including bracket	Each (Rs.)	45847	7809	33000	55000	M/s NR Enterprises
7	Supply/Fixing of LED Road street light Road Flair, 110 watt, 220-240 volts, Model BRP 392 including bracket	Each (Rs.)	46527	8370	34000	60000	M/s NR Enterprises
8	Supply/Fixing of LED Road street light Road Flair, 120 watt, 220-240 volts, Model BRP 392 including bracket	Each (Rs.)	46935	9610	35000	65000	M/s NR Enterprises
9	Supply/Fixing of LED Road street light Road Flair, 130 watt, 220-240 volts, Model BRP 392 including bracket	Each (Rs.)	48975	9920	44000	68000	M/s NR Enterprises
10	Supply/Fixing of LED Road street light Road Flair, 140 watt, 220-240 volts, Model BRP 392 including bracket	Each (Rs.)	49519	58687	45000	80000	M/s King Enterprises
11	Supply/Fixing of LED Road street light Road Flair, 150 watt, 220-240 volts, Model BRP 392 including bracket	Each (Rs.)	49791	68102	50000	82000	M/s GQS
12	Supply/Fixing of LED Road street light Road Flair, 160 watt, 220-240 volts, Model BRP 394 including bracket	Each (Rs.)	50199	17050	55000	84000	M/s NR Enterprises
13	Supply/Fixing of LED Road street light Road Flair, 170 watt, 220-240 volts, Model BRP 394 including bracket	Each (Rs.)	77671	81719	70000	87000	M/s King Enterprises
14	Supply/Fixing of LED Road street light Road Flair, 180 watt, 220-240 volts, Model BRP 394 including bracket	Each (Rs.)	78079	92400	72000	91000	M/s King Enterprises

b (II). Other Electric Items

S. No.	Name of Work	Firm	Rate quoted on MES Schedule of Rates 2014 (as amended)	Firm Quoted lowest rate
1	Other Electric Items as per MES schedule of rates, 2014 (Amended upto date) except led Phillips street light	M/s King Enterprises	4% above	Lowest (M/s King Enterprises)
		M/s Yousuf Khan & Brothers	9% above	
		M/s NR Enterprises	24% above	
		M/s GQS	36% above	

c. Traffic Signals on Market Item Rate basis for Non-Schedule Items


S. No.	Description of item	Unit	Rate to be Quoted by the bidder (Rs.)				Firm Quoted lowest rate
			M/s GQS	M/s NR Enterprises	M/s King Enterprises	M/s Yousuf Khan & Bros.	
1	Providing & fixing of polycarbonate Traffic Light IP-65 light Emitting Diode (LED) Optical system. (Central Light Source Complete) imported						
	a) 3 Aspect 300 mm	Each (Rs.)	99280	81030	80000	105000	M/s King Enterprises
	b) 3 Aspect 200 mm	Each (Rs.)	57800	47175	65000	90000	M/s NR Enterprises
2	Provision & fixing of 2 digit LED light source Red, Green Countdown time Imported Polycarbonate (300 mm)	Each (Rs.)	28560	23310	70000	35000	M/s NR Enterprises
3	P/L Testing & Commissioning of Multicore PVC insulated sheathed copper conductor						
	a) Single core 2.5 mm ²	P.Mtr (Rs.)	116	94.35	70	150	M/s King Enterprises
	b) 4 core 1.5 mm ²	P.Mtr (Rs.)	258	210.90	190	250	M/s King Enterprises
	c) 2 core 2.5 mm ²	P.Mtr (Rs.)	228	186.48	130	400	M/s King Enterprises
4	Microprocessor based Traffic signal controller (imported), extendable with 12 output 4-vehicular/signal groups, Phase holding facility & 7 different time plan programming as per site requirement, manual control with warning flasher, Green wave system with 7 different program (optional) operating on 230 V 50 Hz, with lock & key arrangements, with circuit breaker, output module with SSR alongwith Standard quality of Controller Cabinet complete in all respect	Each (Rs.)	530400	434975	600000	595000	M/s NR Enterprises

5	Supply & fixing of 2" PVC Pipe with Road cutting	P.Mtr (Rs.)	403	328.56	500	510	M/s NR Enterprises
6	Red Modules(imported)	Each (Rs.)	7344	6210	8000	7900	M/s NR Enterprises
7	Green Modules(imported)	Each (Rs.)	7956	6727	5850	8000	M/s King Enterprises
8	Yellow Modules(imported)	Each (Rs.)	7276	6152	5000	8200	M/s King Enterprises
9	Providing and fixing of signal standard poles (hot dip galvanized)with 15 feet height GI Pipe 4" dia complete with base plat 12 mm thick with 4 Nos. 3/8" thickness and stiffener	Each (Rs.)	54400	46000	40000	75000	M/s King Enterprises
10	Providing and fixing of single arm cantilever pole (hot dip galvanized) 20 feet high pole of 5 inch /3 inch dia GI Pipe with base plate 400X400 x 18mm thick with 4 Nos. 3/8" thickness with pole cap	Each (Rs.)	74800	63250	100000	95000	M/s NR Enterprises
11	Providing and fixing of double arm cantilever pole (hot dip galvanized) 20 feet high pole of 5 inch /3 inch dia Gi Pipe with base plate 400X400 x 18mm thick with 4 Nos. 3/8" thickness with pole cap.	Each (Rs.)	88400	74750	150000	95000	M/s NR Enterprises
12	Foundation making for cantilever pole (hot dip galvanized)traffic pole including 1" dia 4 feet long J-Bolts nuts washers inclusive of sundry material like cement, sand, concrete with paint and labour charges	Each (Rs.)	20400	17250	15000	25000	M/s King Enterprises
13	Foundation making for standard traffic pole(hot dip galvanized) including 3/4" dia 2.5 ft long J-Bolts nuts washers inclusive of sundary of sundary material like cement, sand, concrete (PCC) with paint & labour charges	Each (Rs.)	16320	13800	12000	15000	M/s King Enterprises
14	Construction of 2'x2'x2' inner draw pit with PCC Cover	Each (Rs.)	9520	8050	12000	12000	M/s NR Enterprises
15	Termination of complete intersection including connector strip, Testing & Commissioning the existing pre laid cabling as site, includes grouping in junction box as well controller	Each (Rs.)	34000	28750	100000	38000	M/s NR Enterprises

d. For Sign Boards on Market Item Rate basis for Non-Schedule Items

S. No.	Description of Work (Supply & Fixing)	Specification	Unit	Rate to be Quoted by the bidder (Rs.)				Firm Quoted lowest rate
				M/s GQS	M/s NR Enterprises	M/s King Enterprises	M/s Yousuf Khan & Bros.	
1	Supply & Fixing of Informatory Signs Board (single sided) with one sheet having a clear height of 5ft from ground with two pipes as per specifications.	GI Sheet 14 Gauge (1.8mm thick), Vertical Posts (2 nos) GI 2.5" dia 11/12 gauge pipes 9 feet each, using 3M high intensity Grade Reflective Sheeting printed directly Plus Printer & 3MUV Inks (or equivalent), meeting all other requirements set forth in ASTM D 4956 including Shrinkage, Flexibility, Liner Adhesion, Impact resistance, Specular gloss and Outdoor weathering (Types III and IV) GI Clamps, channels with nuts and bolts, 2 ft x 2 ft x 3 ft 1:2:4 foundations, complete with fixing and with warranty letter from the original manufacturer of the sheeting.	Per sq.ft (Rs.)	3060	2500	3000	9900	M/s NR Enterprises
2	Supply & Fixing of Informatory Signs Boards (Double Sided) 2X sheets having a clear height of 5ft from ground with two pipes.	GI Sheet 14 Gauge (1.8mm thick), Vertical Posts (2 nos) GI 2.5" dia 11/12 gauge pipes 9 feet each, using 3M high intensity Grade Reflective Sheeting printed directly Plus Printer & 3MUV Inks (or equivalent), meeting all other requirements set forth in ASTM D 4956 including Shrinkage, Flexibility, Liner Adhesion, Impact resistance, Specular gloss and Outdoor weathering (Types III and IV) GI Clamps, channels with nuts and bolts, 2 ft x 2 ft x 3 ft 1:2:4 foundations, complete with fixing and with warranty letter from the original manufacturer of the sheeting.	Per sq.ft (Rs.)	5100	4500	5000	15800	M/s NR Enterprises
3	a) Supply & Fixing of Informatory signs board, skin only as per specification including removal of existing skin.	3M High Intensity Grade Reflective Sheeting printed directly with Durst RHO 162 TS Plus Printer & 3 M UV Inks & meeting all other requirements set forth in ASTM D 4956 including Shrinkage, Flexibility, Liner removal, Adhesion, Impact resistance, Specular gloss and Outdoor weathering (Types III and IV).	Per sq.ft (Rs.)	1632	1332	2000	9800	M/s NR Enterprises

	b) Suppl y & Fixing of Street sign boards (single side) GI sheet + skin as per specification.	GI Sheet 14 Gauge (1.8mm thick) & 3M High Intensity Grade Reflective Sheeting printed directly with TS Plus printer & 3M UV Ink, meeting all other requirements set forth in ASTM D 4956 including Shrinkage, Flexibility, Liner removal, Adhesion, Impact resistance, Specular gloss and Outdoor weathering	Per sq.ft (Rs.)	1904	1554	2500	9800	M/s NR Enterprises
	c) Suppl y & Fixing of Street sign boards (Double Side) GI sheets + skin as per specification.	(Types III and IV) GI Clamps, channels with nuts and bolts, complete with fixing and with warranty letter from the original manufacturer of the sheeting.	Per sq.ft (Rs.)	3740	3052.5	4000	15800	M/s NR Enterprises
	Cate Eyes / Studs							
4	i. Supply & fixing of 3M RPM 290 Series /Cat eyes Plastic Body (Single Side- Yellow/ White/ Red/Green) or equivalent	100mm x 100mm x 19mm	Each (Rs.)	403	440	350	610	M/s King Enterprises
	ii. Supply & fixing of 3M RPM 291 Series /Cat eyes Plastic body (Double Side- Yellow White/ Red/Green) or equivalent	100mm x 100mm x 19mm	Each (Rs.)	479	440	400	750	M/s King Enterprises
5	Providing and laying of Road Marking with Thermoplastic Paint with glass beeds and Zebra Crossing	1.5mm to 2mm thick.	Sft (Rs.)	120	95	130	150	M/s NR Enterprises


Executive Officer
 Cantonment Board Clifton