



**COMSATS University Islamabad (CUI), Lahore Campus**  
**Defence Road, Off Raiwind Road, Lahore**  
**Tel: 042-111-001-007 (Ext: 875), Fax: 042-99203100**

Evaluation Report  
 (As per Rule 35 of Public Procurement Rules, 2004)

1. Name of Procuring Agency: COMSATS University Islamabad (CUI), Lahore Campus
2. Method of Procurement: Single Stage Two Envelope
3. Title of Procurement: Lab Equipment, Consumable & Glassware for Dr. Muhammad Yar, Depart of IRCBM (Case3756)
4. Tender Inquiry No: CUI-LHR-TN-23-1666
5. PPRA Ref No. (TSE): TSS10543E
6. Date & Time of Bid Closing: 1400 hours on May 31, 2023
7. Date & Time of Bid Opening: 1430 hours on May 31, 2023
8. No. of Bids Received: 12 Nos.

Sr. #	Item Name & Specification	Qty	M/s. S.U. Enterprises			M/s. Saigal Traders			M/s. Rays Technologies			M/s. MOD Scientific Traders			M/s. Global Marketing Services		
			Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)
1	Inverted Microscope Specifications: UIS2 (Universal Infinity-corrected) optical system Microscope frame with LED light source, Fixed Trinocular tube, inclined 45 degrees Interpupillary distance: 48-75mm Eyepieces 10X FN22 (Focusable) Including installation Warranty: One Year	1 Nos.	OX 2053-PL Euronex-Netherland	1980000	1980000	Not Quoted			Evident Olympus CKX53LED Japan with Optional Camera Olympus EP-50	3186000	3186000	Not Quoted			Letra DM11	2298700	2298700
2	Centrifuge with temperature control Specifications: Digital microprocessor controlled with large LCD display, Speed range 200 to 15000 rpm, Maximum RCF 21380 x g Capacity 24 x 1.5 ml Including installation Warranty: One Year	1 Nos.	MHKRO 200R Hettich-Germany	2150000	2150000	Fresco 21HR Thermo (Not Recommended) due to Speed: 14800RPM, 21100xg RCF, Dimensions: 330x295x445mm, -9-40°C One year warranty			Hermic Z216N1K Germany	1764100	1764100	DLAB D3024R (Refrigerate d) (Not Recommended) Speed: 200-15000RPM, 21380xg RCF, Dimensions: 338x580x324mm, Run time: 13s-99min, One year warranty			Not Quoted		

**MUHAMMAD SHAHID**  
 Sr. Coordination Officer  
 Purchase Section  
 COMSATS University Islamabad,  
 Lahore Campus

Muhammad Shahid  
 SCO (Purchase)



**COMSATS University Islamabad (CUI), Lahore Campus**  
**Defence Road, Off Raiwind Road, Lahore**  
**Tel: 042-111-001-007 (Ext: 875), Fax: 042-99203100**

Evaluation Report  
 (As per Rule 35 of Public Procurement Rules, 2004)

1. Name of Procuring Agency: COMSATS University Islamabad (CUI), Lahore Campus
2. Method of Procurement: Single Stage Two Envelope
3. Title of Procurement: Lab Equipment, Consumable & Glassware for Dr. Muhammad Yar, Depart of IRCBM (Case3756)
4. Tender Inquiry No: CUI-LHR-TN-23-1666
5. PPRA Ref No. (TSE): TSS10543E
6. Date & Time of Bid Closing: 1400 hours on May 31, 2023
7. Date & Time of Bid Opening: 1430 hours on May 31, 2023
8. No. of Bids Received: 12 Nos.

M/s. Advance Scientific Technologies			M/s. SAHAAB International Pvt. Ltd.			M/s. The World Wide Scientific			M/s. Materials Technology			M/s. Ayan Molecular Products			M/s. Scientific Technical Corporation Pvt. Ltd.			M/s. Q Tech			
Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	
OX.2053-PL (Euromex)	1886820	1886820	Not Quoted			AI14.0205 M/s. OPTO EDU	946000	946000	Not Quoted			MISC-IV 403 CE & FDA Certified Bioevopack China	(Not Recommended) Interpupillary distance 55-75 mm			Model: TCM-400 Labo America Inc USA	Recommended) Digital camera, Fluorescence luminescence kit, Travel distance 115-75, eyepiece 10x, One year Warranty	Not Quoted			
TG-18 (A & E) Lab	(Not Recommended) Speed: 18000RPM, 19920xg RCF, Capacity: 12x5mL, One year warranty		MTG-M16 Medallion Equipment UK	(Not Recommended) Speed: 16000rpm, Capacity: 6x100mL, One year warranty		D1524R M/s. DLAB Scientific	1447000	1447000	Not Quoted			CEGR-B18B Bioevopack China	(Not Recommended) Max speed: 18500rpm MaxRCF:23800 Xg Tem range: -10-40 °C, Capacity: 4x100mL, One			K2015R Centurion Scientific Ltd. UK	1652000	1652000	Model Micro Max Make: Thermo Scientific Origin: Germany	Recommended) speed: 1100-15000 RPM, Capacity: 6 x 100mL, RCF 92-21000 Xg, Dimension: 24.9 x 30.5 x 33.8 cm, One year	

**MUHAMMAD SHAHID**  
 Sr. Coordination Officer  
 Purchase Section  
 COMSATS University Islamabad,  
 Lahore Campus

  
 Muhammad Shahid  
 SCO (Purchase)

Sr. #	Item Name & Specification	Qty	M/s. S.U. Enterprises			M/s. Saigal Traders			M/s. Rays Technologies			M/s. MOD Scientific Traders			M/s. Global Marketing Services		
			Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)			
	Laminar flow hood dedicated for Boron work Specifications: Space-saving desk-top type with compact design, SUS304 working area. Adjustable fan unit & one-button velocity selection. High efficiency & low power consumption. Exterior Dimensions WxDxH 1320x585x950mm Work Zone Dimensions WxDxH 1240x480x550mm Work Zone Height 40 cm Cleanliness ISO 5 (Class 100) Velocity ≥0.3m/s Vibration ≤5µm Illumination ≥300Lx Controller Tack Switch Including installation Warranty: One Year	1 Nos.	Model: RTVL 131L ROBUS Technology y LTD	(Not Recommended) Outer Dimensions: 1200x645x610, Warranty: one year		AIREX (01No)	378000	378000	Airtech VD-1320-U Japan (China)	755200	755200	Not Quoted			Not Quoted		
3	High Vacuum pump for freeze dryer Specifications: Number of stage: 2 Capacity: 110 Liter/Minute approx. Max. pumping speed 50/60Hz (m3/h): 5.7/6.8 Ultimate Partial vacuum (abs): 4 x10-4 Ultimate vacuum (abs): 2 x 10-3 with gas ballast (mbar): 1 x 10-2 Water vapor tolerance (mbar): 40 Oil capacity (B-oil) Mm/Max Lit 0.34/0.73 Warranty: One Year	1 Nos.	Not Quoted		Not Quoted			Vacuubrand RZ6 Germany	1593100	1593100	Not Quoted			Not Quoted			
4	Bacterial Culture Shaker Specifications: Shaking motion: orbital Shaking movement; 20 mm Speed range infinitely adjustable: 30 – 500 rpm Speed display: Digital Dimensions (WxDxH) 320 x 125 x 375 mm Complete with Platform and fixing Clips 2- Nos each 100. Including installation Warranty: One Year	1 Nos.	Model: SK-0330-Pro DLAB-USA	(Not Recommended) Speed: 100-500rpm, Motion orbital: 10mm, Timer: 1min-20Hours, Temperature: 5-40, C, One year warranty		DSR-22	(Not Recommended) Speed: 40-350RPM, Dimension: 420x360x125, Temperature: 5-50 C, One year warranty	Heidolph Linimax 1010 Germany	805940	805940	DLAB SK0330 Pro	(Not Recommended) Orbit diameter: 10mm, Speed: 100-500RPM, Dimension: 370x420x100mm, One year warranty			Not Quoted		
5																	

**MUHAMMAD SHAHID**  
Sr. Coordination Officer  
Purchase Section  
COMSATS University Islamabad,  
Lahore Campus

Muhammad Shahid  
SCO (Purchase)

M/s. Advance Scientific Technologies			M/s. SAHAAB International Pvt. Ltd.			M/s. The World Wide Scientific			M/s. Materials Technology			M/s. Ayan Molecular Products			M/s. Scientific Technical Corporation Pvt. Ltd.			M/s. Q Tech		
Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)
PAK MADE	(Not Recommended) Outer Dimensions: 1320x585x950, Work zone: 1240X480X550mm, Warranty: one year		Not Quoted			(Not Recommended) External dimension: 1300x820x2040mm Internal size: 1200x500x570mm Velocity: 0.3-0.5m/s Work zone height: 750mm One year warranty			Not Quoted			TAZ-FH-001 Top Arizona Pakistan	(Not Recommended) Speed: 0.2-0.6m/s, Internal dimension: 550x460x700mm		HC-V120P Top Air Inc. USA	1876200	1876200	Not Quoted		
Not Quoted			Not Quoted			Not Recommended as we required Bacterial Culture Shaker but vendor quoted model / item is Horizontal Laminar Air Flow Cabinet which is totally different item			Not Quoted			VACP-R2 Bioevopca k: China	(Not Recommended) Oil capacity: 1 liter Dimensions: 514x168x282mm One year warranty		Not Quoted			Not Quoted		
SK-0180-S (A & E Lab)	(Not Recommended) Speed: 40-500rpm, Motion orbital: 12mm, Timer: 1min-20Hours, Temperature: 5-40, C. One year warranty		Not Quoted			Model: BBS-H 1300			Not Quoted			SHK-00320 Bioevopca k: China SHK-00710 (A.L.T)	(Not Recommended) Diameter: 200mm Speed: 40-200rpm Dimensions: 294x348x123mm One year warranty		SHHD 1619 DG Ohaus Switzerland	696200	696200	Not Quoted		


**MUHAMMAD SHAHID**  
Sr. Coordination Officer  
Purchase Section  
COMSATS University Islamabad,  
Lahore Campus

Muhammad Shahid  
SCO (Purchase)

Sr. #	Item Name & Specification	Qty	M/s. S.U. Enterprises			M/s. Saigal Traders			M/s. Rays Technologies			M/s. MOD Scientific Traders			M/s. Global Marketing Services		
			Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)
	<b>Bacterial Incubator</b> Specifications: Temperature range 10°C above ambient up to +80°C. Resolution of display for set point values 0.1°C. Double doors (interior glass, exterior stainless steel). Adjustment of pre-heated fresh air admixture by air flap control in 10% steps. Digital timer adjustable from 1 minute to 99 days, 23 hours. Adjustable electronic over temperature monitor and mechanical temperature limiter; protection class 1. Double Over Temperature Protection. Interior & Housing made of Stainless Steel Including installation Warranty: One Year																
6		1 Nos.	CLN 32 IG Smart Poleko Poland	480000	480000	B-28 BINDER (Not Recommended) Temperature:30-70°C Volume range: 28 liters One year warranty	531000	531000	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
7	<b>Stirrer Plate</b> Specifications: Temperature range: up to 370°C, Variable Speed Control: upto 1200rpm Heating Plate Ø: 155mm, Stirring capacity: 15 liters Warranty: One Year	1 Nos.	MS7-550-Pre Diab-USA	165000	165000	(Not Recommended) Recommended Temperature: 5-380 Speed: 200-1500rpm Max capacity: 5 liters One year warranty	135700	135700	DLAB MS7-H550-Pro	156000	156000	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted
8	<b>Vortex</b> Specifications: Vibrating motion continuously analog dial speed control Electronic speed regulation 0 – 3000 rpm Vibration orbit 4.5 mm, operating mode: touch, continuous, high stability, Operated on 220 Volts Warranty: One Year	1 Nos.	Not Quoted			(Not Recommended) Speed:0-2500rpm Orbital diameter: 4mm Dimensions:127x130x160mm One year warranty 2	100300	100300	DLAB MS7-MX-5	40000	40000	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted

Items at Sr. # 2 & 4 have been dropped from this procurement for remaining within approved budget.  
Purchase Order (s) have been issued to the technically recommended lowest bidder (s) in respect of above mentioned item (s) as highlighted.


**MUHAMMAD SHAHID**  
Sr. Coordination Officer  
Purchase Section  
COMSATS University Islamabad,  
Lahore Campus

  
Muhammad Shahid  
SCO (Purchase)

M/s. Advance Scientific Technologies			M/s. SAHAB International Pvt. Ltd.			M/s. The World Wide Scientific			M/s. Materials Technology			M/s. Ayan Molecular Products			M/s. Scientific Technical Corporation Pvt. Ltd.			M/s. Q Tech		
Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)	Quoted Model / Brand / Remarks	Unit Price (Rs.)	Total Amount (Rs.)			
AE-MJ70F (A & E Lab)	(Not Recommended) Temp: 10-5°C, Capacity: 70L, Interior dimensions: 450x320x500mm, External dimensions: 580x625x1090mm, Warranty one year		Not Quoted			(Not Recommended) Temperature range- 5-30 Capacity: 5liter internal dimensions: 395x336x395 External size: 536x588x681 One year warranty			Not Quoted			ICB- 30BEBIOE VOPEK China	351500	351500	Thermosta ble HF-50 Daihah Scientific Korea	578200	578200	Not Quoted		
MST- H550-Pro A & E Lab	(Not Recommended) Speed: 1500rpm, Temperature: 550°C, one year warranty		(Not Recommended) Speed: 100x1500RPM, Length of plate: 80mm, Capacity: 20L			MST-H550- S M/s. DLAB Scientific	235000	235000	ASHO 701 A&E Labs	600000	600000	Bioevopeak China	198550	198550	MSH2OD Daihah Scientific Korea	165200	165200	Not Quoted		
MX-S (A& E Lab)	49560	49560	MVW-B10 Mdaillon Equipment UK	124000	124000	MX-S M/s. DLAB Scientific	59000	59000	Not Quoted			VMX 4.5- 35 Bioevopea K; China	(Not Recommended) Speed: 1000- 3500rpm Vibration orbit: 4.5mm One year warranty	Maxxhake VM30 Daihah Scientific Korea	118000	118000	Not Quoted			

Items at Sr. # 2 & 4 have been dropped from this procurement for remaining within approved budget.  
Purchase Order (s) have been issued to the technically recommended lowest bidder (s) in respect of above mentioned item (s) as highlighted.

**MUHAMMAD SHAHID**  
Sr. Coordination Officer  
Purchase Section  
COMSATS University Islamabad,  
Lahore Campus

  
Muhammad Shahid  
SCO (Purchase)