

## TENDER BULLETIN

DATE & TIME 2/26/25 1:11 PM

INVITATION TO TENDER TO BE OPENED ON 3/12/2 10:00 AM AND ITEM REQ BY

**CONDITIONS**

1. NON REGISTERED FIRMS/SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT/PAY ORDER EQUAL TO 5% TOTAL VALUE OF QUOTATION IN FAVOUR OF COMMANDER LOCAL PURCHASE DIVISION ALONGWITH THEIR BIDS.
2. FOR ANY AMPLIFIED DETAILS INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON OR THROUGH TELEPHONE. DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND 45 DAYS FOR IMPORTED ITEMS.
3. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGB759 53	NO DATA AVAILABL E	566070514847 6 / CONCERTINA WIRE	FOR BOUNDARY PROTECTION	10 / ROLL			SOURCE OF AVALIBILTY: PAKISTAN WIRE SITE AREA KARACHI .Mr WASEEM CONTRACT NO 0333-2112465.	PAKISTA N WIRE		TECHNICAL SPECIFICATION - Country of origin pakistan BLADE SIZE:22MML,14MMW BLADE THIKNESS:0.5MM LINE WIRE:2.6 /3MM 10-12 GAUGE SIZE:36INCH DIA MATERIAL:(MILD STEEL&GALVANIZEDGENERAL SPECIFICATION - Country of origin pakistan BLADE SIZE:22MML, 14MMW BLADE THIKNESS:0.5MM LINE WIRE:2.6/3MM 10-12 GAUGE SIZE:36INCH DIA MATERIAL:(MILD STEEL&GALVANIZED	
2	DGE722 89	Art-38600/art-837631	843072519842 7 / SHOES ARROW CLOG WHITE ESD (SIZE 44) EASY 2.0 ESD CLOG BLACK	All ESD GERMANY	30 / PAIR	NIL	NIL	Abeba SPezial schuhausstattar GmbH Schlackenbergrasse 5 6638 St. Ingbert +49 06894-3103-100	M/s Abeba		TECHNICAL SPECIFICATION - Size 44 CE, EN ISO 20347:2012, OB, A, FO, SRA Smooth leather, perforated, white Leather heel patch Heel strap non-foldable, adjustable Instep area padded with elastic band Velcro fastening Non-slip PU walking sole Sanitized treated ESD dissipative as per DIN EN 61340 Leather lining GENERAL SPECIFICATION - Size 44 CE, EN ISO 20347:2012, OB, A, FO, SRA Smooth leather, perforated, white Leather heel patch Heel strap non-foldable, adjustable Instep area padded with elastic band Velcro fastening Non-slip PU walking sole Sanitized treated ESD dissipative as per DIN EN 61340 Leather lining	
3	DGH759	A6G1185	614570520944	CABLE	300 /	N/A	N/A	1ST FLOOR, ARIF HABIB	Pakistan		TECHNICAL SPECIFICATION -	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
	89	(ELAND CABLES)	0 / CABLE SINGLE CORE 1X185MM2 600/1000V FLEXIBLE RUBBER	PAKISTAN	METER			CENTRE,23 M.T. KHAN ROAD KARACHI. PHONE 111-222-537 WEBSITE www.pakistancable.com	cables		FLEXIBLE RUBBER INSULATED, STANDARD H07RN-F BS EN 50525-2-21, PART NO. A6G1185, OEM: ELAND CABLES (TDS Enclosed) <u>GENERAL SPECIFICATION -</u> FLEXIBLE RUBBER INSULATED, STANDARD H07RN-F BS EN 50525-2-21, PART NO. A6G1185, OEM: ELAND CABLES (TDS Enclosed)	
4	DGH759 24	A6G1185 (ELAND CABLES)	614570520944 0 / CABLE SINGLE CORE 1X185MM2 600/1000V FLEXIBLE RUBBER	CABLE PAKISTAN	600 / METER	N/A	N/A	1ST FLOOR, ARIF HABIB CENTRE,23 M.T. KHAN ROAD KARACHI. PHONE 111-222-537 WEBSITE www.pakistancable.com	Pakistan cables		<u>TECHNICAL SPECIFICATION -</u> FLEXIBLE RUBBER INSULATED, STANDARD H07RN-F BS EN 50525-2-21, PART NO. A6G1185, OEM: ELAND CABLES (TDS Enclosed) <u>GENERAL SPECIFICATION -</u> FLEXIBLE RUBBER INSULATED, STANDARD H07RN-F BS EN 50525-2-21, PART NO. A6G1185, OEM: ELAND CABLES (TDS Enclosed)	
5	DGE755 36	NIL	423070518126 8 / BAG PAPER FOR CONTAMINATED CLOTHING	NIL	190 / EACH/NUMBER		NIL	PLASTIC MARKET	NIL		<u>TECHNICAL SPECIFICATION -</u> REQ NEW PATT AUTHORITY LETTER (CICP letter no. CICP/PATT/1057/3490 dated 30 March 2015) Dimensions: Height: = 40 cm Width: = 32 cm Depth: = 11 cm Paper specifications: (1) Paper sack: Multi-layered, 3-ply (2) GSM: 100 – 150 (3) Paper bag should be printed with phrase "Contaminated Material". (4) Each bag should have double padding at its bottom. <u>PACKING: STANDARD</u> <u>GENERAL SPECIFICATION -</u> REQ NEW PATT AUTHORITY LETTER (CICP letter no. CICP/PATT/1057/3490 dated 30 March 2015) Dimensions: Height: = 40 cm Width: = 32 cm Depth: = 11 cm Paper specifications: (1) Paper sack: Multi-layered, 3-ply (2) GSM: 100 – 150 (3) Paper bag should be printed with phrase "Contaminated Material". (4) Each bag should have double padding at its bottom. <u>PACKING: STANDARD</u>	
6	DGE722	D8261	422099500761	DIVING SUIT	14 /	NK	NK	MSI DEFENCE SYSTEMS	UK		<u>TECHNICAL SPECIFICATION -</u> HQ	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
	47		2 / DIVERS SUIT		EACH/N UMBER			UK			SSG(N) LETTER NO.232/DIV/806 dated 07May 14 <u>GENERAL SPECIFICATION - HQ SSG(N) LETTER NO.232/DIV/806 dated 07May 14</u>	
7	DGE724 48	L 6" Dia 2"	046170514230 4 / PAINT ROLLER LENGTH 6 INCH DIA 2 INCH	HULL PAINT SCHEME	77 / EACH/N UMBER	NO DATA AVAILAB LE		PK	M/S AJAZ PAINT HOUSE MARRIOT ROAD KARACHI PHON NO.021 32412531		<u>TECHNICAL SPECIFICATION - SOURCE OF AVAILABILTY: M/S AJAZ PAINT HOUSE MARRIOT ROAD KARACHI PHON NO.021 32412531</u> <u>GENERAL SPECIFICATION - SOURCE OF AVAILABILTY: M/S AJAZ PAINT HOUSE MARRIOT ROAD KARACHI PHON NO.021 32412531</u>	
8	DGE742 55	ASTM D 6413	721050522576 4 / FIRE RETARDANT SPRING MATTRESSES (L6' 7" W2'8" H6")	MATTRESSES FOR BED	70 / EACH/N UMBER	NIL	NIL	LOCAL ADDRESS:AL-KHAIR HOUSE-43-T,AL-KHAIR CHOWK,AL-KHAIR ROAD GULBERG II, LAHORE-54660 PAKISTAN TEL: 042-5716580-86 FAX: 042-5716588,5753719	AL-KHAIR HOUSE-43-T		<u>TECHNICAL SPECIFICATION - SPRING MATTRESSES LENGTH: 67" WEIDTH: 2'8" HEIGHT: 6"</u> <u>GENERAL SPECIFICATION - SPRING MATTRESSES LENGTH: 67" WEIDTH: 2'8" HEIGHT: 6"</u>	
9	DGT756 12	NO DATA AVAILAB LE	934070514992 2 / MEDIUM DENSITY FIBER BOARD (LASANI) OAK COLOUR LAMINATION BOTH SIDE DENSITY 750kg/cubic meter SIZE: L=8' W=4' TH=16MM	WOOD WORKS SHIPS&ESTABLISHMENT	26 / SHEET	NO DATA AVAILAB LE		PK	SOURCE: M/S MEHRAN ART WOOD SHOP NO 9, PANJETA NI HOUSE, SIDDIQ WAHAB ROAD, TIMBER MARKET KARACHI . TEL/ FAX: +92-21-32776064 .MOBILE 0322-2578654.		<u>TECHNICAL SPECIFICATION - BSEN-622-1 LENGTH 08FEET WIDTH 04 FEET THICKNESS 16MM</u> <u>GENERAL SPECIFICATION - BSEN-622-1 LENGTH 08FEET WIDTH 04 FEET THICKNESS 16MM</u>	
10	DGE738	HEN00300	801079520819	RHIB BOAT	100 /		NIL	HENSHAW INFLATABLES	HENSHA		<u>TECHNICAL SPECIFICATION - 1.</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
	35	7	8 / FABRIC 1300 GSM MILITARY GREY (HYPALONE)		METER	HENSHA W UK		LTD, SOUTHGATE ROAD, WINCANTON,SOMERSET, BA9 9RX,TEL*01963 33237, FAX 01963 34578, EMAIL karen@henshaw.co. uk, www.henshaw.co.uk	W INFLATA BLES LTD		FOR HIGH END PRODUCTS IN MARINE INDUSTRY OUTER LAYER: CSM HYPALONEIS EASY TO BOND. EXTERNAL COATING: CSM (CHLOROSULFONATED POLYETHYLENE) OVER LAYER OF CR (NEOPRENE) INTERNAL COATING: CR (NEOPRENE) TENSILE STRENGTH: >=350 DAN/GCM TEAR RESISTANCE: >=16 DAN WEIGHT: 1300 (+/- 100G) G/M2 2. Complete item/store description: Fabric 1300 GSM Military Grey Hypalon Packing Detail: Roll 3. Detailed Specification / Technical data / Testing / Acceptance Criteria: Base Fabric: Polyester (high tenacity 1100 dtex-990 deniers) External coating: CSM (Chlorosulfonated Polyethylene) over layer of CR (Neoprene) Internal Coating: CR (Neoprene) Tensile Strength: >=350 daN/gcm Tear Resistance: >=16 daN Weight: 1300 (+/- 100g) g/m2 Marine Standard, resistant to UV rays, abrasion, hydrocarbons and extreme temperatures, fire and heat resistant, air tight, flexible and easy to bond to many materials 4. MAKE: HENSHAW UK OEM Country of Origin/ Manufacture: HENSHAW Company, United Kingdom <u>GENERAL SPECIFICATION - 1. FOR HIGH END PRODUCTS IN MARINE INDUSTRY OUTER LAYER: CSM HYPALONEIS EASY TO BOND. EXTERNAL COATING: CSM (CHLOROSULFONATED POLYETHYLENE) OVER LAYER OF CR (NEOPRENE) INTERNAL COATING: CR (NEOPRENE) TENSILE STRENGTH: &gt;=350 DAN/GCM TEAR RESISTANCE: &gt;=16 DAN WEIGHT: 1300 (+/- 100G) G/M2 2. Complete item/store</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											description: Fabric 1300 GSM Military Grey Hypalon Packing Detail: Roll 3. Detailed Specification / Technical data / Testing / Acceptance Criteria: Base Fabric: Polyester (high tenacity 1100 dtex-990 deniers) External coating: CSM (Chlorosulfonated Polyethylene) over layer of CR (Neoprene) Internal Coating: CR (Neoprene) Tensile Strength: >=350 daN/gcm Tear Resistance: >=16 daN Weight: 1300 (+/- 100g) g/m2 Marine Standard, resistant to UV rays, abrasion, hydrocarbons and extreme temperatures, fire and heat resistant, air tight, flexible and easy to bond to many materials 4. MAKE: HENSHAW UK OEM Country of Origin/ Manufacture: HENSHAW Company, United Kingdom	
11	DGE74272	ALM7140A	841573513973 6 / DIVING GLOVES	DIVING	33 / PAIR	ISF PROLINE		OC		TIWAN	<u>TECHNICAL SPECIFICATION - SOFT, THICK RUBBER, SIZE: NORMAL SIZE</u> <u>GENERAL SPECIFICATION - SOFT, THICK RUBBER, SIZE: NORMAL SIZE</u>	
12	DGH75989	A6G1185 (ELAND CABLES)	614570520944 0 / CABLE SINGLE CORE 1X185MM2 600/1000V FLEXIBLE RUBBER	CABLE PAKISTAN	300 / METER	N/A	N/A	1ST FLOOR, ARIF HABIB CENTRE, 23 M.T. KHAN ROAD KARACHI. PHONE 111-222-537 WEBSITE www.pakistancable.com		PAKISTAN CABLE	<u>TECHNICAL SPECIFICATION - FLEXIBLE RUBBER INSULATED, STANDARD H07RN-F BS EN 50525-2-21, PART NO. A6G1185, OEM: ELAND CABLES (TDS Enclosed)</u> <u>GENERAL SPECIFICATION - FLEXIBLE RUBBER INSULATED, STANDARD H07RN-F BS EN 50525-2-21, PART NO. A6G1185, OEM: ELAND CABLES (TDS Enclosed)</u>	
13	DGH75924	A6G1185 (ELAND CABLES)	614570520944 0 / CABLE SINGLE CORE 1X185MM2 600/1000V FLEXIBLE RUBBER	CABLE PAKISTAN	600 / METER	N/A	N/A	1ST FLOOR, ARIF HABIB CENTRE, 23 M.T. KHAN ROAD KARACHI. PHONE 111-222-537 WEBSITE www.pakistancable.com		PAKISTAN CABLE	<u>TECHNICAL SPECIFICATION - FLEXIBLE RUBBER INSULATED, STANDARD H07RN-F BS EN 50525-2-21, PART NO. A6G1185, OEM: ELAND CABLES (TDS Enclosed)</u> <u>GENERAL SPECIFICATION - FLEXIBLE RUBBER INSULATED, STANDARD H07RN-F BS EN 50525-2-21, PART NO. A6G1185, OEM: ELAND CABLES (TDS Enclosed)</u>	

## MEMORANDUM HOW THE TOTAL OF A CHEQUE IS MADE UP (CHEQUE SLIP)

Auth Sec III Para 80 Sub Para (e) Office Manual Part-III

478

Pakistan Military Accountst Department

Office of the CNA Karachi No & Date Of cheque \_\_\_\_\_ Serial No Of Cheque slip \_\_\_\_\_

In Payment Of bill No:- 24 dt 02/12/2024	300000.00
Bank A/c No PK17HABB0004540013100701	300000.00

In Words Rs THREE HUNDRED THOUSAND

For C N A

(Signature of Oftr Signing the cheque)

Initial

Supt Audit Sec

Initial

Officer O/C Audit Sec

To

HBL 'A' BLOCK BRANCH PAK SECRETARIAT, ISLAMABAD ISLAMABAD

P.P.R.A

PPRA 1st Floor FBC Building, Near State Bank S. ptor G-5/2, Islamabad

Copy To

LP Division

2. DAO (DAO (NAVY) NSD KARACHI )