

TENDER BULLETIN

TENDER CLOSING/OPENING DATE 12/02/2025

CONDITIONS

1. NON REGISTERED FIRMS/SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT/PAY ORDER EQUAL TO 5% TOTAL VALUE OF QUOTATION IN FAVOUR OF COMMANDER LOCAL PURCHASE DIVISION ALONGWITH THEIR BIDS.
2. FOR ANY AMPLIFIED DETAILS INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON OR THROUGH TELEPHONE. DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND 45 DAYS FOR IMPORTED ITEMS.
3. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

S No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	MANUF ADD	TECH / GEN SPECS
1	DGB75124	NO DATA AVAILABLE	0265500001588 / PAD LOCK TRI CIRCLE CHINA MADE 2-1/2" WITH THREE KEYS		24 / EACH/NUMBER	NO DATA AVAILABLE		<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
2	DGB75077		0262590006274 / RAT GUARD DIAMETER OF ROPE 5-6 1/2 INCH		10 / EACH/NUMBER			<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
3	DGT75123	NIL	5510705199134 / KAIL WOOD SLEEPER GRADE-A (LOCAL)	KAIL WOOD (TIMBER)	50 / CUBIC FOOT	NIL	LOCAL MARKET	<u>TECHNICAL SPECIFICATION</u> - size: LENGTH: 8 TO 16 FEET WIDTH: 8 TO 14 INCH THICKNESS: 6 TO 8 INCHES SPECIFICATIONS: pag: 69 (FOR VISUAL INSPECTION ONLY) moisture contents: 12% to 18% <u>GENERAL SPECIFICATION</u> - size: LENGTH: 8 TO 16 FEET WIDTH: 8 TO 14 INCH THICKNESS: 6 TO 8 INCHES SPECIFICATIONS: pag: 69 (FOR VISUAL INSPECTION ONLY) moisture contents: 12% to 18%
4	DGT74938	NIL	5510705199134 / KAIL WOOD SLEEPER GRADE-A (LOCAL)	KAIL WOOD (TIMBER)	31 / CUBIC FOOT	NIL	LOCAL MARKET	<u>TECHNICAL SPECIFICATION</u> - size: LENGTH: 8 TO 16 FEET WIDTH: 8 TO 14 INCH THICKNESS: 6 TO 8 INCHES SPECIFICATIONS: pag: 69 (FOR VISUAL INSPECTION ONLY) moisture contents: 12% to 18% <u>GENERAL SPECIFICATION</u> - size: LENGTH: 8 TO 16 FEET WIDTH: 8 TO 14 INCH THICKNESS: 6 TO 8 INCHES SPECIFICATIONS: pag: 69 (FOR VISUAL INSPECTION ONLY) moisture contents: 12% to 18%
5	DGT75160	NIL	5510705199134 / KAIL WOOD SLEEPER GRADE-A (LOCAL)	KAIL WOOD (TIMBER)	140 / CUBIC FOOT	NIL	LOCAL MARKET	<u>TECHNICAL SPECIFICATION</u> - size: LENGTH: 8 TO 16 FEET WIDTH: 8 TO 14 INCH THICKNESS: 6 TO 8 INCHES SPECIFICATIONS: pag: 69 (FOR VISUAL INSPECTION ONLY) moisture contents: 12% to 18% <u>GENERAL SPECIFICATION</u> - size: LENGTH: 8 TO 16 FEET WIDTH: 8 TO 14 INCH THICKNESS: 6 TO 8 INCHES SPECIFICATIONS: pag: 69 (FOR VISUAL INSPECTION ONLY) moisture contents: 12% to 18%
6	DGP73978	UE43NU7020	7025705131682 / 43" LED TV OR EQUIVALENT, (SONY BRAVIA/TCL/ SAMSUNG/ LG)	LED TV	1 / EACH/NUMBER	UE43NU7020W	PK	<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL SPECIFICATION</u> - null
7	DGP75332		7535705133021 / LAPTOP COMPUTER (AS PER NHQ APPROVED MODEL HP/DELL/LENOVO)	COMPUTER	1 / EACH/NUMBER	NO DATA AVAILABLE	PK	<u>TECHNICAL SPECIFICATION</u> - HP/DELL/LENOVO LAPTOP. 5 NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (10TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ)). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4. 3. DISPLAY: 15.6" LED. 4. HARD DISK: 500 gb ssd. 5. OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL® HD/HD GRAPHICS. 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS (LICENSED VERSION) <u>GENERAL SPECIFICATION</u> - HP/DELL/LENOVO LAPTOP. 5 NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (10TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ)). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4. 3. DISPLAY: 15.6" LED. 4. HARD DISK: 500 gb ssd. 5. OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL® HD/HD GRAPHICS. 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS (LICENSED VERSION).

8	DGP744 67		7535705133021 / LAPTOP COMPUTER (AS PER NHQ APPROVED MODEL HP/DELL/LENOVO)	COMPU TER	1/ EACH/N UMBER	NO DATA AVAILABL E	PK	TECHNICAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. \$ NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (10TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4. 3. DISPLAY: 15.6" LED. 4. HARD DISK: 500 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL® HD40 GRAPHICS. 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS (LICENSED VERSION) GENERAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. \$ NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (10TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4. 3. DISPLAY: 15.6" LED. 4. HARD DISK: 500 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD40 GRAPHICS. 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM:
9	DGP744 68	NO DATA AVAILAB LE	7435785141286 / HP SERVER PROLIANT (AS PER APPROVED SPECS)	SELF	1/ EACH/N UMBER	NO DATA AVAILABL E	US	TECHNICAL SPECIFICATION - Processor: 8 Core, 3.2Ghz, 8.25 MB, 130W Memory Type (RAM): HPE DDR4 Smart Memory Memory Standard. 32 GB (1x 32GB) RDIMM dual rank NVDIMM Capacity: 16 GB Network Controller: 1HPE Ethernet 1GB 4-port 386FLR adapter with one easy install Rail Kit. Power Supply Type: 1 HPE 800W Flex Slot Universal Hot Plug Low Halogen SAS Extender Card: 12GR with Cable OS: MS Server 2019 Storage Capacity: 1TB SSD Expansion Slot: 8, Small form factor drive bays OEM ADD:HAWLET PACKARD,11445 COMPAQ CENTRE DRIVE WEST,HOUSTON TEXAS 77070,USA GENERAL SPECIFICATION - Processor: 8 Core, 3.2Ghz, 8.25 MB, 130W Memory Type (RAM): HPE DDR4 Smart Memory Memory Standard: 32 GB (1x 32GB) RDIMM dual rank NVDIMM Capacity: 16 GB Network Controller: 1HPE Ethernet 1GB 4-port 386FLR adapter with one easy install Rail Kit. Power Supply Type: 1 HPE 800W Flex Slot Universal Hot Plug Low Halogen SAS Extender Card: 12GB with Cable OS: MS Server 2019 Storage Capacity: 1TB SSD Expansion Slot: 8, Small form factor drive bays OEM ADD:HAWLET PACKARD,11445 COMPAQ CENTRE DRIVE WEST,HOUSTON TEXAS 77070,USA
10	DGP745 90	NIL	7730705138906 / smart led 40 INCH	LCD 41 INCH SONY	2/ EACH/N UMBER	SONY/TC L/LG	JP	TECHNICAL SPECIFICATION - android smart led tv GENERAL SPECIFICATION - android smart led tv
11	DGP744 66	lcl- 40s6500 inch lcd	7730705152549 / 40 inch lcd	PSS VIGIL SYSTEM	2/ EACH/N UMBER	KDL- 43W800G	PK	TECHNICAL SPECIFICATION - 40 inch lcd full hd smart tv GENERAL SPECIFICATION - 40 inch lcd full hd smart tv
12	DGP751 80	HP Scanner 20G05A/ L2747A	7490705218483 / HP SCANNER PRO 2500 F1 FLATBED	HP SERVER Pro 2500 F1	4/ EACH/N UMBER	HP Scanner 20G05A/P ro 2500 F1	MS ORA- TECH SYSTEM, OUR SQUARE PLAZA 4TH FLOOR,B UILDING NO 21-A, H H FAROOQI ROAD OFF TARIQ ROAD,PE CHS, BLOCK-II, KARACHI. TELEPHO NE NO 021- 34535933 FAX NO : 021- 34536441	TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME,ADF,UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME,ADF,UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297

13	DGP751 93	19000SR- 2	7435785205220 / 2D BARCODE READER (SCANNER)	SVAS SYSTEM NY- SVAS-08 CHINA	1 / SET	NY-SVAS- 08	HONEYW ELL INTERN ATIONAL INC. 101 COLUMB A ROAD MORRIST OWN, NJ 07962. PHONE: (073) 455- 2000, CHINA	TECHNICAL SPECIFICATION - 2D Barcode Reader, (Honeywell Xemon 1900) NADRA compatible Biometric reader SecGen Hamster plus Fingerprint scanner and data SIM including one year Data charges GENERAL SPECIFICATION - 2D Barcode Reader, (Honeywell Xemon 1900) NADRA compatible Biometric reader SecGen Hamster plus Fingerprint scanner and data SIM including one year Data charges
14	DGP740 96		7730765207008 / LED TV 65"	4k UHD TV LEDTV JAPAN	1 / EACH/N UMBER	65X9000H	SONY HQ COMPLEX MINATE,T OKYO JAPAN WWW.SO NY.NET	TECHNICAL SPECIFICATION - A. PANEL SIZE: 65 INCH B. PANEL TYPE: VA LED C PANEL RESOLUTION: 3820 X 2160 - 4K D PANEL REFRESH RATE: 120HZ E HDR 10 SUPPORT: YES F DOLBY VISION SUPPORT: YES G WEIGHT (WITH STAND): 23.2KGS H HDMI PORTS: 4 J USB PORTS: 2 K BLUETOOTH: YES L WI-FI: YES M ETHERNET: YES N SPEAKERS: 20W (FULL RANGE (BASS REFLEX) X 2, TWEETER X 2) P BUILT-IN STORAGE: 1 GENERAL SPECIFICATION - A. PANEL SIZE: 65 INCH B. PANEL TYPE: VA LED C PANEL RESOLUTION: 3820 X 2160 - 4K D PANEL REFRESH RATE: 120HZ E HDR 10 SUPPORT: YES F DOLBY VISION SUPPORT: YES G WEIGHT (WITH STAND): 23.2KGS H HDMI PORTS: 4 J USB PORTS: 2 K BLUETOOTH: YES L WI-FI: YES M ETHERNET: YES N SPEAKERS: 20W (FULL RANGE (BASS REFLEX) X 2, TWEETER X 2) P BUILT-IN STORAGE: 1
15	DGP739 77	UA60J62 00AK	7010705230214 / 60 INCH SAMSUNG LED ALL ACCESSORIES AND WALL BRKT	60 INCH SAMSU NG LED	2 / EACH/N UMBER	UA60J620 0AK	H NO 779 STREET 84 SECTOR I- B/4 ISLAMABA D PAKISTAN	TECHNICAL SPECIFICATION - 60 INCH SAMSUNG LED HDTV WITH 1080 X 1920 DISPLAY RESOLUTION 10W x 2 SOUND OUTPUTS, 152 CM DIAGONAL WIDE SCREEN SIZE DESIGN WITH COLOR CLARITY AT THEIR BEST, HD WIRELESS STREAMING AND RECOMMENDED TV CHANNELS VIDEOS AND PHOTO ON YOUR NETWORK GENERAL SPECIFICATION - 60 INCH SAMSUNG LED HDTV WITH 1080 X 1920 DISPLAY RESOLUTION 10W x 2 SOUND OUTPUTS, 152 CM DIAGONAL WIDE SCREEN SIZE DESIGN WITH COLOR CLARITY AT THEIR BEST, HD WIRELESS STREAMING AND RECOMMENDED TV CHANNELS VIDEOS AND PHOTO ON YOUR NETWORK
16	DGP752 49	4003DN	7435705138632 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP402D/M 402DN/M404DN/ hp laserjetm402n	COMPU TER	2 / EACH/N UMBER	NO DATA AVAILABL E	PK	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both
17	DGP740 99	4003DN	7435705138632 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP402D/M 402DN/M404DN/ hp laserjetm402n	COMPU TER	7 / EACH/N UMBER	NO DATA AVAILABL E	PK	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both
18	DGP730 83	4003DN	7435705138632 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP402D/M 402DN/M404DN/ hp laserjetm402n	COMPU TER	2 / EACH/N UMBER	NO DATA AVAILABL E	PK	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both
19	DGP751 84	4003DN	7435705138632 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP402D/M 402DN/M404DN/ hp laserjetm402n	COMPU TER	5 / EACH/N UMBER	NO DATA AVAILABL E	PK	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both

20	DGP750 17	4003DN	7435705138632 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP402D/M 402DN/M404DN/ hp laser jet m402n	COMPU TER	6 / EACH/N UMBER	NO DATA AVAILABL E	PK	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both
21	DGP741 00	KLV-52 W400A / 55au7000	7730705138633 / LCD TV 55" INCH SAMSUNG	LCD TV	1 / EACH/N UMBER	KLV-52 W400A / 55AU7000	PK	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
22	SGB384 52	BSW 3/4 NUT	5310705141854 / NUT STAINLESS STEEL BSW 3/4DIA	FIRE MAIN SYSTEM TYPE 21 SHIPS	500 / EACH/N UMBER	NO DATA AVAILABL E	PK	TECHNICAL SPECIFICATION - IF THE ITEM SPEC NOT SHOWING FULL CONTACT WITH IT DEPARTMENT DIA METER OF THREAD: 0.7500 WIDTH ACROSS FLATS: 1-1/8 WIDTH ACROSS CORNER: 1.299 THICKNESS OF HEX NUTS: 41/64 Nut has coarse threading 10 TPI (Thread Per Inch). MATERIAL GRADE: EN16 (605 M38) OR EN100(945 M38) GENERAL SPECIFICATION - IF THE ITEM SPEC NOT SHOWING FULL CONTACT WITH IT DEPARTMENT DIA METER OF THREAD: 0.7500 WIDTH ACROSS FLATS: 1-1/8 WIDTH ACROSS CORNER: 1.299 THICKNESS OF HEX NUTS: 41/64 Nut has coarse threading 10 TPI (Thread Per Inch). MATERIAL GRADE: EN16 (605 M38) OR EN100(945 M38)
	DGP741 03	50AU7000	7730705132179 / TV LCD 46/49 INCH		1/EACH/ NUMBER	50AU7000	PK	TECHNICAL SPECIFICATION - S. No Technical Specification Technical Data a. View Angle 178° b. Brightness 500cd/m2 c. Size 46/49 Inch d. Response Time 5ms e. Brand Samsung f. Screen Type LED g. Smart TV Yes h. HDMI 3 j. USB 2 k. Operating System Tizen l. Width x Height x Depth (With stand) 46"= 71.64cm x 26.13 cm 49"= 110.28cm x 63.78cm x 5.91cm m. Warranty 01 Year n. Model 46 Inch LED HD TV(UA46F6100AR) 49 Inch LED HD TV(949N5300) p. Resolution (Pixels) 1920 x 1080 q. Color Black GENERAL SPECIFICATION - S.No Technical Specification Technical Data a. View Angle 178° b. Brightness 500cd/m2 c. Size 46/49 Inch d. Response Time 5ms e. Brand Samsung f. Screen Type LED g. Smart TV Yes h. HDMI 3 j. USB 2 k. Operating System Tizen l. Width x Height x Depth (With stand) 46"= 71.64cm x 26.13 cm 49"= 110.28cm x 63.78cm x 5.91cm m. Warranty 01 Year n. Model 46 Inch LED HD TV(UA46F6100AR) 49 Inch LED HD TV(949N5300) p. Resolution (Pixels) 1920 x 1080 q. Color Black
24	DGP751 92	E2722H/ M27FW	7435705214885 / LCD MONITOR 27 inch	Instructor Console	1 / EACH/N UMBER	E2417H(2 4")e2722 hJF 22P MCR Simulator	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel:+9292 1)3257111 1-2 Fax:+92(2 1)3255311 1	TECHNICAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE - 27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED) GENERAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED)
25	DGP744 65	KD55X70 00F/UHD 4K Smart TV AU7000	7730705214892 / SMART LED TV 55"	F-22P SIMULA TOR	1 / EACH/N UMBER	LE55K660 0UG/KD5 5X7000F/ UHD 4K Smart TV AU7000	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel:+9292 1)3257111 1-2 Fax:+92(2 1)3255311 1	TECHNICAL SPECIFICATION - a. Item : Smart LED b. Company Name: Haier/SONY c. Model No : LE55K6600UG/KD55X70000F/UHD 4K Smart TV AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9 GENERAL SPECIFICATION - a. Item : Smart LED b. Company Name: Haier/SONY c. Model No : LE55K6600UG/KD55X70000F/UHD 4K Smart TV AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9

26	DGE722 88	2800	4240TY5202555 / 3M 7502 HALF MASK WITH 6051 CARTRIDGE+502 ADOPTER+2135 FII TER	SAFETY	80 / SET	NIL	3M	<u>TECHNICAL SPECIFICATION</u> - ORGANIC VAPOUR PARTICULATES VAPOURS ACID GAS AMMONIA FFABEK1P3 RD <u>GENERAL SPECIFICATION</u> - ORGANIC VAPOUR PARTICULATES VAPOURS ACID GAS AMMONIA FFABEK1P3 RD
27	DGB742 85	H 4159	0276789105866 / SCREWDRIVER CROSS POINT SIZE OF POINT3 BLADE I G 08"DIA0.313"					<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
28	DGB739 58	IC3553,B S3594PT 1	0276789106635 / WRENCH PIPE CAPACITY 1/8" TO 1"LG OVERALL 10"					<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
29	DGB746 27		0277599106230 / SPANNER O/JAW FXD D.E 0.500X0.563"W0.438X 0.500"L MAX 10X8.5"					<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
30	DGB746 59		0277599106233 / SPANNER O/JAW FXD D.E 01X1.125"W0.875X01" L MAX 18.25X15.50"					<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
31	DGE722 97	0559- 15270	0559794444900 / INSULATION- SLEEVING- ELECTRICAL-5.0MM - THICK.0.500/0.750MM					<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
32	DGE718 82	C-268	0476599430559 / BRUSH VARNISH TYNEX FLAT SQUARE EDGE WD.4					<u>TECHNICAL SPECIFICATION</u> - stock thickness: 01 inch expose length: 3.25 inch specs ba2992 table 8 <u>GENERAL SPECIFICATION</u> - stock thickness: 01 inch expose length: 3.25 inch specs ba2992 table 8
33	DGB746 28		0277599106175 / SPANNER BOX TUBULAR D.E HEX LG 9" NOM 2X0 D/DIA 0.250"					<u>TECHNICAL SPECIFICATION</u> - Brand: NINDEJIN/ LUHUICHANG Authorized dealer; Made in China Photograph Not Available <u>GENERAL SPECIFICATION</u> - Brand: NINDEJIN/ LUHUICHANG Authorized dealer; Made in China Photograph Not Available
34	DGB746 24		0277599106176 / SPANNER BOX D.E TUBULAR HEX LG 9" NOM 06X04 D/DIA 0.1R75"					<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
35	DGB746 80		0277799106213 / SPANNER BOX TUBULAR DOUBLE ENDED BS 0.625X0.696 W0 56.3X0 625					<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
36	DGE714 43		0451594510094 / MATTRESS FOAM RUBBER WITH COVER 82"X36"X4"(WARRAN TY 10 YFARS					<u>TECHNICAL SPECIFICATION</u> - 1. ACCEPTABLE BRAND OF; a.DIAMOND SUPREME A-1 b.MASTER MOLTY FOAM <u>GENERAL SPECIFICATION</u> - 1. ACCEPTABLE BRAND OF; a.DIAMOND SUPREME A-1 b.MASTER MOLTY FOAM.
37	DGB746 31	1C5032, H2753	0276709106528 / TAPE MEASURING LENGTH 50FT WIDTH 0.625IN (NSN:5210999106528)					<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
38	DGB746 78		0277702770052 / SPANNER 27MM TO 27MM A/F					<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE

39	DGB746 64		0277702770186 / SPANNER RING 20MM TO 22MM DOUBLE ENDED, CRANKED LG 225MM		4 / EACH/N UMBER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
40	DGB724 77		0283595711466 / ROD NAVAL BRASS RD DIA 4.5/8 INCH DIA		1.8 / METER		<u>TECHNICAL SPECIFICATION</u> - minimum running length : 01 foot material condition: "m" BS-EN-12163 of 2011 M/Grade CW-712-R <u>GENERAL SPECIFICATION</u> - minimum running length : 01 foot material condition: "m" BS-EN- 12163 of 2011 M/Grade CW-712-R
41	DGB751 27	1RESM5 316	0276789106530 / TAPE MEASURING GARD LENGTH 100FT WIDTH 0.525"MIN.GRAD.1/2"		2 / EACH/N		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL</u>
42	DGB746 14	1RESM5 316	0276789106530 / TAPE MEASURING GARD LENGTH 100FT WIDTH 0.525"MIN.GRAD.1/2"		1 / EACH/N UMBER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
43	DGE725 59	NO DATA AVAILAB LE	0350595713210 / ROPE SISAL HAWSERLAID, 3- STRAND, CIR: 0.625", DIA 0.1875" (5MM)		1440 / FATHOM		<u>TECHNICAL SPECIFICATION</u> - RELEVANT STANDARD: 1. ISO 1181 OF 2004 (E) TABLE-1 2. STORE TO BE SEALED AND STAMPED BY CERTIFYING AGENCY IN ADDITION TO LABELED AND MARKING AS PER ISO 2307 AND 9554. 3. LENGTH 120 FATHOM PER COIL. <u>GENERAL SPECIFICATION</u> - RELEVANT STANDARD: 1. ISO 1181 OF 2004 (E) TABLE-1 2. STORE TO BE SEALED AND STAMPED BY CERTIFYING AGENCY IN ADDITION TO LABELED AND MARKING AS PER ISO 2307 AND 9554. 3. LENGTH 120 FATHOM PER COIL.
44	SGB739 26	NO DATA AVAILAB LE	0212705710030 / STEEL-BAR-CARBON- RD-DIA-5-INCH BS970 GRADE EN4	SPECIFI CATION BS970 GRADE EN4	3 / METER		<u>TECHNICAL SPECIFICATION</u> - BS970 GRADE EN4 <u>GENERAL SPECIFICATION</u> - BS970 GRADE EN4
45	SGB570 78	SKF 7310	0269599500028 / BEARING BALL ANGULAR CONTACT SKF 7310 B 050X110X27Mm		10 / EACH/N UMBER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
46	DGB748 71	NO DATA AVAILAB LE	0266591282628 / SCREW MACHINE STEEL (zinc coated)		36 / TEN		<u>TECHNICAL SPECIFICATION</u> - Screw Machine Steel (MS Zinc coated); Length: 1 inch Dia : 4 mm Thread Type: BA <u>GENERAL SPECIFICATION</u> - Screw Machine Steel (MS Zinc coated); Length: 1 inch Dia : 4 mm Thread Type: BA
47	DGB716 87		0276709106617 / VICE REVOLVING HEAD WIDTH OF JAW 08IN DEPTH OF JAW 4.688IN		16 / EACH/N UMBER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
48	DGB702 54		0273799238070 / BEARING PULLER AND EXTRACTOR SET COMP SET TYPE A		2 / SET		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
49	DGB746 21		0274709104931 / FILE ENGINEER ROUND S- CUT SMOOTH 6.00IN		4 / EACH/N UMBER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
50	SGB566 37	1A1155	0274709104966 / FILE ENGINEER THREE SQUARE D-CUT SMOOTH 4" LG,11 MM WIDTH		15 / EACH/N UMBER		<u>TECHNICAL SPECIFICATION</u> - TRIANGLE FILE SIZE: 5 INCH <u>GENERAL SPECIFICATION</u> - TRIANGLE FILE SIZE: 5 INCH

51	DGB746 74	9104961	0274599104961 / FILE ENGINEER THREE SQUARE D-CUT BASTARD 6.00IN		1 / EACH/N UMBER	<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
52	DGB746 25		0274599105084 / FILE PRECISION HALF ROUND CUT NO2 6.00IN		15 / EACH/N UMBER	<u>TECHNICAL SPECIFICATION</u> - a. Complete Store Description: Fire precision half round cut No 2 (6Inches) or 6 Inches Half round medium cut file. b. Material Grade: High Quality, High carbon Steel: Surface high temperature quenching treatment. c. Details Specifications: 6 inches half round file total length 7.3 inches, width 0.6 inch, thickness 0.23 inch. d. Testing/ Acceptance Criteria: (i) Bastard teeth spacing for general purpose tool sharpening and material smoothing. (ii) Flat file tapered in with and thickness for general material removal. (iii) Single Brand: Gloster Authorized dealer: Made in china <u>GENERAL SPECIFICATION</u> - a. Complete Store Description Fire precision half round cut No 2 (6Inches) or 6 Inches Half round medium cut file. b. Material Grade: High Quality, High carbon Steel: Surface high temperature quenching treatment. c. Details Specifications: 6 Inches half round file total length 7.3 inches, width 0.6 inch, thickness 0.23 inch. d. Testing/ Acceptance Criteria: (i) Bastard teeth spacing for general purpose tool sharpening and material smoothing. (ii) Flat file tapered in with and thickness for general material removal. (iii) Single Brand: Gloster Authorized dealer: Made in china
53	DGB726 34	0272- 2004	0272799237940 / DRILL TWIST CARBON STEEL DIA 1/4		15 / EACH/N UMBER	<u>TECHNICAL SPECIFICATION</u> - A. MATERIAL: HSS B, DIA: 1/4IN <u>GENERAL SPECIFICATION</u> - A. MATERIAL: HSS B. DIA: 1/4IN
54	DGB746 69		0274599104879 / FILE ENGINEER FLAT S- CUT FACES BASTARD 10.00IN		2 / EACH/N UMBER	<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
55	DGB750 82	1B1783	0275599105514 / PLIERS NOSE FLATE 06" SINGLE JOINT, TO SPEC. BS 3087 TABLE 6	GENERA L USE (BR 320 D/76)	5 /	<u>TECHNICAL SPECIFICATION</u> - BS 3087 <u>GENERAL SPECIFICATION</u> - BS 3067
56	DGB728 77		0275591206710 / PLIER FLAT NOSE 08"		25 / EACH/N UMBER	<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
57	DGB746 71		0274599104708 / HAMMER HAND TINMAN 3.00LBS LG 14.00IN BLOCKING		2 / EACH/N UMBER	<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
58	DGB738 84		0272592720073 / DRILL-TWIST-TAPER- SHANK-HSS HIGHSPEED STLSZ 10MM O/A L G6-1/2"		5 / EACH/N UMBER	<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
59	DGB746 63	FA 16753 (5120-99- 910- 5842)	0276799105842 / SCREWDRIVER FLAT POINT BLADE LG 12" TIP WD 1/2 O/A L G18-1/2"		10 / EACH/N UMBER	<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
60	DGB749 42		0276799105870 / SCREW DRIVER RATCH, DOUBLE SPIRAL, AUTO RETURN, 250MM LG, 3 BITS		32 / EACH/N UMBER	<u>TECHNICAL SPECIFICATION</u> - Detail specification; Screw Driver Ratch, Double Spiral, Auto Return Technical data; Screw Driver Set Flexible 215MM, 30 Accessories by HOLZER Made in China <u>GENERAL SPECIFICATION</u> - Detail specification; Screw Driver Ratch, Double Spiral, Auto Return Technical data; Screw Driver Set Flexible 215MM, 30 Accessories by HOLZER Made in China
61	DGB738 71		0277799106221 / SPANNER CROWFOOT BS 0.563X0.500 W		7 / EACH/N	<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL</u>

62	DGB746 30		0277799106223 / SPANNER CROWFOOT BS 0.696X0.625 W		22 / EACH/ NUMBER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
63	DGB746 58		0277799106225 / SPANNER CROWFOOT BS 0.875X0750 W		22 / EACH/ NUMBER		<u>TECHNICAL SPECIFICATION</u> - material: chrome alloy steel and chrome plated oem: germany size: 19 MM <u>GENERAL</u> <u>SPECIFICATION</u> - material: chrome alloy steel and chrome plated oem: germany size: 19 MM
64	DGB746 79	SPEC-BS 2558 GRADE A	0277790002438 / SPANNER BOX DOUBLE ENDED BA 09X10 LG 04"DRILLED BOR DIA 1/8"		1 / EACH/ NUMBER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
65	DGB738 72	H 2282	0276789105861 / SCREWDRIVER FLAT POINT BLADLEG 2.5" TIP W 0.313" O/A LG 6-1/4		28 / EACH/ NUMBER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
66	DGB742 70	H 2282	0276789105861 / SCREWDRIVER FLAT POINT BLADLEG 2.5" TIP W 0.313" O/A LG 6-1/4		12 / EACH/ NUMBER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
67	DGB750 91	NO DATA AVAILAB LE	0265594233503 / PAD LOCK ,1 INCH JAPANNED STEEL OR GALVANISED CASE BRASS INTERIOR WITH 2 KFYS		6 / EACH/ NUMBER		<u>TECHNICAL SPECIFICATION</u> - PAD LOCK, 1 INCH JAPANNED STEEL OR GALVANISED CASE BRASS INTERIOR WITH 2 KEYS. FORMER NS CAT. NO. 6964 SPEC NO: DGS 45. DWG XC11/104/106 <u>GENERAL</u> <u>SPECIFICATION</u> - PAD LOCK, 1 INCH JAPANNED STEEL OR GALVANISED CASE BRASS INTERIOR WITH 2 KEYS. FORMER NS CAT. NO. 6964 SPEC NO. DGS 45. DWG XC11/104/106
68	DGB746 20	DEFSTA N 51- 11PT5	0274599104858 / FILE ENGINEER HALF ROUND D-CUT FACES ROUGH 10 00IN		5 / EACH/ NUMBER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
69	SGB566 31	A0188	0273599104246 / WOODEN CHISEL PARING WIDTH OF CUT 0.375 LG BOISTER TO POINT 8 500IN		12 / EACH/ NUMBER	A0188	<u>TECHNICAL SPECIFICATION</u> - SIZE: 3/4 INCH <u>GENERAL</u> <u>SPECIFICATION</u> - SIZE: 3/4 INCH
70	SGB561 51	DEFSTA N51- 11PART2 7	0273599104247 / WOODEN CHISEL PARING WD 3/4" LG 8- 3/4" BEVEL EDGE BS 1843		20 / EACH/ NUMBER	A0188	<u>TECHNICAL SPECIFICATION</u> - SIZE: 3/4 INCH <u>GENERAL</u> <u>SPECIFICATION</u> - SIZE: 3/4 INCH
71	SGB566 36	DEFSTA N51-11 PART 27, H 433	0273599104248 / WOODEN CHISEL PARING WIDTH OF CUT 1.000 LG BOISTER TO PINT 8 750IN		15 / EACH/ NUMBER	A0188	<u>TECHNICAL SPECIFICATION</u> - Size: 1 inch <u>GENERAL</u> <u>SPECIFICATION</u> - Size: 1 inch
72	DGB742 34	NO DATA AVAILAB LE	0265594233345 / PAD LOCK STEEL JAPANNED, CASE SIZE.1.312 WITH THREE KEYS	FOR LEAD WEIGHT ED CANVAS BAG 0340/923- 6196, 7& 8	9 / EACH/ NUMBER		<u>TECHNICAL SPECIFICATION</u> - SPEC No: DGS 45, DWG.XC11/104/4002, FORMER NS CAT NO0265/5027 <u>GENERAL SPECIFICATION</u> - SPEC No: DGS 45, DWG.XC11/104/4002, FORMER NS CAT NO0265/5027
73	DGB711 25		0272502720040 / DRILL-PARALELL- SHANK-3MM CARBON STEEL		30 / EACH/ NUMBER		<u>TECHNICAL SPECIFICATION</u> - Material HSS, Hardness HRC65-66 <u>GENERAL SPECIFICATION</u> - Material HSS, Hardness HRC65-66.
74	SGB566 30		0272592720054 / DRILL-TWIST- PARALLEL-SHANK SZ 5.00MM		30 / EACH/ NUMBER	CO5	<u>TECHNICAL SPECIFICATION</u> - DRILL BIT SIZE: DIA 5 MM MATERIAL: HSS <u>GENERAL SPECIFICATION</u> - DRILL BIT SIZE: DIA 5 MM MATERIAL: HSS

75	DGB725 95	SPEC.BS 57 LG.OF THREAD FULL(SI M)	0266591282624 / SCREW MACHINE STEEL FLAT FILLISTER HD THRED 6 BA LOCAL LG 1"	SPEC= BS 57 LENTH OF THREAD FULL	53 / TEN	TECHNICAL SPECIFICATION - Material Grade EN 4140 GENERAL SPECIFICATION - Material Grade EN 4140
76	DGB714 76	SPEC.BS 57 LG.OF THREAD FULL(SI M)	0266591282624 / SCREW MACHINE STEEL FLAT FILLISTER HD THRED 6 BA LOCAL LG 1"	SPEC= BS 57 LENTH OF THREAD FULL	191 / TEN	TECHNICAL SPECIFICATION - Material Grade EN 4140 GENERAL SPECIFICATION - Material Grade EN 4140
77	DGB748 72	SPEC.BS 57 LG.OF THREAD FULL(SI M)	0266591282624 / SCREW MACHINE STEEL FLAT FILLISTER HD THRED 6 BA LOCAL LG 1"	SPEC= BS 57 LENTH OF THREAD FULL	34 / TEN	TECHNICAL SPECIFICATION - Material Grade EN 4140 GENERAL SPECIFICATION - Material Grade EN 4140
78	DGB728 78		0273702731395 / AXE HAND 3.5 LBS		4 / EACH/N UMBER	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
79	DGB746 11		0274709104844 / FILE ENGINEER FLAT D- CUT FACES SMOOTH 8.00IN	FLAT TYPE DOUBLE CUT FACES SINGLE CUT	3 / EACH/N UMBER	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
80	DGB709 56	CHC 38(6350- 99-411- 9601)	0251594119601 / SHIP BELL BRASS MADE WATCH 45 POUNDS		1 / EACH/N UMBER	TECHNICAL SPECIFICATION - oem/cOUNTRY of Origin already UK oem coc or mtc : any local supplier GENERAL SPECIFICATION - oem/cOUNTRY of Origin already UK oem coc or mtc : any local supplier
81	DGB731 23		0265594233589 / HINGES BUTT MILD STEEL 4" MOD(DNC)SCH 26		46 / EACH/N UMBER	TECHNICAL SPECIFICATION - Length: 4 inch/ 1.5 INCH THICKNESS: 2MM Width: 2.2 inch/ 55mm Hole size & Qty: Ø 5mm with counter of Ø 9mm & 4 holes one side. Distance b/w holes: 20mm Distance from edge: 8mm Packing details enclosed Acceptance Criteria: Physical inspection by End User GENERAL SPECIFICATION - Length: 4 inch/ 1.5 INCH THICKNESS: 2MM Width: 2.2 inch/ 55mm Hole size & Qty: Ø 5mm with counter of Ø 9mm & 4 holes one side. Distance b/w holes: 20mm Distance from edge: 8mm Packing details enclosed Acceptance Criteria: Physical inspection by End User
82	DGB754 51	NO DATA AVAILAB LE	0248591296149 / STEEL SAFE FITTED WITH COMBINATION LOCK	NAL DIMENSI ONS-23- 1/2	4 / EACH/N UMBER	TECHNICAL SPECIFICATION - a. Complete Item/ Store DESCRIPTION: Steel Safe fitted with Combination LOCK b. Gauge : Outer 16 SWG inner 16 SWG c. Size/ dimension: Length/ Height 22 Inch Width 20 Inch Depth 18 Inch d. Door: Single e. No. of shelves: 02 f. No. of Levers: 01 g. Lock Type: Combination + Key/ Digital Lock h. Fire Retardant: Yes GENERAL SPECIFICATION - a. Complete Item/ Store DESCRIPTION: Steel Safe fitted with Combination LOCK b. Gauge : Outer 16 SWG Inner 16 SWG c. Size/ dimension: Length/ Height 22 Inch Width 20 Inch Depth 18 Inch d. Door: Single e. No. of shelves: 02 f. No. of Levers: 01 g. Lock Type: Combination + Key/ Digital Lock h. Fire Retardant: Yes
83	DGB728 79		0264590007584 / Tool Box with Plastic Tray		5 / EACH/N UMBER	TECHNICAL SPECIFICATION - make: Benchmark size: 15.9" x 8.9" x 7.7" GENERAL SPECIFICATION - make: Benchmark size: 15.9" x 8.9" x 7.7"
84	DGB750 92	NO DATA AVAILAB LE	0264594481524 / FUNNEL-OIL-FILLING	DUST BIN PASTIC 3.250CU FT	24 / EACH/N UMBER	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
85	DGB738 77	NO DATA AVAILAB LE	0264594481524 / FUNNEL-OIL-FILLING	DUST BIN PASTIC 3.250CU FT	22 / EACH/N UMBER	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE

86	SGB570 73	SKF 1308	0269599500175 / BEARING BALL SELF ALIGNING DIRSKF 1308 040X090X23MM		3 / EACH/N UMBER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
87	DGB739 43	BS 3628 &K0851& DEFSTA N 47-11	0254704203088 / CLAMP HOSE TERRY BRAND SZ 2.750 TO 3.500"WD .505"XTHK 0.038"		186 / EACH/N UMBER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
88	DGB749 32	BS 3628 &K0851& DEFSTA N 47-11	0254704203088 / CLAMP HOSE TERRY BRAND SZ 2.750 TO 3.500"WD .505"XTHK 0.038"		31 / EACH/N UMBER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
89	DGB725 76	16Q5076	0253794419755 / HYDROMETER	TESTER BATTER Y P/NO.(01 6Q5076)	40 / EACH/N UMBER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
90	DGB736 54		0262590006274 / RAT GUARD DIAMETER OF ROPE 5-6 1/2 INCH		6 / EACH/N UMBER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
91	SGB734 26	SKF N 314	0269599500223 / BEARING ROLLER PARALLEL MEDIUM SERIES SKF N 314 70X150X35MM		2 / EACH/N		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL</u>
92	SGB570 68	LIPPED INNER RING FREE FIT 3 DOT	0269599500229 / BEARING BALL PARALLEL ROLLER SKF N 320ZZ 100X215X47MM DOURIF	LUB OIL MOTOR	2 / EACH/N UMBER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
93	DGB718 91	0251- 14505	0251704119737 / FERRULE-WIRE- ROPE 1.5 INCH (12mm)		172 / EACH/N UMBER		<u>TECHNICAL SPECIFICATION</u> - ferrule 1.5 inch (12mm) aluminum alloy ferrule outer: dia.38.1 mm FERRULE inner: DIA:27.2 MM ferrule length: 45 mm <u>GENERAL</u> <u>SPECIFICATION</u> - ferrule 1.5 inch (12mm) aluminum alloy ferrule outer: dia.38.1 mm FERRULE inner: DIA:27.2 MM ferrule length: 45 mm
94	DGB750 76	0251- 14505	0251704119737 / FERRULE-WIRE- ROPE 1.5 INCH (12mm)		200 / EACH/N UMBER		<u>TECHNICAL SPECIFICATION</u> - ferrule 1.5 inch (12mm) aluminum alloy ferrule outer: dia.38.1 mm FERRULE inner: DIA:27.2 MM ferrule length: 45 mm <u>GENERAL</u> <u>SPECIFICATION</u> - ferrule 1.5 inch (12mm) aluminum alloy ferrule outer: dia.38.1 mm FERRULE inner: DIA:27.2 MM ferrule length: 45 mm
95	DGB728 84		1325723350010 / BLADE POWER HACK SAW HSS 18X1- 1/2X0.075" 6TPI		29 / EACH/N UMBER	AISI M2 HSS (Super Hardened)	<u>TECHNICAL SPECIFICATION</u> - 450 x 38 x 2 (mm) 18 x 1 1/2 x 0.075 (inches) GRADE AISI M2 HSS (Super Hardened) <u>GENERAL SPECIFICATION</u> - 450 x 38 x 2 (mm) 18 x 1 1/2 x 0.075 (inches) GRADE AISI M2 HSS (Super Hardened)
96	DGE743 06	NO DATA AVAILAB LE	0472595237744 / Life Bouy Ring (Orange) with SOLAS Reflective Tape	FOR SHIPS/B OATS	4 / EACH/N UMBER		<u>TECHNICAL SPECIFICATION</u> - DGS-DNC 10/566 K-7355 EX597 2.5 Kg SOLAS Life Bouy Ring with Reflective Tape. 30" Diameter External dia 74.5 CM - Internal dia 44.5 CM Thickness 11.5CM Buoyancy Rating 181N. <u>GENERAL</u> <u>SPECIFICATION</u> - DGS-DNC 10/566 K-7355 EX597 2.5 Kg SOLAS Life Bouy Ring with Reflective Tape. 30" Diameter External dia 74.5 CM - Internal dia 44.5 CM Thickness 11.5CM Buoyancy Rating:181N.
97	SGH626 91	SPEC DG SHIPS 212 TABLE 9	0561595218441 / CABLE ELECT BUTYL CSP 4CORE COND 7/670 440V 33AMP 500L G		65 / METER		<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE

98	SGB527 96	CATALOG- NO.(USA J42-059- 008WHIT E	3439715066892 / ELECTRODE(WHITE) TUFF COTE CUTTING U/WATER DIA 5/16X18	FOR GENERA L USE	300 / PACKET			TECHNICAL SPECIFICATION - Size: 3/8" x 18" Polarity: DC Electrode Negative (DCEN) Position: Flat, Horizontal, Vertical, Overhead Type of Arc: Medium, Moderate, Penetration Material: Low Carbon Steels Technique: Use short Arc length with electrode angle 30o +15o, to the line of weld. UTILIZED DURING UNDERWATER WELDING OPERATION. MUST BE AS PER ISO 9000 STANDARD. MUST HAVE WATER PROOF COATING. GENERAL SPECIFICATION - Size: 3/8" x 18" Polarity: DC Electrode Negative (DCEN) Position: Flat, Horizontal, Vertical, Overhead Type of Arc: Medium, Moderate, Penetration Material: Low Carbon Steels Technique: Use short Arc length with electrode angle 30o +15o, to the line of weld. UTILIZED DURING UNDERWATER WELDING OPERATION. MUST BE AS PER ISO 9000 STANDARD. MUST HAVE WATER PROOF COATING.
99	DGP747 81		3610705117912 / SHREDDING MACHINE (HEAVY DUTY)	SHREDDER MACHINE	1 / EACH/NUMBER	ST- 12C/ST- 12CD		TECHNICAL SPECIFICATION - ST-12C/ST-12CD GENERAL SPECIFICATION - ST-12C/ST-12CD
100	SGB570 75	SKF 6311ZZ	3110999502029 / BEARING BALL JOURNAL SINGLE SKF 6311ZZ	GENERAL USE ITEM	15 / EACH/NUMBER			TECHNICAL SPECIFICATION - NO DATA GENERAL SPECIFICATION - NO DATA AVAILABLE
101	SGB570 72	SKF 6232	065X120X29MM 3110009673004 / BALL BEARING 6232MC3 SIZE.160X290X48 MM		2 / EACH/NUMBER			TECHNICAL SPECIFICATION - NO DATA GENERAL SPECIFICATION - NO DATA AVAILABLE
102	DGB677 22	FAG 62059 (3110001 556197)	3110795035144 / BEARING BALL DEEP GROVE FAG 6205 025X052X15MM	DAIMLER BENZ D/GENERATOR U K	22 / EACH/NUMBER			TECHNICAL SPECIFICATION - NO DATA GENERAL SPECIFICATION - NO DATA AVAILABLE
103	DGB717 02		3940705050228 / CHAIN BLOCK RATCHET CAPACITY 3 TON-	FOR WORK SHOP USE-	5 / EACH/NUMBER			TECHNICAL SPECIFICATION - NO DATA GENERAL SPECIFICATION - NO DATA AVAILABLE
104	DGB712 74		3950505035336 / CHAIN BLOCK 10 TONS CAPACITY WITH 45 FEET DRIFT MAKE JAPAN	FOR GENERA L USE	5 / EACH/NUMBER	ZL00340		TECHNICAL SPECIFICATION - HEAVY DUTY HAND CHAIN HOIST CHAIN DIAMETER: 10 MM HEADROOM: 29.52 IN HOOK OPENING WIDTH: 2.51 INCH LIFT LOAD EFFORT: 85.98 LBS LOAD CAPACITY: 10 TONS STANDARD LIFT: 20 FT WEIGHT: 260 LBS TESTING ACCEPTANCE: 150 % OF LOAD CAPACITY GENERAL SPECIFICATION - HEAVY DUTY HAND CHAIN HOIST CHAIN DIAMETER: 10 MM HEADROOM: 29.52 IN HOOK OPENING WIDTH: 2.51 INCH LIFT LOAD EFFORT: 85.98 LBS LOAD CAPACITY: 10 TONS STANDARD LIFT: 20 FT WEIGHT: 260 LBS TESTING ACCEPTANCE: 150 % OF LOAD CAPACITY
105	DGP751 98	CP1515N /HP COLOR LASER 150A PRINTER 4ZB94A	3610705061120 / HP COLOR LASER JET CP1515N PRINTER	SELF/ ANY COMPUTER OR LAPTOP	1 / EACH/NUMBER	CP1515N/ HP COLOR LASER 150A PRINTER 4ZB94A		TECHNICAL SPECIFICATION - SPECIFICATION: (A)TYPE:COLOR. (B)PRINT TECHNOLOGY:COLOR LASER. (C)PROCESSOR SPEED:450 MHZ. (D)STANDARD RAM:96 MB. (E)MAX RAM:352 MB. (F)RESOLUTION:600X600 dpi. (G)PRINT SPEED COLOR:8ppm. (H)PRINT SPEED BW:12 PPM. PRICE OFLASER JET CP1515 RS:46,490/- GENERAL SPECIFICATION - SPECIFICATION: (A)TYPE:COLOR. (B)PRINT TECHNOLOGY:COLOR LASER. (C)PROCESSOR SPEED:450 MHZ. (D)STANDARD RAM:96 MB. (E)MAX RAM:352 MB. (F)RESOLUTION:600X600 dpi. (G)PRINT SPEED COLOR:8ppm. (H)PRINT SPEED BW:12 PPM. PRICE OFLASER JET CP1515 RS:46,490/-

106	DGP752 81	G210256 0EU	3610705091304 / SHREDDING MACHINE, GBC DUO (SHERED MASTER)		3 / EACH/N UMBER		<p>TECHNICAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs GENERAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.</p>
107	DGP744 96	G210256 0EU	3610705091304 / SHREDDING MACHINE, GBC DUO (SHERED MASTER)		1 / EACH/N UMBER		<p>TECHNICAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs GENERAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.</p>
108	DGP747 83	NIL	3610705091987 / SHREDDING MACHINE GEHA PRIMO 2600CC	SHREDD ING MACHIN E MODEL GEHA PRIMO 2600CC	1 / EACH/N UMBER		<p>TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE</p>
109	DGB746 73		5180795021929 / SCREW DRIVER SET FOR ASTT		2 / SET		<p>TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE</p>
110	DGB709 53	NO DATA AVAILAB LE	5120731000582 / SOCKET SPANNER STANDARD 10-32MM 26PCSSET		13 / SET		<p>TECHNICAL SPECIFICATION - a. Included Items: 20 Sockets 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24, 26,27,28,30 and 32mm b. 06 accessories: 02 extension bars(125mm and 250mm) Universal joint Spark plug socket (6-point, 13/16) Sliding bar (10 inches) Flip drive ratchet c. Drive type: 1/2" square drive d. Socket type: 12-point sockets e. Material: High quality steel f. Finish: High polishing chrome GENERAL SPECIFICATION - a. Included Items: 20 Sockets 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24, 26,27,28,30 and 32mm b. 06 accessories: 02 extension bars(125mm and 250mm) Universal joint Spark plug socket (6-point, 13/16) Sliding bar (10 inches) Flip drive ratchet c. Drive type: 1/2" square drive d. Socket type: 12-point sockets e. Material: High quality steel f. Finish: High polishing chrome</p>
111	DGB728 87		5120731000586 / SPANNER RING DOUBLE END 6-TO- 32MM 12 PIECES SET		7 / SET		<p>TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE</p>
112	DGB739 44	NO DATA AVAILAB LE	4730009657503 / CLAMP JUBILEE SIZE 0--1.125		200 / EACH/N UMBER		<p>TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE</p>

113	DGB750 78	NO DATA AVAILAB LE	4730009657503 / CLAMP JUBILEE SIZE 0-1.125		80 / EACH/N UMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
114	DGB728 89	NO DATA AVAILAB LE	5345765016385 / DISC CUTTING SIZE 300MM X 3.0MM X 22.23MM		64 / EACH/N UMBER		TECHNICAL SPECIFICATION - Make:Rhodius Model: Alphaline ST21 Made EU Dimensions: 300mm x 3.0mm x 22.23mm Diameter : 300 mm Thickness: 3.0 mm Hole: 22.23 mm GENERAL SPECIFICATION - Make:Rhodius Model: Alphaline ST21 Made:EU Dimensions: 300mm x 3.0mm x 22.23mm Diameter : 300 mm Thickness: 3.0 mm Hole: 22.23 mm
115	DGB739 90	NO DATA AVAILAB LE	5345765016385 / DISC CUTTING SIZE 300MM X 3.0MM X 22.23MM		24 / EACH/N UMBER		TECHNICAL SPECIFICATION - Make:Rhodius Model: Alphaline ST21 Made:EU Dimensions: 300mm x 3.0mm x 22.23mm Diameter : 300 mm Thickness: 3.0 mm Hole: 22.23 mm GENERAL SPECIFICATION - Make:Rhodius Model: Alphaline ST21 Made:EU Dimensions: 300mm x 3.0mm x 22.23mm Diameter : 300 mm Thickness: 3.0 mm Hole: 22.23 mm
116	DGB746 84	NO DATA AVAILAB LE	5345765016385 / DISC CUTTING SIZE 300MM X 3.0MM X 22.23MM		4 / EACH/N UMBER		TECHNICAL SPECIFICATION - Make:Rhodius Model: Alphaline ST21 Made:EU Dimensions: 300mm x 3.0mm x 22.23mm Diameter : 300 mm Thickness: 3.0 mm Hole: 22.23 mm GENERAL SPECIFICATION - Make:Rhodius Model: Alphaline ST21 Made:EU Dimensions: 300mm x 3.0mm x 22.23mm Diameter : 300 mm Thickness: 3.0 mm Hole: 22.23 mm
117	DGE728 31	NO DATA AVAILAB LE	5620505042335 / TILES CERAMIC GLAZED COLOUR WHITE (SIZE LG 9" x WD 4.5" x TH 3/8")	DECK COVERI NG	600 / EACH/N UMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
118	DGE722 64	FP6F3	5640002374828 / INSULATION SLEEVING TUBE		300 / EACH/N UMBER		TECHNICAL SPECIFICATION - SLEEVE SIZES: LENGTH: 06 FEET, INNER DIA: 03 INCH (76MM), THICKNESS: 3/4 INCH (19MM), TDS/SPECS/PICT ARE ATTACHED WITH WIMS NOTE: LOCAL STORE IS REQUIRED/ACCEPTED BY END USER AGASINT FOREIGN NSN OEM: FORTE PAKISTN GENERAL SPECIFICATION - SLEEVE SIZES: LENGTH: 06 FEET, INNER DIA: 03 INCH (76MM), THICKNESS: 3/4 INCH (19MM), TDS/SPECS/PICT ARE ATTACHED WITH WIMS NOTE: LOCAL STORE IS REQUIRED/ACCEPTED BY END USER AGASINT FOREIGN NSN OEM: FORTE PAKISTN
119	DGE722 55	000W280	5999997845432 / BRAID-BANDAGE (WIRE MES KNITTED)	GLASS WOOL (DC BOX)	4 / EACH/N UMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
120	DGB704 05		0248745120266 / CB SAFE SIZE LENTH X BRTH X HT 33"X19"X17"(INCH QUIB) IRON	FOR WARDR OOM ON BOARD S/M	1 / EACH/N UMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
121	DGB750 83	NO DATA AVAILAB LE	0268500000047 / WEIGHING MACHINE 50 KG - 300 kg		1 / EACH/N UMBER	NO DATA AVAILABL E	TECHNICAL SPECIFICATION - a. Make Model: OMEGA TAIWA/KINLEE/JSA b. Maximum weight limit: 300 KG c. Minimum weight limit: 50g GENERAL SPECIFICATION - a. Make Model: OMEGA TAIWA/KINLEE/JSA b. Maximum weight limit: 300 KG c. Minimum weight limit: 50g
122	DGB711 80	NO DATA AVAILAB LE	0263500001276 / TURN BUCKLE HOOK & EYE		60 / EACH/N UMBER	NO DATA AVAILABL E	TECHNICAL SPECIFICATION - Complete Dimensions: Length- 295 mm (11.61 inches) Thread-12.7 mm (0.5 inch) Material grade: forged galvanized steel Testing/acceptance criteria: 1000lbs make, model, brand: Aashi Enterprises Suite # 48, 3rd, Floor Moosa Market / Shah rah Liaquat Karachi-74000. PH- +92-21-32427508 +92-21-32465654 Fax- +92-21-32432083 E-mail: ashenterprises.gs@l@gmail.co ma shienterprises@hotmail.com GENERAL SPECIFICATION - Complete Dimensions: Length- 295 mm (11.61 inches) Thread-12.7 mm (0.5 inch) Material grade: forged galvanized steel Testing/acceptance criteria: 1000lbs make, model, brand: Aashi Enterprises Suite # 48, 3rd, Floor Moosa Market / Shah rah Liaquat Karachi-74000. PH- +92-21- 32427508 +92-21-32465654 Fax- +92-21-32432083 E-mail: ashenterprises.gs@l@gmail.co ma shienterprises@hotmail.com

123	DGE721 84	NO DATA AVAILAB LE	0474500000307 / FENDER COIR ROUND		21 / EACH/N UMBER	600MM 24" ROUND COIR BOAT FENDER	TECHNICAL SPECIFICATION - CONSTRUCTION-MADE FROM COIR FIBROUS MATERIAL FROM OUTER COAT OF COCONUT. MATERIAL-NATURAL COIR ROPE. LOOK-ROUND OF OBLONG SHAPE.BIODEGRADABLE- YES, WILL DECOMPOSE AND CAN BE DISPOSED OFF NORMALLY.PERFORMANCE IN WATER- NATURALLY WATER PROOF AND RESISTANCE TO SALT WATER DEGRADATION.STORAGE-WET AND DRY. GENERAL SPECIFICATION - CONSTRUCTION-MADE FROM COIR FIBROUS MATERIAL FROM OUTER COAT OF COCONUT. MATERIAL-NATURAL COIR ROPE. LOOK-ROUND OF OBLONG SHAPE.BIODEGRADABLE- YES, WILL DECOMPOSE AND CAN BE DISPOSED OFF NORMALLY.PERFORMANCE IN WATER- NATURALLY WATER PROOF AND RESISTANCE TO SALT WATER DEGRADATION.STORAGE-WET AND DRY.
124	DGP747 87	SONY/SAM SUNG/ LG/TCL 20, 21, 18, 32 INCH	7730705059182 / LED 32 INCH		1 / EACH/N UMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
125	DGP751 99		7435705126462 / LAMINATION MACHINE	LAMINA TION MACHIN E	1 / EACH/N		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL
126	DGE725 55	NO DATA AVAILAB LE	0310500000006 / CANVAS COTTON NATURAL GREY (WD: 36 INCH)		361 / METER	NO DATA AVAILABL E	TECHNICAL SPECIFICATION - SPECIFICATION: Features: Water proof and Rot Proof Width & Length: 36" and 50 Meter roll Weight: 12 OZ per Sq. Yard Colour: Natural Grey GEN SPECS: 1. PS-319 OF 1986 VARIETY NO 2 TABLE 1 2. ADVANCE SAMPLE TO BE APPROVED BY CINS PRIOR BULK SUPPLY. GENERAL SPECIFICATION - SPECIFICATION: Features: Water proof and Rot Proof Width & Length: 36" and 50 Meter roll Weight: 12 OZ per Sq. Yard Colour: Natural Grey GEN SPECS: 1. PS-319 OF 1986 VARIETY NO 2 TABLE 1 2. ADVANCE SAMPLE TO BE APPROVED BY CINS PRIOR BULK SUPPLY.
127	DGT754 23	NO DATA AVAILAB LE	0100500000018 / Ply Wood GD-I, 7 ply (core and inner plies of Poplar. SIZE: L=8", W=4", TH=12MM	SPECEF ICATION JM-2581 (E)	1088 / SQ FEET	NO DATA AVAILABL E	TECHNICAL SPECIFICATION - 1. BS-6566 OF 1985. PART 1-8. TYPE-INT. 2. WOOD PRESERVATION AS PER BS-6566, Part 7, appendix A. 3. MOISTURE CONTENT= BS EN 322 : 1993, 4. BONDING QUALITY= BS 314-1 : 2004 AND BS EN 314-2 : 1993, 5. GLUE= BS 1203 : 1979, 6. PRESERVATION= BS 4072 : 1989, 7. PHYSICAL EVALUATION= BS 6566-6 : 1985, 8. DENSITY= BS EN 323 : 1993 GENERAL SPECIFICATION - 1. BS-6566 OF 1985. PART 1-8. TYPE-INT. 2. WOOD PRESERVATION AS PER BS-6566, Part 7, appendix A. 3. MOISTURE CONTENT= BS EN 322 : 1993, 4. BONDING QUALITY= BS 314-1 : 2004 AND BS EN 314-2 : 1993, 5. GLUE= BS 1203 : 1979, 6. PRESERVATION= BS 4072 : 1989, 7. PHYSICAL EVALUATION= BS 6566-6 : 1985, 8. DENSITY= BS EN 323 : 1993
128	DGT745 66	NO DATA AVAILAB LE	0100000000048 / TIMBER SHESHAM SLEEPER WELL SEASONED LOCAL		100 / CUBIC FOOT	NO DATA AVAILABL E	TECHNICAL SPECIFICATION - SIZE: LENGTH= 6-8 FEET WIDTH= 15-17 INCH BREATHE= 12-14 INCH IM 2692 (E) OF 1970 and both ends cutting after inspection, desired by inspector PSG-847 MOISTURE CONTENT: 30% (±5%) PARENT EQUIPMENT : GENERAL USE GENERAL SPECIFICATION - SIZE: LENGTH= 6-8 FEET WIDTH= 15-17 INCH BREATHE= 12-14 INCH IM 2692 (E) OF 1970 and both ends cutting after inspection, desired by inspector PSG-847 MOISTURE CONTENT: 30% (±5%) PARENT EQUIPMENT : GENERAL USE
129	DGT746 88	NO DATA AVAILAB LE	0100000000048 / TIMBER SHESHAM SLEEPER WELL SEASONED LOCAL		50 / CUBIC FOOT	NO DATA AVAILABL E	TECHNICAL SPECIFICATION - SIZE: LENGTH= 6-8 FEET WIDTH= 15-17 INCH BREATHE= 12-14 INCH IM 2692 (E) OF 1970 and both ends cutting after inspection, desired by inspector PSG-847 MOISTURE CONTENT: 30% (±5%) PARENT EQUIPMENT : GENERAL USE GENERAL SPECIFICATION - SIZE: LENGTH= 6-8 FEET WIDTH= 15-17 INCH BREATHE= 12-14 INCH IM 2692 (E) OF 1970 and both ends cutting after inspection, desired by inspector PSG-847 MOISTURE CONTENT: 30% (±5%) PARENT EQUIPMENT : GENERAL USE

130	DGT702 44	NO DATA AVAILAB LE	0100500000030 / PLY WOOD NATURAL TEAK FINISH BOTH SIDE(NOT ARTIFICIAL)GRADE- 1, 9PLY L=8' W= 4' TH=16mm ±2	2.44X1.2 2MTRX1 9.05MM) SPECE/ BS6566 OF1985	448 / SQ FEET	NO DATA AVAILABL E	TECHNICAL SPECIFICATION - bs 1088 part-1&II density of timber(leaf)as per international standard. thickness of face back venier should be 0.6 mm(min) GENERAL SPECIFICATION - bs 1088 part-1&II density of timber(leaf)as per international standard. thickness of face back venier should be 0.6 mm(min)
131	DGT721 14	NO DATA AVAILAB LE	0100500000030 / PLY WOOD NATURAL TEAK FINISH BOTH SIDE(NOT ARTIFICIAL)GRADE- 1, 9PLY L=8' W= 4' TH=16mm ±2	2.44X1.2 2MTRX1 9.05MM) SPECE/ BS6566 OF1985	256 / SQ FEET	NO DATA AVAILABL E	TECHNICAL SPECIFICATION - bs 1088 part-1&II density of timber(leaf)as per international standard. thickness of face back venier should be 0.6 mm(min) GENERAL SPECIFICATION - bs 1088 part-1&II density of timber(leaf)as per international standard. thickness of face back venier should be 0.6 mm(min)
132	DGE720 56	NO DATA AVAILAB LE	0091591292455 / MATTING FLOOR COIR WIDTH 36".		400 / METER	NO DATA AVAILABL E	TECHNICAL SPECIFICATION - a. Per role length: 50 mtr b Width: 36" (03 feet) c. Weight per square meter: 1.650 Kgs. (1650 grams) GENERAL SPECIFICATION - a. Per role length: 50 mtr b. Width: 36" (03 feet) c. Weight per square meter: 1.650 Kgs (1650 grams)
133	DGE722 94	400782, 400783, 400784	8435PK5087450 / BOOTEE (SOCKS FOR DIVERS) WITH ZIP (03 SIZES MEDIUM, LARGE, XL)	DIVING	4 / PAIR		TECHNICAL SPECIFICATION - BOOTIES (sock for diver) BRAND : DELTA WET BOOTS (1)MEDIUM 10%, (2)LARGE 40%, (3)EXTEA LARGE 50%. 400782: SIZE MEDIUM 40/41 400783: SIZE LARGE 42/43 400784: SIZE XL 44/45 Tech Spoca/Features : (1). Manufactured from 5.0mm Neoprene Titanium lined for extra warmth and comfort. (2). Rugged anti-slip rubber sole. (3). Heavy duty durable side zip. (4). Velcro Zip lock. (5). Additional heel and toe protection. (6). Sole thickness: 0.8mm. GENERAL SPECIFICATION - BOOTIES (sock for diver) BRAND : DELTA WET BOOTS (1)MEDIUM 10%, (2)LARGE 40%, (3)EXTEA LARGE 50%. 400782: SIZE MEDIUM 40/41 400783: SIZE LARGE 42/43 400784: SIZE XL 44/45 Tech Spoca/Features : (1). Manufactured from 5.0mm Neoprene Titanium lined for extra warmth and comfort. (2). Rugged anti-slip rubber sole. (3). Heavy duty durable side zip. (4). Velcro Zip lock. (5). Additional heel and toe protection. (6). Sole thickness: 0.8mm.
134	DGE841 84	NO DATA AVAILAB LE	0476500000061 / GLOVES LEATHER FOR WELDING,treated with preservative, standard quality		204 / PAIR	NO DATA AVAILABL E	TECHNICAL SPECIFICATION - 1. DESCRIPTION GOAT SKIN CUT AND HEAT RESISTANT WELDING GLOVES 2 MATERIAL GOAT SKIN LEATHER LINED WITH KEVLAR AND GLASS FILAMENT 3. MODEL XPRO GOAT SKIN CUT AND HEAT RESISTANT WELDING GLOVES 4. SPECIFICATION PREMIUM GOAT GRAIN LEATHER WELDING GLOVE WITH BLACK COW SPLIT LEATHER GAUNTLET AND INSIDE LINED WITH 100% KEVLAR/ GLASS FILAMENT (ANSI CUT LEVEL A5) AND SET-IN KEYSTONE THUMB FOR GREATER COMFORT. ELASTICIZED BACKS FOR A SNUG FIT. 5. APPLICATION METAL. CONSTRUCTION ETC 6 AVAILABLE SIZES XS TO 3 XL details: 1. PRODUCT CLASSIFICATION: Welding gloves 2. COMPOSITION: COW LEATHER, FLEECE LINING 3. COLOUR: Yellow 4. SIZE : 16" 5. PACKAGING ; 1 dozen pair per polybag broucher uploaded as annex GENERAL SPECIFICATION - 1. DESCRIPTION GOAT SKIN CUT AND HEAT RESISTANT WELDING GLOVES 2. MATERIAL GOAT SKIN LEATHER LINED WITH KEVLAR AND GLASS FILAMENT 3. MODEL XPRO GOAT SKIN CUT AND HEAT RESISTANT WELDING GLOVES 4. SPECIFICATION PREMIUM GOAT GRAIN LEATHER WELDING GLOVE WITH BLACK COW SPLIT LEATHER GAUNTLET AND INSIDE LINED WITH 100% KEVLAR/ GLASS FILAMENT (ANSI CUT LEVEL A5) AND SET-IN KEYSTONE THUMB FOR GREATER COMFORT. ELASTICIZED BACKS FOR A SNUG FIT. 5. APPLICATION METAL. CONSTRUCTION ETC 6. AVAILABLE SIZES XS TO 3 XL details: 1. PRODUCT CLASSIFICATION: Welding gloves 2. COMPOSITION: COW LEATHER, FLEECE LINING 3. COLOUR: Yellow 4. SIZE : 16" 5. PACKAGING ; 1 dozen pair per polybag broucher uploaded as annex

135	DGE721 91	NO DATA AVAILAB LE	0476500000057 / GLOVES LEATHERS SIZE (26.5 cm x13 cm)		523 / PAIR	NO DATA AVAILABL E	TECHNICAL SPECIFICATION - (26.5 cm x13 cm) GENERAL SPECIFICATION - (26.5 cm x13 cm)
136	DGE721 95	NO DATA AVAILAB LE	0476500000059 / GLOVES LEATHER LEFT HAND		130 / EACH/N UMBER	NO DATA AVAILABL E	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
137	DGT750 95	NO DATA AVAILAB LE	0100500000039 / TIMBER FIR HIMALAYA/ SPRUCE SLEEPER, WELL SEASONED LOCAL/ IMPORTED, SIZE: L=8'-15', W=8"-14", R=4"-10"	(3.05MT R X254 MM X127 MM)SPE CE/PSG 69	30 / CUBIC FOOT	NO DATA AVAILABL E	TECHNICAL SPECIFICATION - SPECS= PSG/69 well- seasoned wood, moisture content = 12% ± 02%, GENERAL SPECIFICATION - SPECS= PSG/69 well-seasoned wood, moisture content = 12% ± 02%.
138	DGB746 68	NO DATA AVAILAB LE	0276780000106 / SCREW DRIVER INS HANDLE 3	RADAR 352	1 / EACH/N UMBER	NO DATA AVAILABL E	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
139	DGP747 89		7490705041308 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHIN E	1 / EACH/N UMBER	CPM 25	TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1- 999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA e- STUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1- 999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA e- STUDIO
140	DGP751 96		7490705041308 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHIN E	1 / EACH/N UMBER	CPM 25	TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1- 999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA e- STUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1- 999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA e- STUDIO
141	DGP744 69		7490705041308 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHIN E	1 / EACH/N UMBER	CPM 25	TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1- 999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA e- STUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1- 999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA e- STUDIO
142	DGP733 91		7510705042256 / PLAIN PAPER(OFFSET) VRG SHEET 80 GSM ± 5% SIZE 914MMX1016MM OR 36X40 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	STATIO NERY NA10S	1 / REAM		TECHNICAL SPECIFICATION - PLAIN PAPER(OFFSET) VRG SHEET 80 GSM ± 5% SIZE 914MMX1016MM OR 36X40 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE GENERAL SPECIFICATION - PLAIN PAPER(OFFSET) VRG SHEET 80 GSM ± 5% SIZE 914MMX1016MM OR 36X40 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE

143	DGT746 90	NO DATA AVAILAB LE	0100500000043 / Timber Gurjan Grade- I (Red pine) SLEEPER seasoned (swan)	10 / CUBIC FOOT	NO DATA AVAILAB LE	TECHNICAL SPECIFICATION - SIZE: LENGTH= 12 FEET TO 23 FEET, WIDTH= 08 INCH TO 12 INCH, THICKNESS= 05 INCH TO 10 INCH MOISTURE CONTENT: 30% (±10%) GENERAL SPECIFICATION - SIZE: LENGTH= 12 FEET TO 23 FEET, WIDTH= 08 INCH TO 12 INCH, THICKNESS= 05 INCH TO 10 INCH MOISTURE CONTENT: 30% (±10%)
144	DGT616 95	NO DATA AVAILAB LE	0100500000043 / Timber Gurjan Grade- I (Red pine) SLEEPER seasoned (swan)	50 / CUBIC FOOT	NO DATA AVAILAB LE	TECHNICAL SPECIFICATION - SIZE: LENGTH= 12 FEET TO 23 FEET, WIDTH= 08 INCH TO 12 INCH, THICKNESS= 05 INCH TO 10 INCH MOISTURE CONTENT: 30% (±10%) GENERAL SPECIFICATION - SIZE: LENGTH= 12 FEET TO 23 FEET, WIDTH= 08 INCH TO 12 INCH, THICKNESS= 05 INCH TO 10 INCH MOISTURE CONTENT: 30% (±10%)
145	DGP751 78	300X	3610705239452 / HAND FREE AUTOFEED SHREDDERS	1 / EACH/N UMBER	GBC AUTO- 130X / 300X	TECHNICAL SPECIFICATION - 1. Dimension :650mm X 350mm X 490mm 2. Cutting Style :Cross cut 3. Shred Capacity :320 Sheets of 70g 300 Sheets of 80g (08 by pass) 4. DIN Security Level : 03 5. Shred Size : 4 X 40mm 6. Shred Speed : 2.8 m/min 7. Working Width : 230mm 8. Bin Capacity : 40 L 9. Sound Level (db) : 60 10. Working Cycle on/off : 12 on/ 40 off 15 min (Run time from cold) 11. Weight : 26.7 Kg 12. Staples : Yes 13. Paper Clips : Yes 14. Credit Cards : Yes 15. CD's : Yes 16. Auto Oiling : No 17. Motor Capacity in Watts : UK: 270 Watts GENERAL SPECIFICATION - 1. Dimension :650mm X 350mm X 490mm 2. Cutting Style :Cross cut 3. Shred Capacity :320 Sheets of 70g 300 Sheets of 80g (08 by pass) 4. DIN Security Level : 03 5. Shred Size : 4 X 40mm 6. Shred Speed : 2.8 m/min 7. Working Width : 230mm 8. Bin Capacity : 40 L 9. Sound Level (db) : 60 10. Working Cycle on/off : 12 on/ 40 off 15 min (Run time from cold) 11. Weight : 26.7 Kg 12. Staples : Yes 13. Paper Clips : Yes 14. Credit Cards : Yes 15. CD's : Yes 16. Auto Oiling : No 17. Motor Capacity in Watts : UK: 270 Watts
146	DGP747 78	ds-1630	6760795248836 / EPSON WORKFORCE SCANNER DS-1630 A4 SHEET DUPLEX ADF	1 / EACH/N UMBER	J411B	TECHNICAL SPECIFICATION - Scanner type: Flatbed Scanner Scanning Resolution: 1,200 dpi x 1,200 dpi (Horizontal x Vertical) ADF Minimum Document Size: 89 mm x 127 mm (Horizontal x Vertical) ADF Maximum Document Size: 210 mm x 3,048 mm (Horizontal x Vertical) Paper Formats: A4, A5, A6, B5, Letter, Letter Legal Ultrasonic Sensor: Yes GENERAL SPECIFICATION - Scanner type: Flatbed Scanner Scanning Resolution: 1,200 dpi x 1,200 dpi (Horizontal x Vertical) ADF Minimum Document Size: 89 mm x 127 mm (Horizontal x Vertical) ADF Maximum Document Size: 210 mm x 3,048 mm (Horizontal x Vertical) Paper Formats: A4, A5, A6, B5, Letter, Letter Legal Ultrasonic Sensor: Yes
147	DGB734 60	sch-40 short radius	4730705274159 / elbow bend pipe mildsteel 5",90 dia 127.0mm thick 7mm	1 / EACH/N UMBER	bx12nfb- nhrov	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
148	DGP746 46	H42D8F G	7730705292968 / LED tv 42 Inches	1 / EACH/N UMBER	H42D8FG	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null

149 DGP743 38	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: I5)		4 / SET	CORE I5 12 GEN	<p>TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>
150 DGP746 77	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: I5)		3 / SET	CORE I5 12 GEN	<p>TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>
151 DGP747 73	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: I5)		5 / SET	CORE I5 12 GEN	<p>TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2.</p>

System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 Year or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. **GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO):** 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 Year or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without

152 DGP741 60	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: I5)		3 / SET	CORE I5 12 GEN	<p>TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 Year or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 Year or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>
---------------	---------	--	--	---------	----------------	--

153 DGP756 17	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: I5)		3 / SET	CORE I5 12 GEN	<p>TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 Year or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p> <p>GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 Year or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>
154 DGP750 62	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: I5)		3 / SET	CORE I5 12 GEN	<p>TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 Year or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without</p> <p>modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 Year or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>

155	DGP743 04	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: i5)	2 / SET	CORE I5 12 GEN	<p>TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum</p>
-----	--------------	---------	---	---------	-------------------	---

01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation

GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation.

156	DGP745 06	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: i5)	4 / SET	CORE I5 12 GEN
-----	--------------	---------	---	---------	-------------------

TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2.

System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation.

GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without

			COMPUTER (CORE: i5)			Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2.
--	--	--	------------------------	--	--	--

157	DGP743 78	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: I5)	2 / SET	CORE I5 12 GEN	<p>TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation.</p>
-----	--------------	---------	---	---------	-------------------	--

System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation.

GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation.

modification/ upgradation.

162	DGP744 34	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: I5)	3 / SET	CORE I5 12 GEN	<p>TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation.</p> <p>GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum</p>
-----	--------------	---------	---	---------	-------------------	--

01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation.

159	DGP745 13	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: I5)		3 / SET	CORE I5 12 GEN	<p>TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without</p>
							<p>modification/ upgradation GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>
160	DGP744 09	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: I5)		3 / SET	CORE I5 12 GEN	<p>TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum</p>
							<p>01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.</p>
161	DGP743 31	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: I5)		3 / SET	CORE I5 12 GEN	<p>TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2.</p>

System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. **GENERAL**

SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 5 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without

modification/ upgradation

162 DGP744 CORE I5 7025705246091 /
34 PERSONAL
COMPUTER (CORE:
I5)

3 / SET CORE I5
12 GEN

TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 5 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. **GENERAL**

SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 5 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum

01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation.

163	DGP747 84	NIL	5930735277330 / LAPTOP CORE i7 11th Generation	1 / EACH/N UMBER	NIL	TECHNICAL SPECIFICATION - 1. CPU Technology= Intel ® Core i7 (10th Generation or Above) (Minimum 2.8 GHz upto 4.7 GHz) 2. System Memory= 8 GB RAM DDR4 3. Hard Disk= 1 TB SATA 4. Optical Disk Drive= DVD RW 5. LED= MINIMUM 15.6" FHD 6. LAN= BUILT IN 7. Warranty= 01 Year OEM COC 8. Operating System= Windows 10 Or Above (Licensed) 9. Graphics= Intel FHD Graphics Built-In 10. Carrying Bag= Yes 11. Web Cam= Yes GENERAL SPECIFICATION - 1. CPU Technology= Intel ® Core i7 (10th Generation or Above) (Minimum 2.8 GHz upto 4.7 GHz) 2. System Memory= 8 GB RAM DDR4 3. Hard Disk= 1 TB SATA 4. Optical Disk Drive= DVD RW 5. LED= MINIMUM 15.6" FHD 6. LAN= BUILT IN 7. Warranty= 01 Year OEM COC 8. Operating System= Windows 10 Or Above (Licensed) 9. Graphics= Intel FHD Graphics Built-In 10. Carrying Bag= Yes 11. Web Cam= Yes
164	DGP740 98	MFPM47 7FDW	7045785235867 / LASER JET COLOUR PRINTER	1 / EACH/N UMBER	477FDW	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
165	DGP744 70	06170311	7022785241032 / thin client	6 / EACH/N UMBER	fd0nct520 03	TECHNICAL SPECIFICATION - Processor Intel Baytrail J1800 x86 2.41GHz Dual Core Memory DDR3: 2G Storage 16GB SSD Network port 10/100/1000 Ethernet (RJ-45) USB port One USB 3.0 standard port, Five USB 2.0 standard ports: • USB keyboard • USB mouse • Devices with USB ports, such as USB storage devices and USB printers Display adapter 32bits true color The maximum resolution support: • VGA: 1920x1200@60Hz • DVI: 1920x1200@60Hz Audio port Output: 3.5 mm small port Input: 3.5 mm small port Accessories Power line, Power adapter(12V/3A) DVI-I to VGA Stand and Mounting Option accessories DVI-I to DVI- D+VGA cable dvi-d to vga GENERAL SPECIFICATION - Processor Intel Baytrail J1800 x86 2.41GHz Dual Core Memory DDR3: 2G Storage 16GB SSD Network port 10/100/1000 Ethernet (RJ-45) USB port One USB 3.0 standard port, Five USB 2.0 standard ports: • USB keyboard • USB mouse • Devices with USB ports, such as USB storage devices and USB printers Display adapter 32bits true color The maximum resolution support: • VGA: 1920x1200@60Hz • DVI: 1920x1200@60Hz Audio port Output: 3.5 mm small port Input: 3.5 mm small port Accessories Power line, Power adapter(12V/3A) DVI-I to VGA Stand and Mounting Option accessories DVI-I to DVI- D+VGA cable dvi-d to vga
166	DGB751 19		0283705711260 / ANGLE-ALUMINIUM- LH-2.50-3.50-TH- 0.31INCH	30 / METER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
167	DGB756 03	ASTM B209	9535010122397 / PLATE ALUMINIUM 15X4X5	5 / METER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
168	DGB755 31		0283705711260 / ANGLE-ALUMINIUM- LH-2.50-3.50-TH- 0.31INCH	30 / METER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
169	DGB756 02		0283705711260 / ANGLE-ALUMINIUM- LH-2.50-3.50-TH- 0.31INCH	30 / METER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
170	DGB755 29	SPC BS 1470/NS4 -0.DES- STAN 95- 4	0283995258661 / SHEET-ALUMINIUM ALLOY LENGTH 2500 MM WITH 1250 MM SPEC 1.6	PNS BABUR	40 / EACH/N UMBER	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
171	DGB751 21		0283705711165 / SHEET-ALUMINIUM- LH-144-WIDTH-48- TH0.080"	120 / EACH/N UMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE

172	DGE757 21	Nil	8415705228017 / PARACHUTE CLOTH FOR WEAPONS AND SENSORS	Cloth	200 / METER	NIL	AL MUSTAFA TRADERS F-41/F-42, Iqbal Center, M.A. Jinnah Road, Karachi- 74200	<u>TECHNICAL SPECIFICATION</u> - Type of cloth: Parachute Cloth Code: D-18-80 Colour: Dark Grey Parachute cover should be water resistant/ water proof, with good quality gauge to withstand humid and hot environment <u>GENERAL SPECIFICATION</u> - Type of cloth: Parachute Cloth Code: D- 18-80 Colour: Dark Grey Parachute cover should be water resistant/ water proof, with good quality gauge to withstand humid and hot environment
173	DGP758 14	LQ-2190	7025735150505 / EPSON LQ-2190 DOT MATRIX PRINTER	EPSON	2 / EACH/N UMBER	EPSON	EPSON	<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL SPECIFICATION</u> - null
174	DGP757 08	LQ-2190	7025735150505 / EPSON LQ-2190 DOT MATRIX PRINTER	EPSON	2 / EACH/N UMBER	EPSON	EPSON	<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL SPECIFICATION</u> - null
175	DGD756 81	NO DATA AVAILAB LE	7320705013216 / POTATOES PEELER MACHINE 15 to 20 kg CAPACITY s/steel		1 / EACH/N UMBER			<u>TECHNICAL SPECIFICATION</u> - specs: 15 to 20 kg Capacity s/steel 2 HP Motor Item commercially available in local Market <u>GENERAL SPECIFICATION</u> - specs: 15 to 20 kg Capacity s/steel 2 HP Motor Item commercially available in local Market
176	DGD756 80	NO DATA AVAILAB LE	7320705012426 / MACHINE ATTA KNEADING100TO120 KG CAPACITY 440V 50HZ 3PHS 5AMP		1 / EACH/N UMBER	GSA/23/A KM		<u>TECHNICAL SPECIFICATION</u> - Make/Model/Brand/GSA/23/AKM 100-120 kg Capacity, 440 Volts Material of Tub Stainless Steel (Food Grade) <u>GENERAL SPECIFICATION</u> - Make/Model/Brand/GSA/23/AKM 100-120 kg Capacity, 440 Volts Material of Tub Stainless Steel (Food Grade)
177	DGD747 19	UK-200	7320PK5072685 / SPIRL KNEADING MACHINE 200KGS 9HP 440V 50HZ RPM750/1500	FOR TANDO OR OF PN SHIPS GALIES UK-200	1 / EACH/N UMBER			<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
178	DGD754 25	MS-3443- VDW- 136G	7310705121904 / MICROWAVE OVEN 34/36 LTR 220/110VAC 50/60HZ 1PHASE	MICRO WAVE OVEN 34LTR	1 / EACH/N UMBER	DW-136G		<u>TECHNICAL SPECIFICATION</u> - brand name: (i.e WESTPOINT/ LG /SHARP / TOSHIBA / DAWLANCE) local: POWERTECH PAKISTAN (PVT) LTD BANGLOW # D- 63, BLOCK-08 KDA-24 GULSHAN-E-IQBAL KARACHI <u>GENERAL SPECIFICATION</u> - brand name: (i.e WESTPOINT/ LG /SHARP / TOSHIBA / DAWLANCE) local: POWERTECH PAKISTAN (PVT) LTD BANGLOW # D- 63, BLOCK-08 KDA-24 GULSHAN-E-IQBAL KARACHI
179	DGH677 01		0561590180581 / CABLE ELECT BUTYL R.I SH 03CORE COND37/083 440V390AMP 250LG		45 / METER			<u>TECHNICAL SPECIFICATION</u> - NO DATA AVAILABLE <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE

MEMORANDUM HOW THE TOTAL OF A CHEQUE IS MADE UP (CHEQUE SLIP)

Auth Sec III Para 80 Sub Para (iii) Office Manual Part-III

478

Pakistan Military Accountst Department

Office of the CNA Karachi No & Date Of cheque _____ Serial No Of Cheque slip _____

In Payment Of bill No:- 24 dt 02/12/2024	300000.00
Bank A/c No PK17HABB0004540013100701	300000.00

In Words Rs THREE HUNDRED THOUSAND

For C N A
(Signature of Offr Signing the cheque)

Initial
Supdt Audit Sec

Initial
Officer OI/C Audit Sec

To HBL 'A' BLOCK BRANCH PAK SECRETARIAT, ISLAMABAD ISLAMABAD
P.P.R.A
PPRA 1st Floor FBC Building, Near State Bank S.ctor G-5/2, Islamabad

Copy To LP Division
2. LAO (LAO (NAVY) NSD KARACHI)