

TENDER BULLETIN

DATE & TIME 3/11/25 11:00 AM INVITATION TO TENDER TO BE OPENED ON 3/25/2 10:00 AM AND ITEM REQ BY

CONDITIONS

1. NON REGISTERED FIRMS/SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT/PAY ORDER EQUAL TO 5% TOTAL VALUE OF QUOTATION IN FAVOUR OF COMMANDER LOCAL PURCHASE DIVISION ALONGWITH THEIR BIDS.
2. FOR ANY AMPLIFIED DETAILS INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON OR THROUGH TELEPHONE. DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND 45 DAYS FOR IMPORTED ITEMS.
3. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
1	DNM774 33	3863373	304073517558 4 / DRIVES SHAFT	IPS 500	1 / EACH/N UMBER	IPS 500	IPS- F3940012 979	VOLVO PENTA	VPL SWEDEN VOLVO PENTA		TECHNICAL SPECIFICATION - VOLVO PENTAGENERAL SPECIFICATION - VOLVO PENTA	
2	DNM746 32	0149-2883	294079523736 4 / EIEMENT FUEL FILTER		1 / EACH/N UMBER	C110D5/ FS 1251					TECHNICAL SPECIFICATION - make: fleet card GENERAL SPECIFICATION - make: fleet card	
3	DNM774 11		6685US508084 7 / GAS CHARGING SETLOW SIDE O TO 250PSI HIGH SIDE O TO 500PSI		2 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
4	DNQ700 57	0254- 254050	025478420315 3 / CLAMP HOSE SZ 5.500 TO 6.250 BS 5315 71/226		35 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
5	DNQ774 78		026599419526 4 / 6" STAPLE CLAMP		2 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
6	DNM746 52	N2620	294012307393 4 / OIL FILTER CARTRIDGE	HPAC-K28.0	2 / EACH/N UMBER	NO DATA AVAILAB LE		GR	BAUER KOMPRE SSOREN GMBH SYSTEM WERK DRYGAL SKI-		TECHNICAL SPECIFICATION - BAUER KOMPRESSOREN GMBH SYSTEMWERK DRYGALSKI-ALLEE 37 MUENCHEN GERMANY8147771 02 60MUENCHEN81452089/78049- 0089/78049-167INFO@BAUER- KOMPRESSOREN.DEWWW. BAUER-KOMPRESSOREN.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									ALLEE 37 MUENCH EN GERMAN Y 81477 71 02 60 MUENCH EN 81452 089/7804 9-0 089/7804 9-167 INFO@B AUER- KOMPRES SSOREN. DEWWW. BAUER- KOMPRES SSOREN. DE		DEGENERAL SPECIFICATION - BAUER KOMPRESSOREN GMBH SYSTEMWERK DRYGALSKI-ALLEE 37 MUENCHEN GERMANY8147771 02 60MUENCHEN81452089/78049- 0089/78049-167INFO@BAUER- KOMPRESSOREN.DEWWW. BAUER-KOMPRESSOREN.DE	
7	DNM564 29	0509- 0577/0541- 1730	533079521041 0 / Seal Oil	ENGINE	1 / EACH/N UMBER	N/A	S 3.8 G35	CUMMINS POWER GENERATION COLUMBUS AVENUE MANSTON PARK MANSTON RAMSGATE KENT CT12 5BF UNITED KINGDOM	CUMMIN S		<u>TECHNICAL SPECIFICATION -</u> <u>GENERAL SPECIFICATION -</u>	
8	DNM746 83	N16079	533172515697 6 / O-RING	ALPINE HP COMPRESSO R	1 / EACH/N UMBER			GERMANY ALPINE INDUSTRIAICON (PRIVATE) LIMITED 305/2 G. T ROAD BAGHBANPURA LAHORE PAKISTAN TEL:042-6852313,6862490 FAX:+92-42-6553674	GERMAN Y /ALPINE INDUSTR IALCON (PVT)LTD		<u>TECHNICAL SPECIFICATION -</u> SOURCE OF AVAILABILITY:ALPINE INDUSTRIAICON(PRIVATE) LIMITED 305/2 G. T ROAD BAGHBANPURA LAHORE PAKISTAN TEL:042- 6852313,6862490 FAX:+92-42- 6553674 <u>GENERAL</u> <u>SPECIFICATION - SOURCE OF</u> <u>AVAILABILITY:ALPINE</u> INDUSTRIAICON(PRIVATE) LIMITED 305/2 G. T ROAD BAGHBANPURA LAHORE PAKISTAN TEL:042- 6852313,6862490 FAX:+92-42- 6553674	
9	DNM785 55	162236948 0	481073521568	MEDICAL OXYGEN	4 / EACH/N	GA45+	2011118	ATLAS COPCO AIR POWER N.V.	ATLAS COPCO		<u>TECHNICAL SPECIFICATION -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			3 / BLOW-OFF VALVE	GENERATOR O-500 ECO	UMBER			B-2610 WILRIJK ? BELGIUM. TEL: +32-3-87021 11 FAX: +32-3-8702730 WWW.atlascopco.be			MAKE: ATLAS COPCO , BLOW OFF VALVE FITTED WITH UNLOADER ASSEMBLY FOR AUTO WORK oem: SWEEDEN supplier : Plot-8C, Phase -2 Commercial Area Defense Housing Authority Karachi. Contact: 021-345500451 <u>GENERAL SPECIFICATION - MAKE: ATLAS COPCO , BLOW OFF VALVE FITTED WITH UNLOADER ASSEMBLY FOR AUTO WORK</u> oem: SWEEDEN supplier : Plot-8C, Phase -2 Commercial Area Defense Housing Authority Karachi. Contact: 021-345500451	
10	DPC784 52	SUVA 410a /HFC-410a/R-410a	259071516019 3 / DUPONT REFRIGERANT R410A	TEMPERED WATER SYS	102.15 / KILOGRAMME	MTD 72 EC	MTD 72 EC	DOMESTIC MARINE REV-20100818 L.2810 ENGLISH PN:0880269 www.domesticusa.com		DOMESTIC MARINE	<u>TECHNICAL SPECIFICATION - AHRI STANDARD 700 OF 2019</u> Packing: 11.35 kg net disposable cylinder (in oem sealed cylinders with purity level 99.9% min) <u>GENERAL SPECIFICATION - AHRI STANDARD 700 OF 2019</u> Packing: 11.35 kg net disposable cylinder (in oem sealed cylinders with purity level 99.9% min)	
11	SNM772 26	4L8473	281571503512 8 / PLATE OD-90MM-ID-45MM-THK-3MM-BRASS		2 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - Inner Diameter (in): 1.77 Outer Diameter (in): 3.56 Weight (lb): 0.28 Length (in): 4.5 Height (in): 4</u> <u>GENERAL SPECIFICATION - Inner Diameter (in): 1.77 Outer Diameter (in): 3.56 Weight (lb): 0.28 Length (in): 4.5 Height (in): 4</u>	
12	DNM783 73	04.3	533072506964 7 / O RING HATLAPA L.P AIR COMPRESSOR M-12	HATLAPA L.P AIR COMPRESSOR R L-20 GERMANY	1 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
13	DNM783 74	04.5	533072506964 9 / O RING HATLAPA L.P AIR COMPRESSOR M-12	HATLAPA L.P AIR COMPRESSOR R L-20 GERMANY	1 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
14	DNM78375	04.9	5330725069653 / O RING HATLAPA L.P AIR COMPRESSOR M-12	HATLAPA LP AIR COMPRESSOR L-20 GERMANY	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
15	DPC78412	0443-443003	0443502240439 / GAS ACETYLENE TECHNICAL (96.6% Purity) in buyers/supplier returnable cylinder with protection cap/collar. Each Cylinder containing 5-7 Cum Acetylene.		138 / CUBIC METER						TECHNICAL SPECIFICATION - CGA G1.1 OF 1990 GRADE-H OF TABLE-I GENERAL SPECIFICATION - CGA G1.1 OF 1990 GRADE-H OF TABLE-I	
16	DPC78411	NIL	6830TY6719678 / LIQUID OXYGEN (02)		4 / CUBIC METER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
17	DNM78366	14.2	3010725069670 / FLEXIBLE COUPLING HATLAPA L.P AIR COMPRESSOR M-12	L.P AIR COMPRESSOR	2 / EACH/NUMBER						TECHNICAL SPECIFICATION - HATLAPA GERMANY GENERAL SPECIFICATION - HATLAPA GERMANY	
18	DPC78471	NIL	6830TY6719678 / LIQUID OXYGEN (02)		4 / CUBIC METER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
19	DPC78566	DUPONT SUVA 134a / HFA-134a / R-134a	6830PK5075658 / REFRIGERANT GAS ACUR-134A (packing = 13.6kg) (Purity level 99.9%)	ACU, ARGOS-73 RADAR	134.62 / KILOGRAMME						TECHNICAL SPECIFICATION - 1. Form : Liquefied gas 2 Color : colorless 3. Odor : slight, ether-Like 4. Boiling Point : -26.1 OC (-150 OF) at 1,013 hpa 5. %Volatile : 100% 6. VA pour Pressure : 6,661 hpa at 25 oC (77 OF) : 13,190 h pa at 50 oC (122 OF) 7. Density : 1.260 g/cm3 at 25 oC (77 OF) (as liquid) 8. Specific gravity : 1.208 at 25 oC (77 OF) 9.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Water solubility :1.5 g/l at 25 oC (77 OF) at 1,013 hpa 10. VA pour: density: 306 at 25 oC (77 OF) (Air=1.0) 11. Evaporation rate : >1(CCL4=1.0) <u>GENERAL SPECIFICATION - 1.</u> Form : Liquefied gas 2 Color : colorless 3. Odor : slight, ethe-Like 4. Boiling Point : -26.1 OC (-150 OF) at 1,013 hpa 5. %Volatile : 100% 6. VA pour Pressure : 6,661 hpa at 25 oC (77 OF) : 13,190 h pa at 50 oC (122 OF) 7. Density : 1.260 g/cm3 at 25 oC (77 OF) (as liquid) 8. Specific gravity :1.208 at 25 oC (77 OF) 9. Water solubility :1.5 g/l at 25 oC (77 OF) at 1,013 hpa 10. VA pour: density: 306 at 25 oC (77 OF) (Air=1.0) 11. Evaporation rate : >1(CCL4=1.0)	
20	DPC785 12		047450220171 1 / SOAP TYPE B SOAP SCRUBBING ALKALINE JELLY 18KG DRUM	SKF COUPLING	414 / KILOGR AMME						<u>TECHNICAL SPECIFICATION - BS 1913 of 1990 TYPE B USED FOR GENERAL CLEANING PURPOSE</u> <u>GENERAL SPECIFICATION - BS 1913 of 1990 TYPE B USED FOR GENERAL CLEANING PURPOSE</u>	
21	DPC785 11		047450474006 7 / SOAP TEEPOL LIQUID (detergent general pupose)	SSDG	500 / KILOGR AMME						<u>TECHNICAL SPECIFICATION - defstan 79-8/1 of 1972 TEEPOL LIQUID HAVING DETERGENT/ GERMICIDE PROPERTIES SURFACE ACTIVE AGENT SHOULD BE NONIONIC AND AS PER DEFSTAN 79-8/1 OF 1972 ANNEX SERIAL 4.5</u> <u>GENERAL SPECIFICATION - defstan 79-8/1 of 1972 TEEPOL LIQUID HAVING DETERGENT/ GERMICIDE PROPERTIES SURFACE ACTIVE AGENT SHOULD BE NONIONIC AND AS PER DEFSTAN 79-8/1 OF 1972 ANNEX SERIAL 4.5</u>	
22	DPK7850 2	OENOPER L	801074517562 7 / FOOD GRADE RESIN (OENOPERL	COLD/COOL ROOM	96 / KILOGR AMME	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabilty	Tender Remarks	TECH / GEN SPECS	Dimension
			'cold applied' solventfree epoxy) (204KG packing) BRAND= MAXPERLES									
23	DNQ78556	11/454/3/10/2745	5330999238905 / STRIP RUBBER SHEET	4.5" MK-8 GUN	2 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
24	DPC78619	PILOT-II	8010795171839 / MAMMUT PRIMER WHITE	Tail ship	200 / LITER			Jotun Paints (Europe) Ltd. Stather Road Flixborough, Scunthorpe North Lincolnshire DN15 8RR England Tel: +44 17 24 40 00 00 Fax: +44 17 24 40 01 00 SDSJotun@jotun.com	JOTUN		TECHNICAL SPECIFICATION - undercoat primer white GENERAL SPECIFICATION - undercoat primer white	
25	DNM78358	NIL	4120JP5069690 / COMPRESSOR 4 TON SELLED TYPE 380-440V 50HZ	FOR SPLIT TYPE A/C (SANYO)	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
26	DNM69231	ch11021	2815795245944 / intake valve		12 / EACH/NUMBER	2806 a-e 18 tag1a					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
27	DNM77614	233-7231	2815795229917 / RING GP - PISTON	33KVA CATERPILLER DG DEO33EO UK	3 / EACH/NUMBER	DEO33EO	E3G04239/E3G04238/E3G04237/E3G04236	CATTERPILLER SARL C/O EAME Power System, Building 21 Millennuim Springvale Business Park Belfast BT	CATTERPILLER U. K		TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET GENERAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET	
28	DNM77611	243-4304	2815795229925 / PUMP AS - ENGINE OIL	33KVA CATERPILLER DG DEO33EO UK	1 / EACH/NUMBER	DEO33EO	E3G04239/E3G04238/E3G04237/E3G04236	CATTERPILLER SARL C/O EAME Power System, Building 21 Millennuim Springvale Business Park Belfast BT	CATTERPILLER U. K		TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET GENERAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET	
29	DNM77616	5185886/353-7439	5310795229591 / KIT-BEARING (STANDARD)	33KVA CATERPILLER DG DEO33EO UK	1 / EACH/NUMBER	DEO33EO	E3G04239/E3G04238/E3G04237/E3G04236	CATTERPILLER SARL C/O EAME Power System, Building 21 Millennuim Springvale Business Park Belfast BT	CATTERPILLER U. K		TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET GENERAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET	
30	DNM77619	275-0885	2815795229553 / KIT	33KVA CATERPILLER DG	1 / EACH/NUMBER	DEO33EO	E3G04239/E3G04238/E3G04237/E3G04236	CATTERPILLER SARL C/O EAME Power System,	CATTERPILLER U.		TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33EO	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			GASKET (BOTTOM)	DEO33EO UK	UMBER		38/E3G04 237/E3G04236	Building 21 Millenuim Springvale Business Park Belfast BT	K		GENERATOT SETGENERAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET	
31	DNM776 15	353-2748	531079522959 5 / KIT- BEARING (STANDARD)	33KVA CATER PILLER DG DEO33EO UK	1 / EACH/N UMBER	DEO33E O	E3G0423 9/E3G042 38/E3G04 237/E3G04 4236	CATTERPILLER SARL C/O EAME Power System, Building 21 Millenuim Springvale Business Park Belfast BT	CATTERP ILLER U. K		TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SETGENERAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET	
32	SPC7741 3	BELZONA 9341	803070504091 6 / BELZONA RE- INFORCEMEN T TAPE (BELZONA 9341) (Packing 10 Meters roll)	FOR BRIDGING CRACKS & FOR BELZONA METALS	20 / ROLL						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
33	DNM767 39	3930942/F S1280	281571510996 6 / FUEL/WATER SEPERATOR FILTER	PROPULSION CUMMINS ENGINE FORSPDB-II 173HP.	12 / EACH/N UMBER	6CT8 3-P					TECHNICAL SPECIFICATION - ENGINE S NO.45225188. RATED HPAT2200 RPMM 173HP. GENERAL SPECIFICATION - ENGINE S NO.45225188. RATED HPAT2200 RPMM 173HP.	
34	DNM767 42	3315843 (2910-01- 146-1099)	291071505192 6 / FUEL FILTER (FS1212)	CUMMINS DIESEL GENERATOR 251 KW USA	3 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
35	DNM738 85	211	304072509671 4 / PUMP SHAFT	PUMP B6B DISCHARGE HEAD OEM: KSB PUMP CO	3 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
36	DNM714 15	ch11022	481099871654 2 / exhaust valve		12 / EACH/N UMBER	2806a-e 18tag2					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
37	SNM708 48	26550005	291099175147 8 / FUEL FILTER ELEMENT KIT	60 KVA PERKINS D/G	3 / EACH/N UMBER			PERKINS UK	UK		TECHNICAL SPECIFICATION - SM JAFFER AT KEAMARY GENERAL SPECIFICATION - SM JAFFER AT KEAMARY	
38	SPK7765 4	1N70015/ NUTO H 32	915079510274 3 / OIL NUTO H 32 Elevators skirt shift (MOBIL NUTO tm H 32) 20 liter Drum)	HOVERCRAFT ,GRIFFON HOVERCRAFT LTD,UK	130 / LITER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
39	DNM768 95	3842290	533073514144 8 / SEAL	VOLVO PENTA MAIN ENGINE	2 / EACH/N UMBER	NO DATA AVAILAB LE		OC	VOLVO AB, GOETEB ORG, SWEDEN		TECHNICAL SPECIFICATION - OEM ADD/SOURCE OF AVAILABILITY:VOLVO AB, GOETEBORG,SWEDEN GENERAL SPECIFICATION - OEM ADD/SOURCE OF AVAILABILITY: VOLVO AB,GOETEBORG,SWEDEN	

MEMORANDUM HOW THE TOTAL OF A CHEQUE IS MADE UP (CHEQUE SLIP)

Auth Sec III Para 80 Sub Para (iii) Office Manual Part-III

779

Pakistan Military Accountst Department

Office of the CNA Karachi No & Date Of cheque _____ Serial No Of Cheque slip _____

In Payment Of bill No:- 1 dt 13/01/2025	300000.00
Bank A/c No PK17HABB0004540013100701	300000.00

In Words Rs THREE HUNDRED THOUSAND

For C N A

(Signature of Offr Signing the cheque)

Initial

Supdt Audit Sec

Initial

Officer O/C Audit Sec

HBL 'A' BLOCK BRANCH PAK SECRETARIAT, ISLAMABAD ISLAMABAD

To

P.P.R.A

PPRA 1st Floor FBC Building, Near State Bank Sector G-5/2, Islamabad

Copy To

LP Division

2. LAO (LAO (NAVY) NSD KARACHI)