

HBL

HABIB BANK

حیب بینک

Deposit Slip

Customer Copy

| | |
|---|--|
| Branch: 1790 | Date: 17/02/2025 |
| Account Title: اکاؤنٹ ہولڈر کا نام PPRA ISLAMABAD | |
| IBAN: PK17HABB0004540013100701 | |
| Currency: <input type="checkbox"/> PKR <input type="checkbox"/> USD <input type="checkbox"/> EURO <input type="checkbox"/> GBP <input type="checkbox"/> JPY <input type="checkbox"/> Others | <input type="checkbox"/> Intercity <input type="checkbox"/> Within city <input type="checkbox"/> Same Branch |
| Credit Card No. | |
| <input type="checkbox"/> CASH نقد | |
| BANK / BRANCH | CHEQUE/INSTRUMENT NO. رقم |
| Vendor Uploading Fee | 51584630 |
| HIF 106-A/1721/5/4P/11-28 | |
| | AMOUNT رقم |
| | 15000/- |
| | TOTAL AMOUNT رقم |
| | 15000/- |
| Total Amount in Words: Fifteen Thousand Rupees only | |
| Commission (if any) | |
| Depositor's Name: A. REHMAN | |
| Contact No: 05190996598 | |
| Depositor's CNIC No: 42301-0935659-7 | |
| Depositor's Account No: | |
| | |
| Received By: وصول کنندہ | Depositor's Signature: دستخط کنندہ |

HBL
D.C. KAMRA
BRANCH-1790

29722655

(As per Terms & Conditions on reverse) (Not official unless validated)

**GOVERNMENT OF PAKISTAN
AVIONICS PRODUCTION FACTORY (APF) PAC KAMRA**

OPEN TENDER

TERMS AND CONDITIONS

1. Sealed tenders are invited from only those sales tax registered suppliers who are on **Active Taxpayers List (ATL) of FBR**, for purchase of the following items on "FOR" Kamra basis.
2. Technical and commercial quotations should be sealed in separate envelopes.

NOTE: - SUBMIT SEPARATE QUOTATIONS FOR EACH PART CASE

| APF/786-A/1921/13/LP/PC-28 (2024-25) | | | | | |
|---|----------------|---|--|------------|------------|
| Tender opening date and Time: 05-03-2025 (1230Hrs) | | | | | |
| Local Purchase : (P&T) Line Item: 09 [Tel Ext: 6684] | | | | | |
| S No | Part No | Noun | Specs/ Scope of Work | U/I | Qty |
| (a) | UFB205A | UTIFLEX COAXIAL CABLE | Low Loss 26.5GHz Flexible & Semi Rigid, Central Conductor Dia 1.45mm, Dielectric Dia 3.99mm, Inner Shield Dia 4.19mm, Outer Shield Dia 4.42mm, Dielectric withstanding voltage min at 60Hz 5000V (RMS) | MR | 50 |
| (b) | ES896BE | FLUX-OFF | Bottel of 200ml | BT | 15 |
| (c) | 25µm | GOLD WIRE | 25 µm (99.99 Au) | RL | 01 |
| (d) | 3001150402 | B KIT - NGP60+-100+/NGP70-115 | Appendix "A" | EA | 01 |
| (e) | 1624896683 | PDP SENSOR -50C - 50C | Appendix "A" | EA | 01 |
| (f) | 0052910199 | SOLDERING PENCIL 25W | - | EA | 06 |
| (g) | 1-800-541-2003 | APPLIED DATA SYSTEM (TOUCH CONTROL PANEL FOR PCB WASHING MACHINE) | COMPACT FLASH ADAPTER 256MB BOARD AS IS | EA | 01 |
| (h) | A5MC | CERAMIC RESISTER | 15 OHM J THT | EA | 01 |
| (j) | IC12J00THD400 | IC915 TEMPERATURE TC/PT100 | DISPLAY RANGE:PTC PROBE:-55.0 to 140.0° C POWER SUPPLY:12-24V POWER CONSUMPTION:1.5W FOR MODEL 12V~ | EA | 01 |

| APF/786-A/1921/13/LP/PC-29 (2024-25) | | | | | |
|--|----------------------|--|---|------------|------------|
| Tender opening date and Time: 05-03-2025 (1230Hrs) | | | | | |
| Local Purchase: (LCS) Line Item: 05 [Tel Ext: 6372] | | | | | |
| S No | Part No | Noun | Specs | U/I | Qty |
| (a) | ZMDC280512A | IC | 20 PIN THT DC-DC CONVERTOR, 28V INPUT VOLTAGE, ±12V & +5V OUTPUT VOLTAGES, MATEL BODY GOLD COLOR | EA | 01 |
| (b) | SST39VF040-70-4I-NHE | MONITOR (IC) | OEM SPECIFIED | EA | 02 |
| (c) | TPA6120A2RGYT | TPA6120A2 HIGH FIDELITY HEADPHONE AMPLIFIER | Supply voltage: 9 to 33V, Operating free-air temperature: -40 to 85°C, Storage Temperature: -40 to 125 °C, Load impedance: 16OHM, Output current: 700mA | EA | 05 |
| (d) | L14759 | POTENTIOMETER SINGLE MODULE 10K (WITHOUT SWITCH) | TERMINALS: PC PIN STYLE B22 0.500 INCH (12.7MM), TOLERANCE 5% SPECIAL, RESISTANCE VALUE: 10K, SPECIAL OPTION: 8 LB. STOP TORQUE | EA | 12 |
| (e) | G735709082 | Lithium Ion Rechargeable Battery Pack | Lithium Ion Rechargeable Battery, Capacity 8700 mAh, Voltage 10.8V, Watt-Hour Rating 93.96 Wh | EA | 02 |

| APF/786-A/1921/13/LP/PC-30 (2024-25) | | | | | |
|--|------------------------|---|--------------|------------|------------|
| Tender opening date and Time: 05-03-2025 (1230Hrs) | | | | | |
| Local Purchase: (Comm Centre) Line Item: 01 [Tel Ext: 2500] | | | | | |
| S No | Part No | Noun | Specs | U/I | Qty |
| (a) | 5844NL-V-45412-G50-B17 | UNDERGROUND TELEPHONE CABLE 50 PAIR 0.6MM | - | MR | 700 |

| APF/786-A/1921/13/LP/PC-31 (2024-25) | | | | | |
|--|----------------|--|--|------------|------------|
| Tender opening date and Time: 05-03-2025 (1230Hrs) | | | | | |
| Local Purchase: (PVR) Line Item: 02 [Tel Ext: 6859] | | | | | |
| S No | Part No | Noun | Specs | U/I | Qty |
| (a) | B095YD7SH8 | SPRING SPIRAL CABLE 2 CORES CAN STRETCH THE WIRE SHRINK CABLE STRETCH 2.5 METERS 14 AWG 2.0 MM | CONNECTOR TYPE: RCA, CABLE TYPE COMPOSITE, COLOUR: 14 AWG 2.0mm, CONNECTOR, GENDER: MALE TO MALE | EA | 01 |

| | | | | | |
|-----|---------|--|--|----|----|
| (b) | D7P53A4 | HP Z DISPLAY Z24i 24-INCH IPS LED BACKLIT MONITOR | DISPLAY 24 INCH, VIEWABLE IMAGE AREA 60.96CM ASPECT RATIO 16:10 NATIVE RESOLUTION QHD (1920x1200 @ 60HZ) | EA | 01 |
|-----|---------|--|--|----|----|

APF/786-A/1921/13/LP/PC-32 (2024-25)

Tender opening date and Time: 05-03-2025 (1230Hrs)

Local Purchase: (DDD) Line Item: 06 [Tel Ext: 893-4119]

| S No | Part No | Noun | Specs | U/I | Qty |
|------|--------------|--|--|-----|-----|
| (a) | ABL-028010P | 28V 10Ah Li-ion BATTERY NMC LITHIUM Ion DEEP CYCLE +CHARGER (3A) | VOLTAGE: 28V, CAPACITY (Ah): 10Ah, ENERGY STORED (Wh): 280 WATT-HOURS, DIMENSION METRIC (L x W x H): 155mm x 95mm x 70mm (+/- 2mm), DC CHARGER SPECIFICATION: INPUT VOLTAGE: AC110V-280V, 50/60HZ. CURRENT: 3A | EA | 01 |
| (b) | MKE02Z64VLC4 | IC MCU 32BIT 64KB FLASH 32LQFP | CORE PROCESSOR : ARM CORTEX-MO+, SPEED: 40MHZ NUMBER OF I/O: 28, RAM SIZE: 4K x 8, VOLTAGE: 2.7V-5.5V OPERATIING TEMP: -40C -105C MOUNTING TYPE: SURFACE MOUNT | EA | 05 |
| (c) | 8.08.00 | EMULATORS / SIMULATORS J- LINK BASE | INTERFACE TYPE: ETHERNET, JTAG, USB. PACKAGING: BULK, TRADENAME: J-LINK | EA | 01 |
| (d) | USB32000SPT | USB 3.0 TO DUAL PORT GIGABIT ETHERNET ADAPTER W/USB PORT | Maximum Data Transfer Rate 5Gbps (USB3.0), TYPE AND RATE: USB3.0-5Gbit/s, AUTO MDIX-YES, CONNECTOR TYPE- 2-RJ-45, SYSTEM AND CABLE REQUIRMENTS: AVAILABLE USB PORT, POWER SOURCE: USB POWERED, I/P VOLTAGE: 5V DC | EA | 02 |
| (e) | SMP350PS28 | AC/DC CONVERTER 28V 350W | VOLTAGE-INPUT 85 ~ 264 VAC, VOLTAGE-OUTPUT: 28V, CURRENT: 12.5A, POWER: 350W | EA | 01 |
| (f) | 5051101692 | CONN FFC BOTTOM 16POS 0.5MM R/A | FLAT FLEX TYPE: FFC, FPC. MOUNTING TYPE: SURFACE MOUNT, RIGHT ANGLE. NUMBER OF POSITIONS: 16, PITCH: 0.020" (0.50mm), HEIGHT ABOVE BOARD: 0.075" (1.90mm) | EA | 04 |
| (g) | SAL-00116 | LOGIC 0ANALYSERS LOGIC PRO 16 | BANDWIDTH: 5 MHz, 100 MHz. NUMBER OF CHANNELS: 16 CHANNEL, INPUT VOLTAGE: -10V to 10V, SERIES: LOGIC, INTERFACE TYPE: USB | EA | 01 |

| | | | | | |
|-----|------------|--------------------------------|--|----|----|
| (h) | CCB250PS28 | AC/DC CONVERTER 28V 249W | VOLTAGE-INPUT 80 ~ 275 VAC, VOLTAGE-OUTPUT: 28V, POWER: 249W, SERIES: CCB250 (250W) | EA | 01 |
|-----|------------|--------------------------------|--|----|----|

Appendix "A"

1. Standard OEM warranty/ guarantee (for 01 year)
2. Authorization letter from OEM
3. Integration of items/ sensors into existing machine
4. Calibration and adjustment after installation of items/ sensors into existing machine
5. Allied services required for operation/ serviceability of existing machine after installation of items/ sensors
6. Calibration certificate for items/ sensors

3. **Delivery of Tender**

(a) **Technical Offer:**

Technical offer should be without prices and containing all the relevant / essential specifications along with the literature / brochure. Tender / Part Case number, date of opening and the words "**Technical Offer**" should be clearly marked on the face of the envelope.

(b) **Commercial Offer:**

Commercial offer should contain the unit price, GST, and the total price of the quoted items and the confirmation to the terms and conditions of our tender inquiry. Tender / Part Case number and the words "**Commercial Offer**" should be clearly marked on the face of the envelope.

(c) **Bid Money / Earnest Money:**

The participating firms will must provide **5% earnest money** of the total price of quoted items (**along with the commercial offer**) through **bank draft** in favor of MD APF PAC Kamra. No quotation will be entertained without **Earnest money**. Cheque will be not be accepted.

Note: Earnest Money should be sealed in a separate envelope.

(d) **Sealed Envelopes / Address:**

Both the envelopes of **Technical and Commercial** offers should be enclosed in one cover properly sealed and bear the following address of this office with tender number and opening date.

Managing Director,
Avionics Production Factory,
Pakistan Aeronautical Complex,
Kamra - Distt. Attock.
Tel: 051-90996598
Fax: 057-9317476
Email: ddlogjf17apf@pac.org.pk

4. **Opening of Tender**

The quotations must be in original and are to reach at this factory on **1200 hrs.** on **05 March, 2025**. All quotations are to be dropped in the Scanning Room of this factory. No quotation will be accepted in photocopy, through fax and after due date and time. Tender will be

opened on **05 March, 2025** at **1230** hrs. in the presence of available representatives. We reserve the right to cancel or reject all bids / proposals at any time prior to acceptance as per PPRA rules.

5. **Pattern of Quoted Prices**

The quoted Prices are to be inclusive of all taxes levied by the Government and these should be in accordance with the current Local market / International prices as per the following format: -

| Tender S No | Part No | Noun | U/I | Qty | Unit Price | | | Total Price with GST |
|-------------|---------|------|-----|-----|-------------|-----|----------------|----------------------|
| | | | | | Without GST | GST | Price with GST | |
| | | | | | | | | |

6. **Validity of offer**

The quotation should be valid for 120 days from the date of tender-opening.

7. **Delivery Period**

Store is to be delivered within minimum possible delivery period. Offer with minimum delivery period are likely to be preferred. However, the delivery period should be factual, as no subsequent extension will be granted except under extreme un-avoidable circumstances.

8. **Country of Manufacturer**

Country / place of manufacture of store is and **COC** are to be provided along with the quotation.

9. **Release of Payment**

Payment will be released by Accounts department APF on submission of proper bill / sales Tax invoice, copies of GST registration / Professional Tax certificates of Punjab province, proof of Active Taxpayers List (ATL) of FBR and Sales Tax Return.

10. **Acceptance of Stores**

The ordered store will be accepted as per attached terms and conditions. The store if rejected or found defective within one year from the day of delivery / commissioning will be replaced by the supplier free of charge.

11. **Disqualification of Bid**

Offers are liable to be rejected if: -

- (a) There is a deviation from any instruction of the tender.
- (b) Offers are found conditional or incomplete in any respect.
- (c) Multiple rates are quoted against one item or overwriting/ erasing in prices.

- (d) Non-provisioning of **earnest money** with commercial offer, and confirmation to this effect be mentioned in Technical offer without mentioning the amount of the CDR.

Yours Faithfully,

Sd/xxx
(M. FURQAN AZIZ)

for Managing Director
APF PAC, Kamra
Tel No: 051-90996598

Dated: 19 February, 2025

APF/LG-07

**TERMS AND CONDITIONS FOR
TENDER INQUIRY NO APF/786-A/1921/13/LP/PC-28, 29, 30, 31 & 32 (2024-25)**

- a. Store is to be delivered at this factory (APF) on "FOR" Kamra basis.
- b. Supplier will be made responsible for warranty / guarantee of the store.
- c. Prices and catalogue is to be provided free of charge.
- d. Store should be factory new and from the current year's production.
- e. Store will be inspected by concerned user / quality control.
- f. All technical publication (wherever applicable) is to be provided free of charge.
- g. Indented store must have 01 year complete warranty. Original Warranty Card from OEM must be available inside the packing.
- h. Store will only be acceptable exactly against the part number against as per the purchase order. No in lieu part number will be acceptable on delivery without prior technical acceptance of the user.
- j. Installation / commissioning for store (if required) will be carried out by the supplier.