Habib Bank Amited, Pakistan Paye Karachi SHAHRAH-E-FAISAL KARACHI



00005991

Date 16102024

PayPIRA A/C NO.PKIT HABB 0004540013100701

PK51 HABB 0012167900599903 NATIONAL ENGG

Please do not write below this line

Im abbas.

NESPAKO(PVT)-LTD.

"00005991"05412161:00121679005999031"0001"

	HABIB BANK			Dep	osit Slip	
	حبيب بينك ١٦٥٢			Custo	omer Copy	
j			D	D M M	Y Y Y Y	
	Branch:		Date:	710:	2024	
	Account Title רוצובים אינלעלין					
	BAN: PK HABBOOO	00454	1001	310	6701	1
	Currency: DPKR DUSD DEURO DGBP DJPY DG	Others	Intercity [Within city	Same Branch	1
	Credit Card No.	-				1
	CASH This Control of the control of	Spirite and selection		AMO	UNT	
	BANK/BRANCH ELLE	CHEQUE/INSTRUME	INT NO.			
ı	LAND FIC	0000 538	1	In a lat	Spool	1
N						
۱					-/	
	X X	TOTAL AMOUNT	الخارقم		Son -	
	Total Amount in Words:				ميلغ	-
	Co	mmission (if any)				
	Depositor's Name		ransfer Cust			1
	that and 110		: 1216-F.T.C			1
	2 . z(z		count:PK51)			-
	Depositor's CNIC No. (For non-HBI/Walk-in Customers, Also attach CNIC Copy)		ount: PK17H			
	Depositor's Account No.		THE PERSON NAMED IN			
	्रिक्ट्रा हिन्द्र हिन्द्र (For HBL Customers / Account Holders)				ata 2024-10-	
	Ahlen.	Terrer		1 me o	9.42.14.76200	5.
	Received By: وصول كتنره Depositor's Signature	(As per Terms &	Conditions on rev	erse) (Not offici	al unless validated)	-



INVITATION OF BIDS FOR GEOTECHNICAL INVESTIGATIONS

FEASIBILITY STUDY FOR THE ESTABLISHMENT OF MALIR INDUSTRIAL PARK BETWEEN M-9 TO N-5 MOTORWAY KARACHI

National Engineering Services Pakistan (Pvt.) Limited (NESPAK), invites sealed bids (Technical and financial in separate sealed envelopes) from drilling Contractors / Companies, registered with Income Tax and Sales Tax Departments and who are on active Taxpayers list of Federal Board of Revenue and Provincial Revenue Authority having valid PEC registration in relevant category, for carrying out the geotechnical investigations for the subject Project.

Bidding documents (i.e. Bid Invitation Letter, BOQ & Qualification Criteria) containing detailed terms and conditions etc. can be downloaded from **NESPAK** (www.nespak.com.pk) and **PPRA** (www.ppra.org.pk) website or can be obtained on submission of a written application from the address mentioned below.

The bidders shall submit a bid security amounting to Rs. 50,000/- at the time of submission of bids in the form of pay order or bank draft in favor of M/s NESPAK.

Companies capable of carrying out subject work are requested to furnish complete information in accordance with the requirement of bidding document. Sealed bids (inclusive of all taxes) prepared in accordance with the instructions in the bidding document, must be submitted on or before November 04,2024 up to 1400 hours at the address mentioned below.

Technical bids would be opened on the same day at **1500 hours** after their receipt in the presence of those bidders who wish to be present. Financial bids would be opened after evaluation of technical bids, at a time, date and venue announced and communicated to the technically responsive bidders in advance. NESPAK reserves the right to accept or reject any/ all bids according to provisions of Public Procurement Rules.

General Manager/Head Geotechnical & Geoenvironmental Engineering Division

NESPAK House, 1-C, Block N,

Model Town Extension, Lahore Pakistan – 54700

Tel: +92-42-99090300, +92-42-92232307

Fax: +92-42-99231950

E-mail: geotech@nespak.com.pk

NATIONAL ENGINEERING SERVICES PAKISTAN (PVT) LIMITED

NESPAK HOUSE: 1-C, Block-N, Model Town Extension, Lahore - 54700, Pakistan



Ref: P-42146/024/KY/01/0530

Date: October 17, 2024

FEASIBILITY STUDY FOR THE ESTABLISHMENT OF MALIR INDUSTRIAL PARK BETWEEN M-9 TO N-5 MOTORWAY KARACHI

Invitation of Bids for Geotechnical Investigations (Field and Laboratory Works)

Dear Sir,

Sealed bids (Technical and Financial in separate sealed envelopes) are invited in accordance with the attached BOQ and qualification criteria from drilling Contractors/Companies for carrying out the geotechnical investigations for the subject project.

The companies capable of carrying out subject work are requested to provide their Company's Profile and the following documents along with their sealed bids:

- 1. PEC Registration Certificate
- 2. FBR & PRA Registration Certificates
- 3. List of Similar Projects completed during last three years
- 4. Financial Capability
- 5. Equipment Capability
- 6. Personnel Capability
- 7. Litigation History
- 8. HSE Policies

The work comprises; execution of boreholes up to 15 m depth below natural surface level (NSL) in overburden soils/rock by Straight Rotary/heavy percussion drilling rigs, core drilling, excavation of test pits, performance of SPTs in boreholes, performance of field density tests in test pits, collection of disturbed/undisturbed soil/rock samples, collection of water samples and laboratory testing of selected soil/rock/water samples. The field and laboratory work shall have to be completed according to the following time schedule:

Sr. No.	Minimum No. of Straight Rotary/ Heavy Percussion Rigs Required	Time for Completion of Field Investigations	Time for Completion of Laboratory Testing	Total Time for Completion of Field & Laboratory Investigations
1	2	21 Days	14 Days	35 Days

Your bid shall be valid for a time period of ninety (90) days after the bid opening. The work shall be executed under the instructions and full-time supervision of NESPAK engineers/geologists and the successful bidder shall mobilize to the site on three (03) days' notice after issuance of Letter of Award/Acceptance.

The coordinates and ground elevations of all the investigation points by total station shall have to be provided to NESPAK before completion of investigation at site by the Contractor. The approved laboratory, where testing is to be carried out, shall be pursued by the successful bidder for timely completion of the assigned laboratory testing.

The successful bidder shall be responsible for providing the field borehole & test pit logs, summary of laboratory test results and detailed laboratory test results to NESPAK, within the contract period. A premium of up to 25 % will be admissible on the official rates of the soil laboratory, selected for testing of samples. This premium has been allowed as compensation to the Contractor for making

Telephone: +92-42-99090000

E-mail: info@nespak.com.pk

Website: www.nespak.com.pk

Fax: +92-42-99231950

P.O.Box: 1351, Lahore, Pakistan



frim

advance payment to the laboratory and later following-up for obtaining test results in time. The name of the laboratory should be provided on page 2 of 2 (Annexure-1).

The bidders shall submit a bid security amounting to Rs. 50,000/- at the time of submission of bids in the form of pay order or bank draft in favor of M/s NESPAK.

Your most competitive sealed bids (inclusive of all taxes) in accordance with the BOQ and qualification criteria, should reach the office of the undersigned by 1400 hours on or before November 4, 2024. Technical bids would be opened on the same day at 1500 hours after their receipt in the presence of those bidders who wish to be present.

Financial bids would be opened after evaluation of Technical bids, at a time, date and venue announced and communicated to the technically responsive bidders in advance. However, the final decision to accept/reject any or all the bids as per PPRA rules solely lies with the undersigned. The entire work shall be carried out in accordance with the requirements of the General Bidding Documents for Geotechnical Investigations available at NESPAK website (www.nespak.com.pk).

for National Engineering Services Pakistan (Pvt.) Limited

(KAMRAN YOUSAF) General Manager/Head

Geotechnical & Geoenvironmental Engineering Division

FEASIBILITY STUDY FOR THE ESTABLISHMENT OF MALIR INDUSTRIAL PARK BETWEEN M-9 TO N-5 MOTORWAY KARACHI

GEOTECHNICAL INVESTIGATIONS BILL OF QUANTITIES

Sr. No.	Description	Unit	Qty.	Rate (Rs.)	Amount (Rs.)
A	FIELD INVESTIGATIONS	i			
Al	Mobilization and demobilization of at least two (02) straight rotary / percussion drilling rigs alongwith allied accessories at site including setting up and shifting from one investigation point to another. The equipment should be sufficient enough to complete the work within scheduled time.		Job		
A2	Execution of Fifteen (15) boreholes of 10 m - 15 m depth below NSL in overburden soils or upto rock strike level, whichever is met earlier, by straight rotary drilling / percussion drilling method including backfilling of boreholes to their original position by cement-sand-bentonite mix. Minimum permissible diameter of boreholes is 250 mm for percussion method and 101 mm for straight rotary method.	L.M.	125		
А3	Continuous core drilling in bedrock (NX size in general) up to a maximum depth of 5m below rock strike level, including preservation of core samples in core boxes, waxing of core samples, photography of rock cores and transportation of core samples to the laboratory.	L.M.	75		
A4	Performance of Standard Penetration Tests (SPTs) in boreholes along with collection of SPT samples at 1 m interval in general, or as necessary, including their labelling, packing, storage & transportation to an approved testing laboratory.	No.	110		
A5	Collection of undistrubed soil samples from boreholes through Shelby/Denison/Pitcher samplers, including their waxing, labelling, packing, storage & transportation to an approved testing laboratory.		15		
A6	Excavation of Ten (10) testpits up to a maximum depth of 1.5 m below NSL in overburden soils or upto rock strike level whichever is met earlier, including backfilling of pits to their original condition, for internal/ access roads.	1 , , ,	15		
A7	Performance of field density tests by sand replacement method in test pits generally @ I tests/pit at selected horizons, including determination of insitu bulk and dry density and collection of small disturbed samples in moisture tins for moisture content determination in laboratory by oven drying method as well as labelling, packing, storage & transportation to an approved testing laboratory.	No.	10		
A8	Collection of composite soil samples (at least 60 kg in overburden soils and 120 kg in gravelly soils) from testpit including their labelling, packing, storage & transportation to an approved testing laboratory.		10		***
A9	Collection of borrow area samples (at least 60 kg in overburden soils and 120 kg in gravelly soils) for earthwork including their labelling, packing, storage & transportation to an approved testing laboratory.		2		
A10	Collection of water samples (if encountered) from boreholes/testpits including their labelling, packing, storage & transportation to an approved testing laboratory.	No.	3		
	Sub-Total A	Rs.			_

Establishment of coordinates and ground elevations of all the boreholes and testpits using Total Station are included in the scope of work. The coordinates should be provided with reference to a permanent local bench mark.

All soil samples must be labelled, stored and transported as per ASTM. The area ratio and clearance ratio of the thin walled tube, should be in strict compliance with relevant ASTM standard.

Contractor will be responsible for arrangement of Personnel Protective Equipments (PPEs) such as safety helmets and jackets for NESPAK site supervisory / visiting staff.

The preferred method of drilling is straight rotary. Percussion boring will be allowed only in case gravelly strata.

10/3/2024 5.13 Pt:

FEASIBILITY STUDY FOR THE ESTABLISHMENT OF MALIR INDUSTRIAL PARK BETWEEN M-9 TO N-5 MOTORWAY KARACHI GEOTECHNICAL INVESTIGATIONS

BILL	OF	QUAN	TIT	IES
	•			

Sr. No.	Description	Unit	Qty.	Rate	Amount	
B.	LABORATORY TESTING			(Rs.)	(Rs.)	
B1	Sieve analysis		35			
B2	Hydrometer Analysis	No.	10			
В3	Liquid and plastic limits	No.	15			
B4	Bulk density & dry density	No.	20			
B5	Consolidation with Swell Pressure Measurement	No.	8			
В6	Unconfined compression (Soil samples)	No.	8			
В7	Direct Shear Test	No.	7			
B8	Point Load Index on Rock Samples	No.	6			
В9	Uniaxial Compression Test (Rock samples)	No.	10			
B10	Modified AASHTO Compaction	No.	12			
B11	3-point soaked CBR	No.	12			
B12	Sulphate content of soil	No.	10			
B13	Chloride content of soil	No.	10			
B14	Organic matter content of soil	No.	10			
B15	Complete chemical analysis of water samples i/c TDS, Cl, SO4 & pH	No.	3			
	Sub- Total B		··	Rs.		
Name Of	Laboratory:					
	Total (A+B)=			Rs.		
	Say		Rs.			
E-\Malis In						

F:\Malir Industrial Park\Bidding Documents\BOQ_OCT 2024 x'sx

10/3/20245 13 PM

FEASIBILITY STUDY FOR THE ESTABLISHMENT OF MALIR INDUSTRIAL PARK BETWEEN M-9 TO N-5 MOTORWAY KARACHI

1. Qualification Criteria

Qualification will be based on the criteria given in the following paras regarding the Applicant's experience, personnel and equipment capabilities, financial position and litigation history, as demonstrated by the Applicant's responses in the Forms attached as Annex-A to this Document. The Employer reserves the right to waive minor deviations, if these do not materially affect the capability of an Applicant to perform the contract by the Applicant.

Experience and resources of the Company intended to be employed as sub-contractor shall not be taken into account in determining the Applicant's compliance with the qualifying criteria. However, for joint venture, collective experience, resources and financial soundness of all partners shall be considered.

1.1 General Information

The Applicant shall provide general information of his firm as per the format specified in the Application Form A-1 attached in Annex-A.

1.2 Experience of the Firm

The Applicant shall meet the following minimum criteria:

1) Successful experience as contractor in the execution of at least five (5) projects involving bulk of geotechnical investigations within the last three (03) years. This experience should specifically be of geotechnical investigations of similar nature. The Applicant will supply information as per the format specified in the Application Form A-2 attached in Annex-A.

1.3 Personnel Capabilities

The Applicant must have in his employment, suitably qualified and relevant experience personnel to fulfill the positions tabulated below. The Applicant will supply information as per the format specified in the Application Form A-3 attached in Annex-A.

Sr. No.	Position	Qualification*	No.	Minimum relevant Experience (Years)
1	Technical Manager	B.Sc. Civil Engg.	1	5
2	Site Geologist/ Supervisor / Engineer	M. Sc. Geology/ B.Sc. Civil Engg. / B.Sc. Geological Engg.	2	2
3	HSE Supervisor	HSE Certification course	1	1
4	Driller	Literate	2	3
5	Skilled Labor	-	As Required	-



1.4 Equipment Capabilities

The Applicant should own, or have assured access to the following key items of equipment in full working order, and must demonstrate that, based on known commitments, these will be available for deployment on the proposed works.

Sr. No.	Equipment Type & Characteristics	Minimum Number Required
ì	Straight Rotary Drilling rigs complete in all respects including drilling rods, bits, mud pumps etc. along with at least one stand-by rig. The equipment shall be capable to obtain core recovery more than 80 percent and to complete the investigations within the time schedule.	2
2	Percussion Boring Set (>250 mm diameter), complete in all respects including tripod, chisel / bit etc.	2
3	Casing set having various diameters for all types of boring at least 15 m in length with casing bits.	2
4	Standard penetration test equipment complete in all respects including all rods, split spoon sampler, hammer and containers etc.	2
5	Core barrels (double tube) including coring and casing bits.	As required
6	Shelby/Denison/Pitcher samplers	2 each
7	UDS tubes & Split Spoon Samplers	As Required
8	Hydraulic jacks with all accessories for the extraction of casings	1
9	Electrically operated sounder for groundwater level measurement	1
10	Test pit excavation equipment/hand tools complete in all respect	As Required
11	Field density test apparatus (with 6 and 12 inches dia. cone) complete in all respect	1 each
12	Wooden box for the preservation of undisturbed soil/rock samples	As required
13	Transport for mobilization of equipment	As required

The Applicant will supply information as per the format specified in the Application Form A-4 attached in Annex-A.

1.5 Financial Capabilities

The Applicant shall meet the following minimum criteria:

1) Annual turnover which is also termed as income from contracting for procurement of geotechnical investigations and is defined as billing for works completed during the last three (3) years of at least Rs. 7.0 million.

The Applicant shall also provide evidence of financial health such as bank account statements, available line of credits, etc., to show the soundness of the Applicant's financial position for procurement of geotechnical investigations works. The Applicant will provide annual turnover of the geotechnical investigation works carried out by him during the last three years. The Applicant will supply annual turnover information as per the format specified in the Application Form A-5 attached in Annex-A.



1.6 Litigation History

The Applicant should provide accurate information on any litigation or arbitration resulting from Contracts completed or under execution over the last three (03) years. The Applicant will supply information as per the format specified in the Application Form A-6 attached in Annex-A. A consistent/ overwhelming history of litigation against the Applicant may result in rejection of the application. In case an Applicant claims Nil litigation, he shall submit the same statement on the letter head of his company.

1.7 Application of Health, Safety and Environmental Standards

The Applicant should provide the HSE Policies and supporting documentary evidence for the following:

- i) First Aid Box
- ii) Personnel Protective Equipments (PPEs)
- iii) Standard Operating Procedures (SOPs)
- iv) Health, Safety and Environmental (HSE) Policies
- v) HSE staff

The Applicant will supply information as per the format specified in the Application Form A-7 attached in Annex-A.



Appl	ica	tion	Form	A-1
------	-----	------	------	-----

Page	of	Pages

General Information

All individual Applicants applying for qualification are requested to complete the information in this form. Nationality information (if applicable) is also to be provided for foreign owners as required under the PEC Bye-Laws as a Partnership.

1.	Name of Firm	
2.	Head Office Address	
3.	Telephone	Contact Person: Name: Title: Cell No.
4.	Fax	E-mail
5.	Place of Incorporation/Registration Certificates of the firm*	Year of incorporation/registration

- Valid registration with Pakistan Engineering Council (PEC)
- Valid registration with Federal Board of Revenue (FBR)
- Valid registration with concerned Provincial Revenue Authority (PRA)
- Proof of active taxpayer of FBR & PRA



^{*} Registration certificates must include:

Application Form A-2	Page ofPages
Experience of the Firm	
Name of Applicant:	

Sr. No.	Name of Project	Value of Geotech Contract* (Pak Rs.)	Contract Duration

^{*}Attach copy of Letter of Awards / Project Completion Certificates for any five (5) latest projects involving bulk of geotechnical investigations within the last three (03) years.



Application Form A-3	Page of _	Page
Personnel Capabilities		
Name of Applicant		

Sr. No.	Name of Person	Qualification	Designation/ Position*	Total Experience
:				
			123	
	1.00 (Park - Au - Park - Au -			
				Tig

^{*}Attach CVs of the Key Staff Members.



Application Form A-4	Page of
Equipment Capabilities	

ane of Applicant.	Name of Applicant:	
	Name of Applicant:	

Sr. No.	Equipment Description	Capacity	Number of Equipment	Working Condition a) Very good b) Good c) Satisfactory	Current Location
	,				



_Pages

Application Form A-5	Page ofPages
Financial Capabilities	
Name of Applicant:	

Year	Annual Turnover (in PKR)
2022 – 2023	
2021 – 2022	
2020 – 2021	

Note: Financial soundness certificate from the bank(s) as specified in section 1.5 must be provided by the Applicant



Application Form A-6	Page ofPages
Litigation History	
Name of Applicant:	

Year	Award for or against Applicant	Name of Client, cause of litigation, and matter in dispute	Disputed amount (current value Pak Rs. or equivalent)
· · · · ·			
			111



Application Form	A-7
-------------------------	-----

Page_	of	Pages
Luge	O1	1 4203

Health, Safety and Environmental (HSE) Policies Personal Protective Equipment (PPE) and Standard Operating Procedures (SOP) of the Contractor

Name of Applicant:	
The Applicant should provide the following policies/supporting documentary evidence as requin Para 1.7.	uired
A. HSE Policies	
Please attach HSE Policies	

B. Details of PPE Available with the Contractor

Sr. No.	Type of PPE	Total Number

C. Details of SOPs of the Contractor

Please attach the copies of SOPs

