

## TENDER BULLETIN

TENDER CLOSING/OPENING DATE 14/01/2025

- CONDITIONS  
 1. NON REGISTERED FIRMS/SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT/PAY ORDER EQUAL TO 5% TOTAL VALUE OF QUOTATION IN FAVOUR OF COMMANDER LOCAL PURCHASE DIVISION ALONGWITH THEIR BIDS.  
 2. FOR ANY AMPLIFIED DETAILS INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON OR THROUGH TELEPHONE. DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND 45 DAYS FOR IMPORTED ITEMS.  
 3. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADO	TECH / GEN SPECS
1	DNM7438 0	3847831	6695735222836 / TECHOMETER KIT	MAIN ENGINE	4 / EACH/ NUMBE R	D6-370	AB Volvo Penta Technical Information Department 42200 SE-405 08 Goteborg Sweden	<b>TECHNICAL SPECIFICATION -</b> TECHOMETER SHOW THE RPM OF ENGINE ALONGWITH LUBOIL PRESSURE AND TEMPERATURE <b>GENERAL SPECIFICATION -</b> TECHOMETER SHOW THE RPM OF ENGINE ALONGWITH LUBOIL PRESSURE AND TEMPERATURE
2	DNM7068 7	3823494/ 3164067	8040795155923 / SEALANT SILICONE	750KVA CUMMINS D/G	3 / EACH/ NUMBE R	QSK 23G CUMMIN S UK	CUMMINS LTD.49-51 GRESHAM ROAD MIDDLESEX TW18 2BD ENGLAND.CUMMIN S INC.BOX 3005.COLUMBUS.IN DIANA.U.S.A	<b>TECHNICAL SPECIFICATION -</b> OFM,CUMMINS LTD.49-51 GRESHAM ROAD MIDDLESEX TW18 2BD ENGLAND.CUMMINS INC.BOX 3005.COLUMBUS.INDIANA.U.S.A <b>GENERAL SPECIFICATION -</b> OEM,CUMMINS LTD.49-51 GRESHAM ROAD MIDDLESEX TW18 2BD ENGLAND.CUMMINS INC.BOX 3005.COLUMBUS.INDIANA.U.S.A
3	DNM6123 8	3582803	4710270382213 / LEAK-OFF LINE	CNS BARGE	2 / EACH/ NUMBE R	D6-370D E	AB VOLVO PENTA GROPEGARDSGAT AN GOTEBOG SWEDEN GOTEBOG SE-417 15 +46 31 23 54 60 +46 31 22 89 37 556034-1330 HTTPS://WWW.VOL VO.COM/VOLVOPE NTA 2811+4669	<b>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</b>
4	DNQ71807	260210	4320725140639 / STAINER WITH NON RETURN VALVE BRST 4;; LIGHT ALLOY 5.1KG	FF VEHICLES/F TRAILER PUMP	1 / EACH/ N	NO DATA AVAILAB	GR	<b>TECHNICAL SPECIFICATION -</b> EU Origin; Equivalent: Ms Meraj Pvt Ltd Korangi Industrial Area, Karachi model: nil <b>GENERAL SPECIFICATION -</b> EU Origin; Equivalent: Ms Meraj Pvt Ltd Korangi Industrial Area, Karachi model: nil
5	DNQ73804	260210	4720725140640 / SUCTION HOSE BRST 4" GUNMETAL LENGTH. 10 FEET OUTER DIA. 5" INNER DIA. 4" WEIGHT. 23.00KG	FF VEHICLES/F TRAILER PUMP	9 / FACH/ NUMBE R	NO DATA AVAILAB LE	GR	<b>TECHNICAL SPECIFICATION -</b> LENGTH 10, OUTER DIA 5" INNER DIA 4" <b>GENERAL SPECIFICATION -</b> LENGTH 10, OUTER DIA 5" INNER DIA 4"
6	DNQ71809	260210	4720725140640 / SUCTION HOSE BRST 4" GUNMETAL LENGTH. 10 FEET OUTER DIA. 5" INNER DIA. 4" WEIGHT. 23.00KG	FF VEHICLES/F TRAILER PUMP	1 / EACH/ NUMBE R	NO DATA AVAILAB LE	GR	<b>TECHNICAL SPECIFICATION -</b> LENGTH 10, OUTER DIA 5" INNER DIA 4" <b>GENERAL SPECIFICATION -</b> LENGTH 10, OUTER DIA 5" INNER DIA 4"
7	DNM7306 6	3808093	4720270382129 / HOSE (HEAT EXCHANGER AND EXPANSION TANK)	HEAT EXCHANGE R	1 / UNIT	D6-370D E	AB VALVO PENTA SE 405 08 GOTHEN BURG SWEDEN	<b>TECHNICAL SPECIFICATION -</b> HOSE (HEAT EXCHANGER AND EXPANSION TANK) OEM: VALVO PENTAG <b>GENERAL SPECIFICATION -</b> HOSE (HEAT EXCHANGER AND EXPANSION TANK) OEM: VALVO PENTA

S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADO	TECH / GEN SPECS
8	SNM68161	2201523/ 220-1523	4330015136989 / OIL FILTER	D/G	30 / EACH/ NUMBE R	C 2.2	3701 STATE ROAD 26 EAST TOWN LAFA VETTE IN POST CODE 47905	<b>TECHNICAL SPECIFICATION - OIL FILTER</b> CATTERPILLAR C2.2 DIESEL GENERATOR 3701 STATE ROAD 26 EAST TOWN LAFA VETTE IN POST CODE 47905 <b>GENERAL SPECIFICATION -</b> OIL FILTER CATTERPILLAR C2.2 DIESEL GENERATOR 3701 STATE ROAD 26 EAST TOWN LAFA VETTE IN POST CODE 47905
9	DPC63537	100	5340715160688 / CHIPS WHITE (SIZE 1/8" FULL 4 6 PARTIAL 25- 200 ft/lb)	DECK COVERING FOR CONCRETE SURFACE	25 / BAG		OEM ORIGINAL COLOR CHIPS,A DIVISION OF NORKAN INC. 26200 GROESBECK HWY,WARREN,MI 48089 PHONE:586- 771-6500/FAX:586- 771-6501.	<b>TECHNICAL SPECIFICATION - OEM ORIGINAL</b> COLOR CHIPS,A DIVISION OF NORKAN INC. 26200 GROESBECK HWY,WARREN,MI 48089 PHONE:586-771-6500/FAX:586-771-6501. CHIPS WHITE ARE COLOURED/FLAKES USE FOR DECORATIVE APPLICATION INCLUDING SEAMLESS,RESINOUS FLOORING SYS <b>GENERAL SPECIFICATION - OEM ORIGINAL</b> COLOR CHIPS,A DIVISION OF NORKAN INC 26200 GROESBECK HWY,WARREN,MI 48089 PHONE:586-771-6500/FAX:586-771-6501. CHIPS WHITE ARE COLOURED/FLAKES USE FOR DECORATIVE APPLICATION INCLUDING SEAMLESS,RESINOUS FLOORING SYS.
10	DNH74352	OWR-528 / NWD200/ icon- 2(ORIEN T)	7310705177131 / HOT AND COLD WATER DISPENSER white colour only	WATER DISPENSER	2 / EACH/ NUMBE R	OWR- 528/icon- 2(orient)	ORIENT WATER DISPENSER PAKISTAN	<b>TECHNICAL SPECIFICATION - white colour only</b> NAGSAS WATER DISPENSER <b>GENERAL</b> <b>SPECIFICATION - white colour only</b> NAGSAS WATER DISPENSER
11	DNM7157 5	TGEL46	4120785208552 / THERMOSTATIC EXPENSION VALVE (TXV) DANFOSS	AIR COOL CHILLER85 TON TGEL46 CHINA	1 / EACH/ NUMBE R	TGEL46	DANFOSS COMATROL 201206 SHANGHAI BUILDING#22, NO.1000 JIN HAI ROAD JIN QIAO, PUDONG CHINA	<b>TECHNICAL SPECIFICATION - TGEL 35TR,</b> 125KW R410A PS 46 BAR/MWP 667 PSIG <b>GENERAL SPECIFICATION - TGEL 35TR, 125KW</b> R410A PS 46 BAR/MWP 667 PSIG
12	DNM7132 3	443-3226	4320715219506 / PUMP AS - FUEL INJECTION	CAT GENERATO R CAT7.1 USA	1 / UNIT	CAT7.1	CATERPILLAR INC.IDRA CATERPILLARIDIV GOVERNMENTAL AND DEFENSE!PRODUC TS, 14009 OLD GALENA RD TC-A, MOSSVILLE, UNITED STATES, TEL: 3095782353	<b>TECHNICAL SPECIFICATION - ITEM USED IN CAT</b> DG in fuel system <b>GENERAL SPECIFICATION -</b> ITEM USED IN CAT DG in fuel system
13	DNM6957 0	105544	4330705172630 / OIL FILTERLPAC ALPINE	LPAC	3 /	NK200	ALPINE INDUSTRIAL PVT LTD 305/2 GT ROAD BAGH PURA LAHORE PAKISTAN	<b>TECHNICAL SPECIFICATION - OPERATION AND</b> <b>MAINTENANCE MANNUAL 0102GENERAL</b> <b>SPECIFICATION - OPERATION AND</b> <b>MAINTENANCE MANNUAL 0102</b>
14	DNQ73679	429083	4210705150091 / VALVE ASSEMBLY 7KG CO2 FIRE EXTINGUISHER.	07 KG CO2 FIRE EXTINGUIS HER	25 / EACH/ NUMBE R	PBS-5	M/S.AZAM ENTERPRISES KARACHI PHONE:2624690	<b>TECHNICAL SPECIFICATION - COUNTRY :</b> PAKISTAN MAKE : Local/ Pakistan <b>GENERAL</b> <b>SPECIFICATION - COUNTRY :</b> PAKISTAN MAKE : Local/ Pakistan
15	DNM6981 3	N7698	2940010820096 / FILTER ELEMENT(A/SUC FILTER)	RECOMPRES SION CHAMBER OR HPAC K28.0	4 / EACH/ NUMBE R	N7698	GR	<b>TECHNICAL SPECIFICATION - OEM / BRAND :</b> MS ALPINE SOURCE OF AVAILABILITY M/S ALPINE INDUSTRIALCON(PVT)LTD 305/2 G.T. ROAD BAGHANPURA LAHORE PAKISTAN TEL:+92 42 6852313 FAX:+92 42 3674655 <b>GENERAL</b> <b>SPECIFICATION - OEM / BRAND :</b> MS ALPINE SOURCE OF AVAILABILITY M/S ALPINE INDUSTRIALCON(PVT)LTD 305/2 G.T. ROAD BAGHANPURA LAHORE PAKISTAN TEL:+92 42 6852313 FAX:+92 42 3674655

S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADD	TECH / GEN SPECS
16	DNQ71612	464748 ABN.	4730014355106 / REPAIR KIT,PIPE,EMERG ENCY DAMAGE CONTROL	EMERGENC Y CONTROL ,PIPE REPAIR KIT.	1 / KIT		OEM: c IT PIPE REPAIR SYSTEM 3355 WEST ALABAMA ST STE 110 HOUSTON TX UNITED STATES 77098-1799 713-977-4100 713-977-4174 DUNS 161788682 DON@INDUMAR.CO M HTTP://WWW.STOPI T.COM	<b>TECHNICAL SPECIFICATION</b> - OEM: INDUMAR PRODUCTS INC DBA STOP IT PIPE REPAIR SYSTEM 3355 WEST ALABAMA ST STE 110 HOUSTON TX UNITED STATES 77098-1799 713- 977-4100 713-977-4174 DUNS 161788682 DON@INDUMAR.COM HTTP://WWW.STOPIT.COM <b>GENERAL SPECIFICATION</b> - OEM: INDUMAR PRODUCTS INC DBA STOP IT PIPE REPAIR SYSTEM 3355 WEST ALABAMA ST STE 110 HOUSTON TX UNITED STATES 77098-1799 713- 977-4100 713-977-4174 DUNS 161788682 DON@INDUMAR.COM HTTP://WWW.STOPIT.COM
17	DNQ71775	464748 ABN.	4730014355106 / REPAIR KIT,PIPE,EMERG ENCY DAMAGE CONTROL	EMERGENC Y CONTROL ,PIPE REPAIR KIT.	2 / KIT		OEM: c. IT PIPE REPAIR SYSTEM 3355 WEST ALABAMA ST STE 110 HOUSTON TX UNITED STATES 77098-1799 713-977-4100 713-977-4174 DUNS 161788682 DON@INDUMAR.CO M HTTP://WWW.STOPI T.COM	<b>TECHNICAL SPECIFICATION</b> - OEM: INDUMAR PRODUCTS INC DBA STOP IT PIPE REPAIR SYSTEM 3355 WEST ALABAMA ST STE 110 HOUSTON TX UNITED STATES 77098-1799 713- 977-4100 713-977-4174 DUNS 161788682 DON@INDUMAR.COM HTTP://WWW.STOPIT.COM <b>GENERAL SPECIFICATION</b> - OEM: INDUMAR PRODUCTS INC DBA STOP IT PIPE REPAIR SYSTEM 3355 WEST ALABAMA ST STE 110 HOUSTON TX UNITED STATES 77098-1799 713- 977-4100 713-977-4174 DUNS 161788682 DON@INDUMAR.COM HTTP://WWW.STOPIT.COM
18	DNQ70970	06973009	6140FT1019336 / Torch (Long Life) c/w Spares	Emergency Pack - 1	66 / EACH/ NUMBE R	58321OB .0005	KINGSWAY DUNMURRY BELFAST ?RLANDA	<b>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</b>
19	SNM73422	3926048	5330015004351 / SEAL,O RING	CUMMINS DIESEL ENGINE, MAIN GENSET 6CTA8.3-DM USA	4 / EACH/ NUMBE R	6CTA8.3- DM	500 JACKSON ST, COLUMBUSCONTA CT NO 812-377- 3920FAX NO 812- 377- 1715STEVE.A HEWI TT@CUMMINS.COM FAX NO 812-377- 1715STEVE.A HEWI TT@CUMMINS.COM 3	<b>TECHNICAL SPECIFICATION</b> - AVAILABLE IN ILS <b>GENERAL SPECIFICATION</b> - AVAILABLE IN ILS
20	DNM7007 4	3807136/ 21829326	2010145654791 / PROPELLER CONE KIT	Volvo Penta Main Engine D6-370 AB (CNS BARGE)	2 / EACH/ NUMBE R	D-6835	AB VOLVO PENTA, GOTEBORG, SWEDEN	<b>TECHNICAL SPECIFICATION</b> - REQUIRED FOR VOLVO MAIN ENGINE D-6837 <b>GENERAL SPECIFICATION</b> - REQUIRED FOR VOLVO MAIN ENGINE D-6837
21	DNM7351 1	26012063 2/260161 027 MTDX72	4120715130114 / A/C COMPRESSOR WITH CONDENSING(72 000 BTU/HR 460/60/3	A/C	1 / EACH/ NUMBE R	2601510 27	US	<b>TECHNICAL SPECIFICATION</b> - COMPRESSOR CAPACITY:6 TON.GASE USED 4 10A <b>GENERAL SPECIFICATION</b> - COMPRESSOR CAPACITY:6 TON.GASE USED 4 10A



S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADO	TECH / GEN SPECS
22	SNM67777	317 9506	5945715228807 / RELAY (GROUND FAULT,24- VOLT,DC)	50KVA ALLIED CAT DG 400 VOLTS 3 PHASE 50 HZ	1 / EACH/ NUMBE R	N/A	CATERPILLAR INC MANAGER .CUSTOMER SERVICE,ENGINE DIVISION MOSSVILLE BLDG AC P O.BOX 610 MOSSVILLE,ILLINOI S 61552-0610 COUNTRY USA	<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>
23	SNM73641	A043255 8	2940715232077 / FILTER AIR	DG 138 KVA C150D5B	10 / EACH/ NUMBE R	C150D5 B	M/S ORIENT ENERGY SYSTEM (PVT) LTD 52 WEST FIRST FLOOR WAHEED PLAZA BLUE AREA ISLAMABAD	<u>TECHNICAL SPECIFICATION - FILTER AIR USED IN ENGINE(AIR) SYSTEM IN CUMMINS 138 KVA DG AT RDS MIANWALI INSTALLED</u> <u>GENERAL SPECIFICATION - FILTER AIR USED IN ENGINE(AIR) SYSTEM IN CUMMINS 138 KVA DG AT RDS MIANWALI INSTALLED</u>
24	SNM64525	D100119	5365143906643 / CYLINDER 2ND STAGE	HPAC	1 / EACH/ NUMBE R	HAB25	GARDNER DENVER LTD CLAYBROOK DRIVE REDDITCH WORCESTERSHIRE B98 DS UK TELEPHONE # 0044 (0) 1527838200 FAX # 0044 (0) 1527838438 E MAIL: highpressure@gardn erdenver.com	<u>TECHNICAL SPECIFICATION - CYLINDER 2ND STAGE OF HPAC</u> <u>GENERAL SPECIFICATION - CYLINDER 2ND STAGE OF HPAC</u>
25	SNM64554	C203410. 50	2815795225755 / PLUNGER LINER ASSEMBLY	HPAC HAB25 UK	1 / EACH/ NUMBE R	HAB25	GARDNER DENVER LTD CLAYBROOK DRIVE REDDITCH WORCESTERSHIRE B98 DS UK TELEPHONE # 0044 (0) 1527838200 FAX # 0044 (0) 1527838438 E MAIL: highpressure@gardn erdenver.com	<u>TECHNICAL SPECIFICATION - PLUNGER LINER ASSEMBLY OF HPAC</u> <u>GENERAL SPECIFICATION - PLUNGER LINER ASSEMBLY OF HPAC</u>
26	SNM64550	C200859	4310795225779 / OIL PUMP CANE	HPAC HAB25 UK	1 / EACH/ NUMBE R	HAB25	GARDNER DENVER LTD CLAYBROOK DRIVE REDDITCH WORCESTERSHIRE B98 DS UK TELEPHONE # 0044 (0) 1527838200 FAX # 0044 (0) 1527838438 E MAIL: highpressure@gardn erdenver.com	<u>TECHNICAL SPECIFICATION - OIL PUMP CANE OF HPAC</u> <u>GENERAL SPECIFICATION - OIL PUMP CANE OF HPAC</u>
27	SNM64549	D101485. 50	4310145471818 / CONNECTING ROD ASSEMBLY	HPAC	3 / ASSEM BLY	HAB25	GARDNER DENVER LTD CLAYBROOK DRIVE REDDITCH WORCESTERSHIRE B98 DS UK TELEPHONE # 0044 (0) 1527838200 FAX # 0044 (0) 1527838438 E MAIL: highpressure@gardn erdenver.com	<u>TECHNICAL SPECIFICATION - CONNECTING ROD ASSEMBLY OF HPAC</u> <u>GENERAL SPECIFICATION - CONNECTING ROD ASSEMBLY OF HPAC</u>

S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADD	TECH / GEN SPECS
28	SNM64529	C200525	4310995945516 / 3RD STAGE LINER	HPAC	1 / EACH/ NUMBE R	HAB25	GARDNER DENVER LTD CLAYBROOK DRIVE REDDITCH WORCESTERSHIRE B98 DS UK TELEPHONE # 0044 (0) 1527838200 FAX # 0044 (0) 1527838438 E MAIL: highpressure@gardn erdenver.com	<b>TECHNICAL SPECIFICATION - 3RD STAGE LINER OF HPAC</b> <b>GENERAL SPECIFICATION - 3RD STAGE LINER OF HPAC</b>
29	SNM64531	98650.11 64-97	4820995913685 / 3RD STAGE SAFETY VALVE	HPAC	1 / EACH/ N	HAB25	GARDNER DENVER LTD CLAYBROOK DRIVE REDDITCH WORCESTERSHIRE B98 DS UK TELEPHONE # 0044 (0) 1527838200 FAX # 0044 (0) 1527838438 E MAIL: highpressure@gardn erdenver.com	<b>TECHNICAL SPECIFICATION - 3RD STAGE SAFETY VALVE OF HPAC</b> <b>GENERAL SPECIFICATION - 3RD STAGE SAFETY VALVE OF HPAC</b>
30	SNM64520	95001.25 5	5305795225752 / SET SCREW - M8 X 20	HPAC HAB25 UK	1 / EACH/ NUMBE R	HAB25	GARDNER DENVER LTD CLAYBROOK DRIVE REDDITCH WORCESTERSHIRE B98 DS UK TELEPHONE # 0044 (0) 1527838200 FAX # 0044 (0) 1527838438 E MAIL: highpressure@gardn erdenver.com	<b>TECHNICAL SPECIFICATION - SET SCREW - M8 X 20 OF HPAC</b> <b>GENERAL SPECIFICATION - SET SCREW - M8 X 20 OF HPAC</b>
31	SNM59313	7K-1181	2815010534712 / STRAP-CABLE	CATTER PILLER GENSET 3512B USA	1 / EACH/ NUMBE R	3512B	CATTER PILLER INC 100 N. E ADAMS, STREET, PEORIA, IL 61629 USA	<b>TECHNICAL SPECIFICATION - STANDARD COLOR: NATURAL STRAP WIDTH (IN): 0.3 NOTES: OVERALL LENGTH: 387 HEAD TYPE: STANDARD BUNDLE DIAMETER RANGE (IN): 19 - 4.00</b> <b>GENERAL SPECIFICATION - STANDARD COLOR: NATURAL STRAP WIDTH (IN): 0.3 NOTES: OVERALL LENGTH: 387 HEAD TYPE: STANDARD BUNDLE DIAMETER RANGE (IN): 19 - 4.00</b>
32	DPK71398	2901 1701 00	9150171130055 / LUBRICATING OIL, AIR COMPRESSOR/ ROTO-XTEND DUTY FLUID (PACKING 20 LTR CAN)	MEDICAL OXYGEN GENERATO RO-500 ECO	20 / LITER	GA 45+	ATLAS COPCO AIR POWER N.V. B-2610 WILRIJK ? BELGIUM TEL: +32-3-87021 11 FAX: +32-3-8702730 WWW.atlascopco.be	<b>TECHNICAL SPECIFICATION - 1. LUB OIL FOR RATARY AIR COMPRESSOR 2. CHARACTERISTICS OF SHELL CORENA S4 R (46,68) AND SHELL CORENA S3 R (46, 68) ALSO SAME AS ABOVE MENTION OIL. <b>GENERAL SPECIFICATION - 1. LUB OIL FOR RATARY AIR COMPRESSOR 2. CHARACTERISTICS OF SHELL CORENA S4 R (46,68) AND SHELL CORENA S3 R (46, 68) ALSO SAME AS ABOVE MENTION OIL.</b></b>
33	DPK71338	2901 1701 00	9150171130055 / LUBRICATING OIL, AIR COMPRESSOR/ ROTO-XTEND DUTY FLUID (PACKING 20 LTR CAN)	MEDICAL OXYGEN GENERATO RO-500 ECO	20 / LITER	GA 45+	ATLAS COPCO AIR POWER N.V. B-2610 WILRIJK ? BELGIUM TEL: +32-3-87021 11 FAX: +32-3-8702730 WWW.atlascopco.be	<b>TECHNICAL SPECIFICATION - 1. LUB OIL FOR RATARY AIR COMPRESSOR 2. CHARACTERISTICS OF SHELL CORENA S4 R (46,68) AND SHELL CORENA S3 R (46, 68) ALSO SAME AS ABOVE MENTION OIL. <b>GENERAL SPECIFICATION - 1. LUB OIL FOR RATARY AIR COMPRESSOR 2. CHARACTERISTICS OF SHELL CORENA S4 R (46,68) AND SHELL CORENA S3 R (46, 68) ALSO SAME AS ABOVE MENTION OIL.</b></b>

S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADO	TECH / GEN SPECS
34	SNM66020	281-8744	5330005677978 / GASKET	DG CAT7.1 USA	5 / UNIT	CAT7.1	CATERPILLAR INC PEORIAL IL 61629 USA	<u>TECHNICAL SPECIFICATION</u> - ITEM IS CRITICALLY REQUIRED FOR MAINTENANCE OF 150 KVA CATERPILLAR DGs <u>GENERAL SPECIFICATION</u> - ITEM IS CRITICALLY REQUIRED FOR MAINTENANCE OF 150 KVA CATERPILLAR DGs
35	DNM7139 5	CH10929	2940795160207 / LUB OIL FILTER	DIESEL GENERATOR	1 / EACH/ NUMBER	2800- E14TAG 3	PERKINS ENGINE COMPANY LTD PETERBOROUGH PE 1 5NA ENGLAND	<u>TECHNICAL SPECIFICATION</u> - PERKINS ENGINE COMPANY LTD PETERBOROUGH PE 1 5NA ENGLAND <u>GENERAL SPECIFICATION</u> - PERKINS ENGINE COMPANY LTD PETERBOROUGH PE 1 5NA ENGLAND
36	DNM7353 5	3948132	2910715195763 / INJECTOR	CUMMINS DIESEL GENERATOR R QSL9G3 UK	6 / EACH/ NUMBER	QSL9G3	M/S CUMMINS UK	<u>TECHNICAL SPECIFICATION</u> - FUEL INJECTOR 250 KVA <u>GENERAL SPECIFICATION</u> - FUEL INJECTOR 250 KVA
37	DPC68278	7930-00- 565-4868	7930009654868 / Soap laundry Alkaline bar	NIL	32 / BOX	NA	UNIVAL CORP, BOYNTON BEACH, USA Postal Code: 33437- 1814	<u>TECHNICAL SPECIFICATION</u> - PMS Item <u>GENERAL SPECIFICATION</u> - PMS Item
38	DPC73968	BIOCIDE- L250	6850705226097 / BIOCIDE-L250 (CHEMICAL)	WATER COOLED FLOODED SCREW CHILLER PAKISTAN	40 / KILOG RAMME	BIOCIDE- L250	SUITE 103, FORTUNE CENTRE, BLOCK-6, P.E.C.H.S., SHAHRAH-E- FAISAL, KARACHI,75400. TELE: 021-34389923 25 FAX: 021- 34389926 URL: www.arcopk.com F.MAIL: rahman@arcopk.com	<u>TECHNICAL SPECIFICATION</u> - BIOCIDE-L250 MICROBIOLOGICAL CONTROL CHEMICAL USED IN COOLING TOWER OF AC PLANTS. Packing 20 Kg Can. <u>GENERAL SPECIFICATION</u> - BIOCIDE- L250 MICROBIOLOGICAL CONTROL CHEMICAL USED IN COOLING TOWER OF AC PLANTS. Packing 20 Kg Can.
39	DPK66599	185-8727	2940715183312 / LUB OIL SHELL RIMULA R6 M10W-40	D/G ENGINE	360 / LITER		CUMMINS ONAN USA	<u>TECHNICAL SPECIFICATION</u> - LUB OIL SHELL REMULA R6 M10W-40- CUMMINS DIESEL GENERATOR ENGINE <u>GENERAL SPECIFICATION</u> - LUB OIL SHELL REMULA R6 M10W-40- CUMMINS DIESEL GENERATOR ENGINE
40	DPK70739	SAE 90 (80W90)	9150251145135 / ENGINE GEAR OIL SAE 90 (80W90) (03 Ltr to 18 Ltr PACKING)	YAMAHA OUTBOARD ENGINE	32 / LITER	NO DATA AVAILAB LE	US	<u>TECHNICAL SPECIFICATION</u> - SAE 90 (80W90) <u>GENERAL SPECIFICATION</u> - SAE 90 (80W90)
41	SNM68161	2201523/ 220-1523	4330015136989 / OIL FILTER	D/G	30 / EACH/ NUMBER	C 2.2	CATERPILLAR USA CO 701 WATERFORD WAY SUITE 200 MIAMI USA CONTACT NO 305-478-6800 FAX NO 305-478- 6801	<u>TECHNICAL SPECIFICATION</u> - OIL FILTER CATERPILLAR C2.2 DIESEL GENERATOR 3701 STATE ROAD 26 EAST TOWN LAFA VETTE IN POST CODE 47905 <u>GENERAL SPECIFICATION</u> - OIL FILTER CATERPILLAR C2.2 DIESEL GENERATOR 3701 STATE ROAD 26 EAST TOWN LAFA VETTE IN POST CODE 47905
42	DNQ73806	04769328 54	7920999432854 / BROOM,SCRUB BING DECK(FOR DECONTAMINATI ON)	SURVIVAL &SAFETY EQUIPMENT	2 / EACH/ NUMBER		OEM: MINISTRY OF AVIATION A T P 4 CHESSINGTON SURREY UNITED KINGDOM	<u>TECHNICAL SPECIFICATION</u> - OEM: MINISTRY OF AVIATION A T P 4 CHESSINGTON SURREY UNITED KINGDOM <u>GENERAL SPECIFICATION</u> - OEM: MINISTRY OF AVIATION A T P 4 CHESSINGTON SURREY UNITED KINGDOM
43	DNM6989 3	9510227	5999735161488 / CORROSION PROTECTION	IPS 500 (PROPULSI ON & STEERING SYSTEM)	4 / EACH/ NUMBER		M/S VOLVO PENTA, GOTEBORG SWEDEN	<u>TECHNICAL SPECIFICATION</u> - CORROSION PROTECTION <u>GENERAL SPECIFICATION</u> - CORROSION PROTECTION



S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADO	TECH / GEN SPECS
44	DNH74212		1680715206946 / AIR CONDITIONER (FLOOR STANDING) 2 TONS	UPGRADIN G OF MARITIME SAFETY INFORMATI ON MANAGMEN T	1 / EACH/ NUMBE R	GF-24TF	M/S Skill Orbit using ESIR GIS software orig USA	<b>TECHNICAL SPECIFICATION</b> - Upgrading of Existing Maritime Safety Information Management System (MSI) is required for Navarea ix. <b>GENERAL SPECIFICATION</b> - Upgrading of Existing Maritime Safety Information Management System (MSI) is required for Navarea ix.
45	SNM64035	4587259	2950755207635 / FUEL FILTER	PERKIN Engine 1506A- E88TAG3 ITALY	10 / EACH/ NUMBE R	1506A- E88TAG 3	Elcos srl - S.S. 234 Km 58.25 Grumello Cremonese (CR) Italy tel. +39 0372 72330 fax. +39 0372 7233220 - info@elcos.net - www.elcos.net	<b>TECHNICAL SPECIFICATION</b> - Fuel Filter Perkins Engine Model No 1506A-E88TAG3 <b>GENERAL SPECIFICATION</b> - Fuel Filter Perkins Engine Model No 1506A-E88TAG3
46	DNM6314 9	104086A	6810715177915 / SILICON WHITE 315ML - 14412	DIESEL GENERATO R	1 / CARTO N	NA	PLOT NO 09 SECTOR 24 KORANGI INDUSTRIAL AREA KARACHI	<b>TECHNICAL SPECIFICATION</b> - NK <b>GENERAL SPECIFICATION</b> - NK
47	DNM7180 4	1000856	5331715231090 / 3K306 O RING PU	16E SPRAY GUN	3 / EACH/ NUMBE R	16E SPRAY GUN	SULZER METCO (US)INC.1101 PROSPECT AVENUE WESTBURY, NY 11590 USA TEL +15163341300 FAX +15163382414	<b>TECHNICAL SPECIFICATION</b> - OEM & MAKE CLEMCO US <b>GENERAL SPECIFICATION</b> - OEM & MAKE - CLEMCO USA
48	DNQ71916	08279009	6210795175762 / LIFE RAFT INTERNAL LIGHT & BATTERY	UK RFD	2 / EACH/ NUMBE R	UK (RFD BEAUFOR T)	RFD BEAUFORT LTD (UK)	<b>TECHNICAL SPECIFICATION</b> -LIFE RAFT INTERNAL LIGHT & BATTERY, RFD BEAUFORT LTD (UK) <b>GENERAL SPECIFICATION</b> - LIFE RAFT INTERNAL LIGHT & BATTERY, RFD BEAUFORT LTD (UK)
49	DNQ73591	08279009	6210795175762 / LIFE RAFT INTERNAL LIGHT & BATTERY	UK RFD	2 / EACH/ NUMBE R	UK (RFD BEAUFOR T)	RFD BEAUFORT LTD (UK)	<b>TECHNICAL SPECIFICATION</b> - LIFE RAFT INTERNAL LIGHT & BATTERY, RFD BEAUFORT LTD (UK) <b>GENERAL SPECIFICATION</b> - LIFE RAFT INTERNAL LIGHT & BATTERY, RFD BEAUFORT LTD (UK)
50	DNM7094 8	1099568	3439715231227 / COMPLETE UNIT 4GF GAS FLOW METER	16E SPRAY GUN	1 / EACH/ NUMBE R	16E SPRAY GUN	SULZER METCO (US)INC.1101 PROSPECT AVENUE WESTBURY, NY 11590 USA TEL +15163341300 FAX +15163382414	<b>TECHNICAL SPECIFICATION</b> - COMPLETE UNIT 4GF GAS FLOW METER <b>GENERAL SPECIFICATION</b> - COMPLETE UNIT 4GF GAS FLOW METER
51	SNM51677	FF9011	2940015230050 / Fuel Filter	CUMMINS 200 KVA DG	6 / EACH/ NUMBE R	6CTA8.3	Cummins Americas Inc. 3350 SW 148 AVENUE, SUITE 205 Miramar, FL, 33027 USA Tell (1-954)431- 5511 Fax (1-954)433- 5797	<b>TECHNICAL SPECIFICATION</b> - MAKE: CUMMINS US <b>GENERAL SPECIFICATION</b> - MAKE: CUMMINS USA
52	DPC68733	TUFF- BOND HANGER ADHESIV E	8040010098001 / ADHESIVE, TUFF BOND	BULKHEAD AND DECKS LAGGING	6 / GALLO N		MOORE GOODLOE E INC DBA GEMCO 1019 GRIGGS ST DANVILLE IL UNITED STATES PSC: 61832-4116 TEL: 217-446-7900 IDN: DUNS 001744697	<b>TECHNICAL SPECIFICATION</b> - Material RUBBER SYNTHETIC, FOR BONDING METAL AND NYLON INSULATION HANGERS AND CLIPS <b>GENERAL SPECIFICATION</b> - Material RUBBER SYNTHETIC, FOR BONDING METAL AND NYLON INSULATION HANGERS AND CLIPS
53	DNM6783 2	ILNTRMS 10	2815705216297 / COMAP CONTROLLER	SSDG COMAP UK	1 / EACH/ NUMBE R	ILNTRM S10	M/S SCENARIO INTERNATIONAL, KARACHI PH NO 0324- 2636007	<b>TECHNICAL SPECIFICATION</b> - OEM: COMP UK <b>GENERAL SPECIFICATION</b> - OEM: COMP UK

S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADO	TECH / GEN SPECS
54	DPC70810		0474502201711 / SOAP TYPE B SOAP SCRUBBING ALKALINE JELLY 18KG DRUM	SKF COUPLING	1206 / KILOG RAMM E			<b>TECHNICAL SPECIFICATION</b> - BS 1913 of 1990 TYPE B USED FOR GENERAL CLEANING PURPOSE <b>GENERAL SPECIFICATION</b> - BS 1913 of 1990 TYPE B USED FOR GENERAL CLEANING PURPOSE
55	DPC49199		0474502201738 / SOAP TOILET IN LIQUID FORM (PERFUMED), NON-TOXIC COLOURING MATTER OR BOTH WITH PACKING 25 LTR CARBUOY	SKF COUPLING	350 / LITER			<b>TECHNICAL SPECIFICATION</b> - BS 1545 : 1990 <b>GENERAL SPECIFICATION</b> - BS 1545 : 1990
56	DPC71955		0474502201738 / SOAP TOILET IN LIQUID FORM (PERFUMED), NON-TOXIC COLOURING MATTER OR BOTH WITH PACKING 25 LTR CARBUOY	SKF COUPLING	450 / LITER			<b>TECHNICAL SPECIFICATION</b> - BS 1545 : 1990 <b>GENERAL SPECIFICATION</b> - BS 1545 : 1990
57	DPC73916		0474504740082 / CUPREX 1 BLOCK (PACKING 1 KG)	4FI SSDG SEA WATER PUMP	8 / KILOG RAMM E			<b>TECHNICAL SPECIFICATION</b> - packing 1 kg <b>GENERAL SPECIFICATION</b> - packing 1 kg
58	DPC70611		0473509423131 / PIGMENT AND OIL PASTE WHITE LEAD / KOLOR KUT WATER FINDING PASTE FOR PETROLEUM AND CHEMICAL		100 / EACH/ NUMBE R			<b>TECHNICAL SPECIFICATION</b> - Net Weight: (Per Piece) 3 OZ. (85 Grams) Packing Dimensions: 14.5 X 3.2 X 2.8 cm <b>GENERAL SPECIFICATION</b> - Net Weight: (Per Piece) 3 OZ. (85 Grams) Packing Dimensions: 14.5 X 3.2 X 2.8 cm
59	DPC67179		0442504420094 / VARNISH FINISHING ARR DRY (packing 4liter tin)		100 / LITER			<b>TECHNICAL SPECIFICATION</b> - S.NO INFORMATION REMARKS 01 NAME= SYNTHETIC CLEAR VARNISH (ELECTRIC VARNISH) 02 SPECIFIC GRAVITY= 0.87-0.91 03 COLOR= CLEAR HOMOGENEOUS DRAK BROWN 04 FLASH POINT= >30 °C 05 SURFACE DRY TIME= 5- 6 HOURS 06 HARD DRY TIME= 24 HOURS 07 PACKAGING= 04 LITER (TIN PACKAGE) <b>GENERAL SPECIFICATION</b> - S.NO INFORMATION REMARKS 01 NAME= SYNTHETIC CLEAR VARNISH (ELECTRIC VARNISH) 02 SPECIFIC GRAVITY= 0.87-0.91 03 COLOR= CLEAR HOMOGENEOUS DRAK BROWN 04 FLASH POINT= >30 °C 05 SURFACE DRY TIME= 5-6 HOURS 06 HARD DRY TIME= 24 HOURS 07 PACKAGING= 04 LITER (TIN PACKAGE)



S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADO	TECH / GEN SPECS
60	DPC71937		0442509423543 / PAINT MARKING (WHITE)		418 / LITER			<b>TECHNICAL SPECIFICATION</b> - a. Colour White b. Viscosity 100-200 cps (centipoise) c. Density 1.2-1.5 g/cm3 d. Fast Drying 15-30 minutes e. Thickness 50-100 microns (dry film) f. Adhesion Excellent on Metal, Wood, concrete g. Durability Resistant to weathering, UV and Chemicals h. Reflectivity High(85-90%) <b>GENERAL SPECIFICATION</b> - a. Colour White b. Viscosity 100-200 cps (centipoise) c. Density 1.2-1.5 g/cm3 d. Fast Drying 15-30 minutes e. Thickness 50-100 microns (dry film) f. Adhesion Excellent on Metal, Wood, concrete g. Durability Resistant to weathering, UV and Chemicals h. Reflectivity High(85-90%)
61	DPC69576		0443514430010 / CYLINDER NITROGEN GAS(EMPTY)FITTE D WITH BRAND NEW VALVE(F8) (CAPACITY 45 KG)		1 / EACH/ NUMBE R			<b>TECHNICAL SPECIFICATION</b> - NO DATA AVAILABLE <b>GENERAL SPECIFICATION</b> - NO DATA AVAILABLE
62	DNQ73808	W2500	0254702541180 / NOZZLE SPRAY JET MALE INSTANTANEOU S COUPLE		1 / EACH/ NUMBE R	PWR 1 & 1P		<b>TECHNICAL SPECIFICATION</b> - Series: W2500 Model: PWR 1 & 1p OEM/ Brand: PWR Control: Manual Output: 130-230 Liter per minute at 6 bar pressure Material: Polyamide & Light Aluminum Al <b>GENERAL SPECIFICATION</b> - Series: W2500 Model: PWR 1 & 1p OEM/ Brand: PWR Control: Manual Output: 130-230 Liter per minute at 6 bar pressure Material: Polyamide & Light Aluminum Al
63	DNM7408 5		1325794390033 / BIT TOOL STANDARD SIZE 5/8" X 8" (SQUARE) HSS		15 / EACH/ NUMBE R			<b>TECHNICAL SPECIFICATION</b> - NO DATA AVAILABLE <b>GENERAL SPECIFICATION</b> - NO DATA AVAILABLE
64	DNH74344	MODEL NO SS- 30P(STE EL.)	1308500530129 / COOLER W/DRINKING20- 25 LTR.1/2TON AMPS 2.5 220V SING PHASE		1 / EACH/ NUMBE R			<b>TECHNICAL SPECIFICATION</b> - NO DATA AVAILABLE <b>GENERAL SPECIFICATION</b> - NO DATA AVAILABLE
65	DPC72640	0474- 7041	0474502242642 / CEMENT PORTLAND (50 KG BAG)		800 / KILOG RAMME			<b>TECHNICAL SPECIFICATION</b> - NO DATA AVAILABLE <b>GENERAL SPECIFICATION</b> - NO DATA AVAILABLE
66	DNM7403 4	NR- 20550/96	2920725089587 / FOG GENERATOR TF- 35 FOR CONTROL OF MOSQUITOES	FOR GENERATO R TF35FOR CONTROL (GERMANY)	1 / EACH/ NUMBE R	TF-35		<b>TECHNICAL SPECIFICATION</b> - IGEBAGENERAL SPECIFICATION - IGEBAGENERAL
67	SNM52398	4L-9852	2940000743584 / AIR FILTER ELEMENT	CATER PILLER D/G (USA)	11 / EACH/ NUMBE R			<b>TECHNICAL SPECIFICATION</b> - NO DATA AVAILABLE <b>GENERAL SPECIFICATION</b> - NO DATA AVAILABLE
68	DNM7340 3	QP407PA A	4310765021898 / COMPRESSOR 2 TON BTU 24000 ROTARY 220V 50 HZT	A/C 02 TON WINDOW TYPE	1 / EACH/ NUMBE R			<b>TECHNICAL SPECIFICATION</b> - NO DATA AVAILABLE <b>GENERAL SPECIFICATION</b> - NO DATA AVAILABLE

S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADD	TECH / GEN SPECS
69	SNM65957	HL00344 6	4310725055418 / SPRING PIN(STEEL)SIZE: LG28MM TH4MM	HATALPA ELECTRICAL AIR COMPRESSOR	6 / EACH/ NUMBER			<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
70	DNM7032 7	D6SJI- 4000- AWM/D	4310715099863 / COMPRESSOR SEMI HERMETIC RECIPROCATING 40HP,1450RPM	D6SJI-4000- AWM/D ,A/C USA	2 / EACH/ NUMBER			<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
71	DNQ73678	ACG- 72019	4210785088910 / SPRING HOLDER FOR FIRE EXTINGUISHER	FOR FIRE EXTINGUISHER ALL TYPES	222 / EACH/ NUMBER			<u>TECHNICAL SPECIFICATION</u> - HOLD the syphon tube of fire extinguisher <u>GENERAL SPECIFICATION</u> - HOLD the syphon tube of fire extinguisher
72	SNM64518	98262.10 60	4310998073691 / SUCTION FILTER ELEMENT	HP AIRCOMPRESSOR COMPAIR UK	1 / EACH/ NUMBER			<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
73	DNQ73676	ACG- 07201	4210785088915 / SAFETY PIN FOR FIRE EXTINGUISHER	FOR FIRE EXTINGUISHER ALL TYPES	2918 / EACH/ NUMBER			<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
74	DNQ63429	LOCAL	4210705007917 / NOZZLE FOR HOSE CANVAS		16 / EACH/ NUMBER	SL-13BP SHILA FIRE		<u>TECHNICAL SPECIFICATION</u> - Series: W2500 Model: Pwr 1 & 1p OEM/Brand: pwr control: manual output: 130-23- liter per minute at 6 bar pressure material: polyamide & light aluminium alloy <u>GENERAL SPECIFICATION</u> - Series: W2500 Model: Pwr 1 & 1p OEM/Brand: pwr control: manual output: 130-23- liter per minute at 6 bar pressure material: polyamide & light aluminium alloy
75	DNM5411 4	NIL	4130791005150 / FILTER SHEET 3X6FT A/COND CARRIER USA (FOAM)	A/C CARRIER (USA)	418 / EACH/ NUMBER			<u>TECHNICAL SPECIFICATION</u> - make/ Model: M/s Master Company <u>GENERAL SPECIFICATION</u> - make/ Model: M/s Master Company
76	SNM71976	7N5246	3120013222933 / BEARING WASHER THRUST	3516,CATER PILLAR D/G USA (JNB)	4 / EACH/ NUMBER			<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
77	DNH74086		4140705041640 / DESERT AIR COOLER 220/240V AC SINGLE PHASE FULL SIZE	DESERT AIR COOLED 220/240VAC	20 / EACH/ NUMBER			<u>TECHNICAL SPECIFICATION</u> - NO DATA <u>AVAILABLE</u> <u>GENERAL SPECIFICATION</u> - NO DATA AVAILABLE
78	DNM7415 8	3IBRCR FD4-SEW / 64700028 3	3120725094066 / BEARING CARRIER	DOCK BILGE PP.ZVZ 400/300 FD- IV OEM;	7 / EACH/ NUMBER	ZVZ 400/300		<u>TECHNICAL SPECIFICATION</u> - Material = Gun Metal <u>TECHNICAL DATA</u> , Drawing No. D001 MATERIAL/ GRADE. BS-1400 (LG2/LG4) PRODUCTION METHOD. DRAWN FROM CASTING <u>GENERAL SPECIFICATION</u> - Material = Gun Metal <u>TECHNICAL DATA</u> , Drawing No. D001 MATERIAL/ GRADE. BS-1400 (LG2/LG4) PRODUCTION METHOD. DRAWN FROM CASTING
79	DNH74346	NO DATA AVAILAB LE	4110705111564 / REFRIGRATOR 4.5 CUFT(DAWLANC E/SAMSUNG)	REFRIGRAT OR, DAWLANCE /SAMSUNG, PAKISTAN	2 / EACH/ NUMBER			<u>TECHNICAL SPECIFICATION</u> - OEM ADD:SAMSUNG ELECTRONICS COMPANY LTD.SOUTH KOREA <u>GENERAL SPECIFICATION</u> - OEM ADD:SAMSUNG ELECTRONICS COMPANY LTD.SOUTH KOREA.



S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADO	TECH / GEN SPECS
80	DNH74126		4110705111571 / WATER DISPENSER	WATER COOLER(S UNNY/MEC O)	1 / EACH/ NUMBE R	WA6000 0514		<b>TECHNICAL SPECIFICATION</b> - Make: Orient Technical specification: 3 Tab Water Dispenser ICON 3 (Mesh grey) Voltage 220-240 V Frequency 50 Hz Heating Power 420 W Cooling Power 100 <b>WG</b> <b>ENERAL SPECIFICATION</b> - Make: Orient Technical specification: 3 Tab Water Dispenser ICON 3 (Mesh grey) Voltage 220-240 V Frequency 50 Hz Heating Power 420 W Cooling Power 100 W
81	DNH74059	NO DATA AVAIL AB LE	4110546014236 / DEEP FREEZER 12CUFT 220V 50HZ	DEEPIFREE ZER 12CUFT(PE L) OR WAVES PAK	1 / EACH/ NUMBE R	NO DATA AVAILAB LE		<b>TECHNICAL SPECIFICATION</b> - NO DATA AVAILABLE <b>GENERAL SPECIFICATION</b> - NO DATA AVAILABLE
82	DNH74127		4110735060828 / REFRIGERATOR 18-CUFT DOUBLE DOOR PEL/DAWLANCE		1 / EACH/ NUMBE R			<b>TECHNICAL SPECIFICATION</b> - NO DATA AVAILABLE <b>GENERAL SPECIFICATION</b> - NO DATA AVAILABLE
83	DNM6607 9		3230731001865 / BLADE POWER HACKSAW HSS 18X1- 1/4X1/16INX6TPI		5 / EACH/ NUMBE R			<b>TECHNICAL SPECIFICATION</b> - Dimensions (LXWXT): 18 X 1-1/4 X 1/16 X 6TPI (6 Teeth per inch) MATERIAL: HSS (HIGH SPEED STEEL) USE FOR CUTTING ON HACKSAW MACHINE <b>GENERAL</b> <b>SPECIFICATION</b> - Dimensions (LXWXT): 18 X 1-1/4 X 1/16 X 6TPI (6 Teeth per inch) MATERIAL: HSS (HIGH SPEED STEEL) USE FOR CUTTING ON HACKSAW MACHINE
84	DNH74061	THERMO STATIC CONTRO LLED WITH	4110705041925 / DEEP FREEZER 15CU/FT- 190/230VLT5 AC SINGLE PHASE 50HZ SUPPLY	DEEP FREEZER 15CUFT 190/230VOL TS AC(PAK)	1 / EACH/ NUMBE R	CHEST WAVES SIM DIV PN DY		<b>TECHNICAL SPECIFICATION</b> - NO DATA AVAILABLE <b>GENERAL SPECIFICATION</b> - NO DATA AVAILABLE
85	DNM5409 2	3081012	4720715097533 / SUCTION (BASE) VALVE	AC COND UNIT CRUISAIR WFAH48E OEM:TAYLE R	1 / EACH/ NUMBE R	3081012		<b>TECHNICAL SPECIFICATION</b> - Make/ OEM: U.S.A, CRUISAIR <b>GENERAL SPECIFICATION</b> - Make/ OEM: U.S.A, CRUISAIR
86	DNM5749 6	3081012	4720715097533 / SUCTION (BASE) VALVE	AC COND UNIT CRUISAIR WFAH48E OEM:TAYLE R	2 / EACH/ NUMBE R	3081012		<b>TECHNICAL SPECIFICATION</b> - Make/ OEM: U.S.A, CRUISAIR <b>GENERAL SPECIFICATION</b> - Make/ OEM: U.S.A, CRUISAIR
87	DNM7161 3	4420	4820251401198 / SAFETY VALVE HP	AIR COMP MODEL HL 2/90 OEM:SPER RE INDUS	1 / EACH/ NUMBE R			<b>TECHNICAL SPECIFICATION</b> - NO DATA AVAILABLE <b>GENERAL SPECIFICATION</b> - NO DATA AVAILABLE
88	SNM71975	3177108	5330012013652 / GASKET FILTER HEAD	CUMMINS DIESEL ENGINE(UK)	8 / EACH/ NUMBE R	KTA-38		<b>TECHNICAL SPECIFICATION</b> - NO DATA AVAILABLE <b>GENERAL SPECIFICATION</b> - NO DATA AVAILABLE
89	SNM73420	1P1255	5330715060764 / GASKET SV-4790 (PAPER)LG70MM WIDTH29MM		2 / EACH/ NUMBE R			<b>TECHNICAL SPECIFICATION</b> - NO DATA AVAIL ABLE <b>GENERAL SPECIFICATION</b> - NO DATA AVAILABLE



S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADO	TECH / GEN SPECS
90	SNM52380	33415118	5340992019646 / WASHER	P40.WATER PUMP THERMOST ATE PERKINS DG UK	10 /			<b>TECHNICAL SPECIFICATION - weight: 5g, dimensions 4x4x1cm</b> <b>GENERAL SPECIFICATION - weight: 5g dimensions 4x4x1cm</b>
91	SNM73421	657- 35090	5330795102368 / JOINT SET	LPWT4,OVE RHAUL JOINT LISTER PETER,UK	3 / SET			<b>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</b> <b>GENERAL SPECIFICATION - NO DATA AVAILABLE</b>
92	SNM69759	3902363	5330735044836 / O RING VOLVE COVER /SEALRECTANG GULARRING MATERIAL RUBBER	AUXILIARY ENGINE(CU MMINS DIFSEL ENGINE)	3 / EACH/ NUMBE R			<b>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</b> <b>GENERAL SPECIFICATION - NO DATA AVAILABLE</b>
93	SNM62499	5P-0840	5331013179502 / SEAL O RING	3512TA,CAT ERPILLER USA	51 / EACH/ NUMBE R			<b>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</b> <b>GENERAL SPECIFICATION - NO DATA AVAILABLE</b>
94	DNH74213	NO DATA AVAILAB LE	4110750530105 / REFRIGERATOR 6CUFT 220V 50HZ		1 / EACH/ NUMBE R	NO DATA AVAILAB LE		<b>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</b> <b>GENERAL SPECIFICATION - NO DATA AVAILABLE</b>
95	SPC73923	390DCS/ 2	8030775016310 / DEGREASER CLEANER, SOLVENT NON OILY (200ML)	PCB CLEAN MATERIAL( M/S PERFECT BELGIUM)	250 / EACH/ NUMBE R	390DCS/ 00		<b>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</b> <b>GENERAL SPECIFICATION - NO DATA AVAILABLE</b>
96	DPC71808	R 502	6830705110569 / GAS REFRIGRENT R- 502 (packing = 13.6kg)	COLD STORAGE & BLASTFREE ZER	25.09 / KILOG RAMME E			<b>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</b> <b>GENERAL SPECIFICATION - NO DATA AVAILABLE</b>
97	DPK62748	H 572	9150992203468 / OIL OM 65 (Packing = 05 liters)	30MM GUN	400 / LITER			<b>TECHNICAL SPECIFICATION - bs-4475 of 2000 grade cs 68 defstan 01-5/issue 17 mar 11 200 Ltr drum</b> <b>GENERAL SPECIFICATION - bs 4475 of 2000 grade cs 68 defstan 01-5/issue 17 mar 11 200 Ltr drum</b>
98	DNQ74124	14050101 0	8415991304873 / GLOVES	FIRE FIGHTING	25 / PAIR			<b>TECHNICAL SPECIFICATION - OLM M/S COONEEN GROUP UK 23 COONEEN ROAD FIVEMILETOWN COUNTRY TYRONE NORTHERN IRELAND BT75 ONE UK T:+44(0)2889521401 F:+44(0)2889521488 LOCAL SOURCE GSA TRADERS KARACHI 021-35873927 VIDE DP (N) LETTER 340731/P-34 DATED 28 FEB 12 GENERAL SPECIFICATION - OEM M/S COONEEN GROUP UK 23 COONEEN ROAD-FIVEMILETOWN COUNTRY TYRONE NORTHERN IRELAND BT75 ONE UK T:+44(0)2889521401 F:+44(0)2889521488 LOCAL SOURCE GSA TRADERS KARACHI 021- 35873927 VIDE DP (N) LETTER 340731/P-34 DATED 28 FEB 12.</b>
99	DNQ73407	14050101 0	8415991304873 / GLOVES	FIRE FIGHTING	29 / PAIR			<b>TECHNICAL SPECIFICATION - OEM M/S COONEEN GROUP UK 23 COONEEN ROAD FIVEMILETOWN COUNTRY TYRONE NORTHERN IRELAND BT75 ONE UK T:+44(0)2889521401 F:+44(0)2889521488 LOCAL SOURCE GSA TRADERS KARACHI 021-35873927 VIDE DP (N) LETTER 340731/P-34 DATED 28 FEB 12 GENERAL SPECIFICATION - OEM M/S COONEEN GROUP UK 23 COONEEN ROAD-FIVEMILETOWN COUNTRY TYRONE NORTHERN IRELAND BT75 ONE UK T:+44(0)2889521401 F:+44(0)2889521488 LOCAL SOURCE GSA TRADERS KARACHI 021- 35873927 VIDE DP (N) LETTER 340731/P-34 DATED 28 FEB 12.</b>

S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADO	TECH / GEN SPECS
100	DNQ73799	14050101 0	8415991304873 / GLOVES	FIRE FIGHTING	25 / PAIR			<b>TECHNICAL SPECIFICATION</b> - OEM M/S COONEEN GROUP UK 23 COONEEN ROAD FIVEMILETOWN COUNTRY TYRONE NORTHERN IRELAND BT75 ONE UK T: +44(0)2889521401 F: +44(0)2889521488 LOCAL SOURCE GSA TRADERS KARACHI 021-35873927 VIDE DP (N) LETTER 340731/P-34 DATED 28 FEB 12. <b>GENERAL SPECIFICATION</b> - OEM M/S COONEEN GROUP UK 23 COONEEN ROAD FIVEMILETOWN COUNTRY TYRONE NORTHERN IRELAND BT75 ONE UK T: +44(0)2889521401 F: +44(0)2889521488 LOCAL SOURCE GSA TRADERS KARACHI 021- 35873927 VIDE DP (N) LETTER 340731/P-34 DATED 28 FEB 12.
101	DNQ74125	00510101 0	8415991304874 / HOOD,ANTIFLAS H..	DC LOCKER	25 / EACH/ NUMBE R			<b>TECHNICAL SPECIFICATION</b> - OEM M/S COONEEN GROUP UK 23 COONEEN ROAD FIVEMILETOWN COUNTRY TYRONE NORTHERN IRELAND BT75 ONE UK T: +44(0)2889521401 F: +44(0)2889521488 LOCAL SOURCE GSA TRADERS KARACHI 021-35873927 VIDE DP (N) LETTER 340731/P-34 DATED 28 FEB 12. <b>GENERAL SPECIFICATION</b> - OEM M/S COONEEN GROUP UK 23 COONEEN ROAD FIVEMILETOWN COUNTRY TYRONE NORTHERN IRELAND BT75 ONE UK T: +44(0)2889521401 F: +44(0)2889521488 LOCAL SOURCE GSA TRADERS KARACHI 021- 35873927 VIDE DP (N) LETTER 340731/P-34 DATED 28 FEB 12.
102	DNQ73343	00510101 0	8415991304874 / HOOD,ANTIFLAS H..	DC LOCKER	408 / EACH/ NUMBE R			<b>TECHNICAL SPECIFICATION</b> - OEM M/S COONEEN GROUP UK 23 COONEEN ROAD FIVEMILETOWN COUNTRY TYRONE NORTHERN IRELAND BT75 ONE UK T: +44(0)2889521401 F: +44(0)2889521488 LOCAL SOURCE GSA TRADERS KARACHI 021-35873927 VIDE DP (N) LETTER 340731/P-34 DATED 28 FEB 12. <b>GENERAL SPECIFICATION</b> - OEM M/S COONEEN GROUP UK 23 COONEEN ROAD FIVEMILETOWN COUNTRY TYRONE NORTHERN IRELAND BT75 ONE UK T: +44(0)2889521401 F: +44(0)2889521488 LOCAL SOURCE GSA TRADERS KARACHI 021- 35873927 VIDE DP (N) LETTER 340731/P-34 DATED 28 FEB 12.
103	DPC68135	AEROSIL @ 200	6810705009686 / POWDER AEROSIL 200 (packing 10/15/20 kg)	EXPOSLED DECKS	20 / KILOG RAMM E			<b>TECHNICAL SPECIFICATION</b> - REQUIREMENT... FUMED SILICA AEROSIL@ GRADES = AEROSIL@ 200 BET SURSURFACE AREA [m2 /g] = 175-225 LSS ON DRYING [wt.%] ==1.5 ph VALUE = 3.7-4.5* <b>GENERAL</b> <b>SPECIFICATION</b> - REQUIREMENT... FUMED SILICA AEROSIL@ GRADES = AEROSIL@ 200 BET SURSURFACE AREA [m2 /g] = 175-225 LSS ON DRYING [wt.%] ==1.5 ph VALUE = 3.7-4.5*
104	SPC73925	390CCS/ 00	6850705089593 / CONTACT CLEANER SOLVENT (200ml)	CONTACT CLEANER	250 / EACH/ NUMBE R	390CC/0 0		<b>TECHNICAL SPECIFICATION</b> - NO DATA AVAILABLE <b>GENERAL SPECIFICATION</b> - NO DATA AVAILABLE
105	DNM7427 4		6685US5080847 / GAS CHARGING SETLOW SIDE O TO 250PSI HIGH SIDE O TO 500PSI		2 / EACH/ NUMBE R			<b>TECHNICAL SPECIFICATION</b> - NO DATA AVAILABLE <b>GENERAL SPECIFICATION</b> - NO DATA AVAILABLE

S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADD	TECH / GEN SPECS
106	DNM6613 1	04- 8/105900	2820725121066 / PACKING RING 60X68X1 (C-CU)	DIESEL DRIVEN COMPRESS OR W-30	2 / EACH/ NUMBE R	HATI AP A GMBH & EQUIP'M ENT CO (GERMA NY) (W30/40)		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>
107	DNH74037	NO DATA AVAILAB LE	4110546013067 / VERTICAL FREEZER 11CU/FT 220V 50 HZ PHILCO/DAWLA NCE/WAVES		1 / EACH/ NUMBE R			<u>TECHNICAL SPECIFICATION - NO DATA</u> <u>AVAILAB</u> <u>GENERAL SPECIFICATION - NO DATA</u> <u>AVAILABLE</u>
108	DNH74057	NO DATA AVAILAB LE	1308750530106 / REFRIGERATOR 10.CU FT-220V AC (NO FROST)		1 / EACH/ NUMBE R	NO DATA AVAILAB LE		<u>TECHNICAL SPECIFICATION - NO DATA</u> <u>AVAILAB</u> <u>GENERAL SPECIFICATION - NO DATA</u> <u>AVAILABLE</u>
109	SNM51684	MS4SA	6645765126448 / STAR DELAY TIMER I/P 110- 240VAC	AIR COND SYS	10 / EACH/ NUMBE R	CWM- 2C70-PN FUJI JAPAN		<u>TECHNICAL SPECIFICATION - NO DATA</u> <u>AVAILAB</u> <u>GENERAL SPECIFICATION - NO DATA</u> <u>AVAILABLE</u>
110	SNM71973	067n3152	4820785312137 / thermostatic expansion valve		1 / EACH/ NUMBE R	THERM OSTATI C EXPENS ION VALVE Igc 20		<u>TECHNICAL SPECIFICATION - THERMOSTATIC</u> <u>EXPENSION VALVE TGE 20. MAX WORKING</u> <u>PRESSURE 49 BAR/711 psig</u> <u>GENERAL</u> <u>SPECIFICATION - THERMOSTATIC EXPENSION</u> <u>VALVE TGE 20. MAX WORKING PRESSURE 49</u> <u>BAR/711 psig</u>
111	DNM6925 5	ch10723	5331795233439 / seal-o ring		6 / EACH/ NUMBE R	hca434/4 44f		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL</u> <u>SPECIFICATION - null</u>
112	SNM66991	UPRK000 5	2520992161949 / PISTON RING KIT		2 / EACH/ NUMBE R	1103C- 33T DD32303 6		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL</u> <u>SPECIFICATION - null</u>
113	DPC68167	T1382392 6	6640795279781 / Standard 1.41 mS/cm (1410 µS/cm) Calibration Solution; 6 x 14ml (0.47 FL oz) Bottles		1 / BOTTL E	T138239 26		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL</u> <u>SPECIFICATION - null</u>
114	DNM7366 0	JZ-600N	4940785316342 / HI-SPEED ARC SPRAYING MACHINE		1 / EACH/ NUMBE R	JZ-600N		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL</u> <u>SPECIFICATION - null</u>
115	DNM5808 9	370-4617	6150016008656 / CABLE ASSEMBLY (USB)		1 / EACH/ NUMBE R	DE- 660EO CATERP ILLAR GENERA TOR C18 600 KVA /480KW		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL</u> <u>SPECIFICATION - null</u>
116	DNM6998 3	4001588	4730735269996 / 3/4"X2000 SAE100 R12 HOSE		1 / EACH/ NUMBE R	CLASSIC V		<u>TECHNICAL SPECIFICATION - 3/4"X2000 SAE100</u> <u>R12 HOSE</u> <u>GENERAL SPECIFICATION - 3/4"X2000</u> <u>SAE100 R12 HOSE</u>



S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADD	TECH / GEN SPECS
117	DPC66962	12/01802 4	6520991869375 / Wetting agent 50 ml (1.7 fl oz)		3 / EACH/ NUMBE R	T270180 24		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
118	DNM6925 4	ch10727	2990795233438 / seal o ring		6 / EACH/ NUMBE R	hcl434/4 44f		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
119	DNM7141 6	ch10727	2990795233438 / seal o ring		6 / EACH/ NUMBE R	hcl434/4 44f		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
120	DNM7179 7	ch10673	2815795320043 / band		6 / EACH/ NUMBE R	na		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
121	SNM73638	af-26434	2940795280717 / air filter element secondary		1 / EACH/ NUMBE R	qs213-g5		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
122	SNM73639	4327370	2940795280804 / fuel water separator		1 / EACH/ NUMBE R	qs213-g5		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
123	DNH73698	mkl-1503	6670705280765 / weight machine (UPTO 02 TON PLATFORM SIZE 35 X 35 INCHES )		1 / EACH/ NUMBE R	MKF- 1503		TECHNICAL SPECIFICATION - upto 02 ton platform size 35 x 35 inches GENERAL SPECIFICATION - upto 02 ton platform size 35 x 35 inches
124	DPC68168	code s 205	6850725279744 / alca solution (LUB OIL TEST KIT) packing 500 ml		8 / BOTTL E	CODE S 205		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
125	SNM65991	350-2375	4730715238333 / tube asSEMBLY		1 / EACH/ NUMBE R	C7-1502- 117		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
126	DNM6934 0	315-3394	4810785234864 / VALVE EXHAUST		6 / EACH/ NUMBE R	C7-1502- 117		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
127	DNM7101 8	436-2005	2815715302056 / SENSOR AS (ENGINE TEMPERATURE)		1 / EACH/ NUMBE R	N/A		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
128	DNM7110 9	243-1560	2990795315936 / CONTROL & MTG GP-ENGINE ELEK		1 / EACH/ NUMBE R	C- 18ACER T		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
129	DNM6923 1	ch11021	2815795245944 / intake valve		12 / EACH/ NUMBE R	2806 a-e 18 tag1a		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
130	DNM7141 4	ch11021	2815795245944 / intake valve		12 / EACH/ NUMBE R	2806 a e 18 tag1a		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
131	DNM6942 0	3133915	4730735281308 / HYDRALIC HOSE		1 / EACH/ NUMBE R	KESLA 204T		TECHNICAL SPECIFICATION - DIA: 3/4" X 7" HYDRALIC R95 WITH NEW FITTING 1-7/8 FLUD 90 POUND & 36MM STATE NUT AFTER PRESSURE TESTING GENERAL SPECIFICATION - DIA: 3/4" X 7" HYDRALIC R95 WITH NEW FITTING 1-7/8 FLUD 90 POUND & 36MM STATE NUT AFTER PRESSURE TESTING

S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADO	TECH / GEN SPECS
132	DNM6942 2	3134212	4730735281393 / HYDRALIC HOSE A50001-06- 06/24IT- 06/A50001 -06- 06/L=2600		1 / EACH/ NUMBE R	KLSLA 204T		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>
133	SNM65994	281 7040	5330015677762 / GASKET		1 / EACH/ NUMBE R	C7 1		<u>TECHNICAL SPECIFICATION - NOT KNOWN</u> <u>GENERAL SPECIFICATION - NOT KNOWN</u>
134	DNM6925 3	CH11485	4810705239044 / SEAL-VALVE STEM		24 / EACH/ NUMBE R	1506A- E88TAG 3		<u>TECHNICAL SPECIFICATION - SEAL-VALVE STEM</u> <u>GENERAL SPECIFICATION - SEAL-VAI VI. STEM</u>
135	DNM7141 3	ch11922	2815795245915 / cylinder liner		6 / EACH/ NUMBE R	2806 a-e 18 tag1a		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION -</u>
136	DPC67467	POLP946 0035MC2 PK	6830705241433 / HELIUM OXYGEN (HELIOX) MIXTURE OF 71% HELIUM 29% OXYGEN (CYLINDER 5.10 CUBIC M)		15.3 / CUBIC METER	not known		<u>TECHNICAL SPECIFICATION - HELIUM OXYGEN (HELIOX) MIXTURE OF 71% HELIUM 29% OXYGEN (CYLINDER 5.10 CUBIC M)</u> <u>GENERAL SPECIFICATION - HELIUM OXYGEN (HELIOX) MIXTURE OF 71% HELIUM 29% OXYGEN (CYLINDER 5.10 CUBIC M)</u>
137	SNM73419	0509- 0514	5331795237442 / SEAL OIL		7 / EACH/ NUMBE R	C11005		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>
138	DNM6999 8	4000890	6620735283661 / SENSOR, OIL TEMPERATURE		1 / EACH/ NUMBE R	CLASSIC V		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>
139	SNM66019	277-2925	4710015677988 / connection as		1 / EACH/ NUMBE R	C7-1502- 117		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>
140	DNM7304 4	5317838	4710795270112 / PUMP FUEL INJECTION		1 / EACH/ NUMBE R	6CTAA8. 3.G7		<u>TECHNICAL SPECIFICATION - PUMP FUEL INJECTION</u> <u>GENERAL SPECIFICATION - PUMP FUEL INJECTION</u>
141	SNM73418	0509- 0507	5331795237439 / SEAL OIL		10 / EACH/ NUMBE R	C11005		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>
142	DNM7141 8	krp3118	2815705240503 / main bearing kit		1 / EACH/ NUMBE R	2806a-e 18tag2		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>
143	DNM6925 7	krp3118	2815705240503 / main bearing kit		1 / EACH/ NUMBE R	2806a-e 18tag2		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>
144	DNM7142 3	ch11607	2815795240328 / turbo charger		1 / EACH/ NUMBE R	2806a-e 18 tag2		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>

S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADO	TECH / GEN SPECS
145	DPK68165	Optishield II	8030FT1029097 / Anti Corrosion Liquid		1 / GALLO N	N/A		<b>TECHNICAL SPECIFICATION</b> - Description : Low electrical conductivity corrosion inhibitor Packing Size : 1 Gallon Color : Clear to slightly yellow Solubility : 100% in water Buffered pH : 8.5 (typical) Chemical Characterization : Sodium Dihydrogen Phosphate (0.1%), Triazole (0.2%), Water Specific Gravit : 1.02 <b>GENERAL SPECIFICATION</b> - Description : Low electrical conductivity corrosion inhibitor Packing Size : 1 Gallon Color : Clear to slightly yellow Solubility : 100% in water Buffered pH : 8.5 (typical) Chemical Characterization : Sodium Dihydrogen Phosphate (0.1%), Triazole (0.2%), Water Specific Gravit : 1.02
146	DNH73592	20CH60R OIL GPF	4330715283935 / GPF ULTRA FILTERS (ground)		4 / ROLL	gpf ultra		<b>TECHNICAL SPECIFICATION</b> - width = 60" length = 300" thickness = 1-5/8" u.o.m = roll <b>GENERAL SPECIFICATION</b> - width = 60" length = 300" thickness = 1-5/8" u.o.m = roll
147	DNM7132 8	247-7095	5330715327073 / GASKET HEAD 1.5MM FOR RADIATOR		2 / EACH/ NUMBE R	1500F		<b>TECHNICAL SPECIFICATION</b> - null <b>GENERAL SPECIFICATION</b> - null
148	DNM6925 2	ch11022	4810998716542 / exhaust valve		12 / EACH/ NUMBE R	2806a-e 18tag2		<b>TECHNICAL SPECIFICATION</b> - null <b>GENERAL SPECIFICATION</b> - null
149	DNM7142 0	krp3020	2815705245995 / piston ring kit		6 / EACH/ NUMBE R	2806a-e 18tag2		<b>TECHNICAL SPECIFICATION</b> - null <b>GENERAL SPECIFICATION</b> - null
150	DNM6926 0	krp3020	2815705245995 / piston ring kit		6 / EACH/ NUMBE R	2806a-e 18tag2		<b>TECHNICAL SPECIFICATION</b> - null <b>GENERAL SPECIFICATION</b> - null
151	DNM6998 6	7651923	4710735269815 / 3/8"X1050 SAE 100 R2 HOSE		1 / EACH/ NUMBE R	CLASSIC V		<b>TECHNICAL SPECIFICATION</b> - 3/8"X1050 SAE 100 R2 HOSE <b>GENERAL SPECIFICATION</b> - 3/8"X1050 SAE 100 R2 HOSE
152	SNM73637	C496019 8	2940795280600 / FUEL FILTER		1 / EACH/ NUMBE R	QS213- G5		<b>TECHNICAL SPECIFICATION</b> - null <b>GENERAL SPECIFICATION</b> - null
153	DNM7132 7	247-7094	5330715327074 / GASKET HEAD		2 / EACH/ NUMBE R	1500F		<b>TECHNICAL SPECIFICATION</b> - null <b>GENERAL SPECIFICATION</b> - null
154	SNM73640	AF26433	2940795280721 / AIR FILTER ELEMENT PRIMARY		1 / EACH/ N	QS213- G5		<b>TECHNICAL SPECIFICATION</b> - null <b>GENERAL SPECIFICATION</b> - null
155	DNH73231	4881643	2815795289432 / main air filter		10 / EACH/ NUMBE R	156a e88tag3		<b>TECHNICAL SPECIFICATION</b> - main air filter 250 kva perkin dg <b>GENERAL SPECIFICATION</b> - main air filter 250 kva perkin dg
156	DNQ71912	30-2062	4220785289433 / FLARE SET (06 RED HAND FLARE MK8+04 PARA RED ROCKET MK8A +02 LIFE SMOKE MK9) FOR SURVIVAL PACK OF 25 X MEN LIFE RAFT		2 / PACKE T	life raft		<b>TECHNICAL SPECIFICATION</b> - null <b>GENERAL SPECIFICATION</b> - null



S.N o	LPR No	PART NO	NSN / Description	P/Equipmen t	QTY / DENO	Model	MANUF ADO	TECH / GEN SPECS
157	DNQ73675	FXWC2, FXWC3 & FXWC6	4210795268879 / WET CHEMICAL		30 / LITER	fxwc2/fx wc3/fxwc 6		<u>TECHNICAL SPECIFICATION</u> - xtr wet chemical / fat seal fire extinguisher agent <u>GENERAL</u> <u>SPECIFICATION</u> - xtr wet chemical / fat seal fire extinguisher agent
158	DNQ73595	11788009	6210795312162 / EXTERNAL LAMP UNIT (RL6)		3 / EACH/ NUMBE R	N/A		<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL</u> <u>SPECIFICATION</u> - null
159	DNH73699	MKF- 1000	6670705284950 / WEIGHT MACHINE (UPTO 200 KG PLATFORM SIZE 14 X 18 INCHES )		1 / EACH/ NUMBE R	MKF- 1000		<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL</u> <u>SPECIFICATION</u> - null

108

**MEMORANDUM HOW THE TOTAL OF A CHEQUE IS MADE UP (CHEQUE SLIP)**

966

Auth Sec III Para 80 Sub Para (iii) Office Manual Part-III

**Pakistan Military Accountst Department**Office of the **CNA Karachi** No & Date Of cheque \_\_\_\_\_ Serial No Of Cheque slip \_\_\_\_\_

In Payment Of bill No:- 1 dt 20/11/2024

225000.00

Bank A/c No PK17HABB0004540013100701

225000.00

In Words Rs TWO HUNDRED TWENTY-FIVE THOUSAND

For C N A

(Signature of Offr Signing the cheque)

Initial

Supdt Audit Sec

Initial

Officer OI/C Audit Sec

To HBL 'A' BLOCK BRANCH PAK SECRETARIAT, ISLAMABAD ISLAMABAD  
P.P.R.A  
PPRA 1st Floor FBC Building, Near State Bank Sector G-5/2, Islamabad

Copy To LP Division

2. LAO ( LAO (NAVY) NSD KARACHI )