

108

MEMORANDUM HOW THE TOTAL OF A CHEQUE IS MADE UP (CHEQUE SLIP)

966

Auth Sec III Para 80 Sub Para (iii) Office Manual Part-III

Pakistan Military Accountst Department

Office of the CNA Karachi No & Date Of cheque _____ Serial No Of Cheque slip _____

In Payment Of bill No:- 1 dt 20/11/2024

225000.00

Bank A/c No PK17HABB30004540013100701

225000.00

In Words Rs TWO HUNDRED TWENTY-FIVE THOUSAND

For C N A
(Signature of Offr Signing the cheque)

Initial
Supdt Audit Sec

Initial
Officer OI/C Audit Sec

To HBL 'A' BLOCK BRANCH PAK SECRETARIAT, ISLAMABAD ISLAMABAD
P.P.R.A
PPRA 1st Floor FBC Building, Near State Bank Sector G-5/2, Islamabad

Copy To LP Division
2. LAO (NAVY) NSD KARACHI

TENDER BULLETIN

12/13/24 2:55 PM

TENDER OPENING/CLOSING DATE 30-12-2024

CONDITIONS

1. NON REGISTERED FIRMS/SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT/PAY ORDER EQUAL TO 5% TOTAL VALUE OF QUOTATION IN FAVOUR OF COMMANDER LOCAL PURCHASE DIVISION ALONGWITH THEIR BIDS.
2. FOR ANY AMPLIFIED DETAILS INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON OR THROUGH TELEPHONE. DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND 45 DAYS FOR IMPORTED ITEMS.
3. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

S.N o.	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	MANUF ADD	TECH / GEN SPECS
1	SNM55175	CV21258	5306795102515 / CONROD BOLT	3012/CV12,PIS TON & CONN & ROD,PERKIN, UK	24 / EACH/NUMBER			TECHNICAL SPECIFICATION - MAKE: PERKINS (WXHXD 20mmx120mmx20mm) weight 0.07kg material: ss GENERAL SPECIFICATION - MAKE: PERKINS (WXHXD 20mmx120mmx20mm) weight 0.07kg material: ss
2	DNM66760	102328C91	5330014111656 / SEALING PLAIN(UPPER) (KIT JOINT GASKET)	PERKINS D/G(UK)	1 / EACH/NUMBER			TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
3	DNM59938	050307	5365121912427 / SPACER RING 3RD STAGE	HP AIR COMPRESSOR R-150-BAR(GERMAN Y)	16 / EACH/NUMBER			TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
4	DNM65023	050307	5365121912427 / SPACER RING 3RD STAGE	HP AIR COMPRESSOR R-150-BAR(GERMAN Y)	10 / EACH/NUMBER			TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
5	DNG71996	200100	5330775096155 / GLAND PACKING	S.H PUMP FIRE MAIN PUMP	20 / EACH/NUMBER			TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
6	DNM65214	40224-00	5930US5062126 / SWITCH PRESSURE	MAIN A/C CRISAIR USA TYP.F48E-P	2 / EACH/NUMBER			TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
7	DNG71914	NO DATA AVAILABLE	5920008514737 / FUSE NORMAL BLOW,CERAMIC BODY,2AMP250V,7.1X32MM		100 / EACH/NUMBER			TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
8	DNG70403	NO DATA AVAILABLE	5920008514737 / FUSE NORMAL BLOW,CERAMIC BODY,2AMP250V,7.1X32MM		150 / EACH/NUMBER			TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
9	DNF73586	WP 40-12/0819064000	6140121871815 / BATTERY 12V 36AH/38ah MAINTENANCE FREE RECHARGEABLE SIZE: 197X165X170MM	BRF 4500(627)	1 / EACH/NUMBER	LEOCH Brand LP12-38 /WP 40-12		TECHNICAL SPECIFICATION - SIZE: 197X165X170MM GENERAL SPECIFICATION - SIZE: 197X165X170MM
10	DNF55962	10.371.151.00	6240755093366 / INDICATION LAMP 230VAC	MOD CM80-4FT COOKING RANGE OEM.BARATT A	50 / EACH/NUMBER			TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
11	DNF73703	HDR XR200/XR150	6710765119366 / DIGITAL VIDEO CAMERA SONY	DIGITAL VIDEO CAMERA	1 / EACH/NUMBER	HDR XR200/XR150		TECHNICAL SPECIFICATION - DNSS LTR ST-S/3201/08229 DT 16JUN 06 GENERAL SPECIFICATION - DNSS LTR ST-S/3201/06229 DT 16JUN 06
12	DPC67180	BS 2451, DEFSTA N.80-73/1 OF 1977	8010701004136 / PAINT NON SLIPING PREMIXED (LIGHT GREY) BS2451,DEFSTAN 80-73/1	FINISHING NON SLIP	100 / LITER			TECHNICAL SPECIFICATION - Grit Aggregate Size = 0.5mm to 1.0mm Thickness Level = 2.0mm to 3.0mm GENERAL SPECIFICATION - Grit Aggregate Size = 0.5mm to 1.0mm Thickness Level = 2.0mm to 3.0mm
13	DNF73810	913671EQ	6145795023724 / CABLE TIE NYLON BLACK	TX/RX VRM	100 / PACKET			TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
14	DNF73211	KFAF 55C	6105705044236 / BLOWER EXHAUST 1.5 KW 380-420V 5AMP RPM 2950 50HZ 3PHASE	EXHAUST BLOWER STEERING COMPART	1 / EACH/NUMBER			TECHNICAL SPECIFICATION - 1.5KW 380-420V 5AMP RPM 2950 50HZ 3 PHASE GENERAL SPECIFICATION - 1.5KW 380-420V 5AMP RPM 2950 50HZ 3 PHASE
15	DNF73573	ep-1000/blazer vista 1000	7035705059927 / UPS 1KVA WITH BATTERY BACKUP 10 MINUTES (AS PER APPROVAL)	BVBS-2	6 / EACH/NUMBER	BLAZER VISTA 1000/Aurora		TECHNICAL SPECIFICATION - backup time: 10 minutes Product Name: AURORA Input: 220V AC GENERAL SPECIFICATION - backup time: 10 minutes Product Name: AURORA Input: 220V AC
16	DNF73697	ep-1000/blazer vista 1000	7035705059927 / UPS 1KVA WITH BATTERY BACKUP 10 MINUTES (AS PER APPROVAL)	BVBS-2	1 / EACH/NUMBER	BLAZER VISTA 1000/Aurora		TECHNICAL SPECIFICATION - backup time: 10 minutes Product Name: AURORA Input: 220V AC GENERAL SPECIFICATION - backup time: 10 minutes Product Name: AURORA Input: 220V AC

17	DNF73209	sp 1000/blaz er vista 1000	7035705059927 / UPS 1KVA WITH BATTERY BACKUP 10 MINUTES (AS PER APPROVAL)	BVBS-2	6 / EACH/NUM BER	BLAZER VISTA 1000/Aurora	TECHNICAL SPECIFICATION - backup time: 10 minutes Product Name: AURORA Input: 220V AC GENERAL SPECIFICATION - backup time: 10 minutes Product Name: AURORA Input: 220V AC
18	DNM67917	7167- 973D	4320795120117 / CAM RING OF FUEL INJECTION PUMP (D/G)	FUEL INJECTION PUMP D/G	1 / EACH/NUM BER	8BT 5.9	TECHNICAL SPECIFICATION - Make Cummins (USA) OR DELPHI Model 8BT 5.9 GENERAL SPECIFICATION - Make Cummins (USA) OR DELPHI Model 8BT 5.9
19	DNM65325	280104- 91	5331013262904 / O RING (SEE COMD F8)	ALPHA LEVEL	2 / EACH/NUM BER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
20	SNM66990	0147- 0921	4730015734999 / NOZZLE & HOLDER ASSY (C17 D5, C22 D5, C28 D5)		3 / EACH/NUM BER	C22 D5	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
21	DNF73205	VR12-200	6160705259577 / BATTERY PHOENIX 12 VOLT 200 AH LEAD ACID VALVE REGULATED (MAINTENANCE FREE)		1 / EACH/NUM BER	NA	TECHNICAL SPECIFICATION - LENH 521 + 3MM (20.5INCHES) WIDTH(238+ MM (9.45INCHES)- CONTAINER HEIGHT 217+3 TOTAL HEIGHT 222+ 3(8.81 INCHES) RATED CAPACITY 210AH/10.5A 200AH/120A 150AH /50A 110AH /110A AT 10.8 VOLT 25C GENERAL SPECIFICATION - LENH 521 + 3MM (20.5INCHES) WIDTH(238+ MM (9.45INCHES) CONTAINER HEIGHT 217+3 TOTAL HEIGHT 222+ 3(8.81 INCHES) RATED CAPACITY 210AH/10.5A 200AH/120A 150AH/150A 110AH /110A AT 10.8 VOLT 25C
22	DNM68830	033-7849	2815715301872 / PLUG		2 / EACH/NUM BER	N/A	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
23	DNF66014	WINXP(S P3 ONWARD	5998705277567 / SVAS SECURE 4G DATA (INCLUDES OS) (DEVICE)		6 / EACH/NUM BER	NA	TECHNICAL SPECIFICATION - 4G DATA WINGL GENERAL SPECIFICATION - 4G DATA WINGL
24	DN073581	7620.740 002 6 / FIL 23091	2815FP3030246 / LUBE OIL FILTER CATRIDGE		17 / EACH/NUM BER	T8D620V12	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - SPECIFICATION - null
25	DNF73278	KATANA G666	5998795284742 / LAPTOP; Core i7, 2.4 To 4.6GHZ, 11800H 8 Core, 15.6" FHD, N1920x1080, 512GB NVME SSD, 16GB RAM, DDR4,NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY)		3 / EACH/NUM BER	KATANA G666 11UE-617	TECHNICAL SPECIFICATION - LAPTOP; CORE I7, 2.4 TO 4.6GHZ, 11800H 8 CORE, 15.6" FHD, N1920X1080, 512GB NVME SSD, 16GB RAM, DDR4,NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY) GENERAL SPECIFICATION - LAPTOP; CORE I7, 2.4 TO 4.6GHZ, 11800H 8 CORE, 15.6" FHD, N1920X1080, 512GB NVME SSD, 16GB RAM, DDR4,NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY)
26	DNQ63199	MM308R	4220795300637 / TORCH BATTERY		15 / EACH/NUM BER	N/A	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
27	DNF73702	HA-10SI	5999705246088 / Ir beam (RECEIVER AND TRANSMITTER)		4 / PAIR	HA-10SI	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
28	DNM68860	380-2065	2815715240080 / KIT-PISTON RINGS) (0.5-MM OS)(INCLUDES PISTON RINGS)		1 / EACH/NUM BER	C7.1	TECHNICAL SPECIFICATION - NOT KNOWN GENERAL SPECIFICATION - NOT KNOWN
29	DNM62654	10000- 97157 142348	2815715289160 / WATER PUMP		2 / EACH/NUM BER	PIE 1106A- 70TAG	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
30	SNM62492	2654408	2940705246596 / lubricating oil filter		10 / EACH/NUM BER	3-2500	TECHNICAL SPECIFICATION - MAKE; PERKINS GENERAL SPECIFICATION - MAKE PERKINS
31	SNM65993	456-5193	2940715238339 / line as		1 / EACH/NUM BER	C7-1502-117	TECHNICAL SPECIFICATION - DETAILED ATTACHED IN DOCUMENT GENERAL SPECIFICATION - DETAILED ATTACHED IN DOCUMENT
32	SNM67780	359-7563	5925715269086 / CIRCUIT BREACKER (100 -AMPERE , 4 POLE)		1 / EACH/NUM BER	DE110E2	TECHNICAL SPECIFICATION - CIRCUIT BREAKER (100 -AMPERE , 4 POLE) GENERAL SPECIFICATION - CIRCUIT BREAKER (100 -AMPERE , 4 POLE)
33	DPK66608	RENEP CGLP 68	9150795300772 / fuchs SLIDEWAY OIL CGLP 68		4 / LITER	Prof 550 WQV	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
34	DNM67433	13140644 0	2910785235601 / INJECTOR		3 / EACH/NUM BER	SDG15P'S	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
35	DNM6453	13140644 0	2910785235601 / INJECTOR		3 / EACH/NUM BER	SDG15P'S	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
36	DNM54252	932-030	2940795264316 / OIL FITER		10 / EACH/NUM BER	C110X5	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null

37	DNQ88594	30-2062	4220785289433 / FLARE SET (06 RED HAND FLARE MK8+04 PARA RED ROCKET MK8A +02 LIFE SMOKE MK9) FOR SURVIVAL PACK OF 25 X MEN LIFE RAFT		3 / PACKET	life raft		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
38	DN073593	TACW? SF-W02 / CLH100- 80-13- 01(Z)	4320FP1420002 / IMPELLER		2 / EACH/NUM BER	CLH100-80-13- 01(Z)		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
39	DNM68828	380-4849	2815715301705 / KIT-PISTON (0.5-MM OS)		7 / EACH/NUM BER	N/A		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null
40	DNF48603	MFI 14533 (N)	6140735156862 / 12V -9AH SEALD LEAD ACID MAINTENANCE FREE BATTERY	RADAR	2 / EACH/NUM BER		CSB BATTERY CO LTD. GEMNET B-121 SMCBS BLOCK B KARACHI 74400 UAN 111-111-877	TECHNICAL SPECIFICATION - SOURCE OF AVAILABILITY:GEMNET B-121 SMCBS BLOCK B KARACHI 74400 UAN 111-111-877 SEALED LEAD BATTERY SIZE 3.6"X 6"X 2.5" (H x L x W) OEM. Exide GENERAL SPECIFICATION - SOURCE OF AVAILABILITY:GEMNET B-121 SMCBS BLOCK B KARACHI 74400 UAN 111-111-877 SEALED LEAD BATTERY SIZE 3.6"X 6"X 2.5" (H x L x W) OEM. Exide.
41	DNF64636	ABX- 5010/ P- 0201000	6350785167634 / ALARM SYSTEM INFRARED INTRUSION DETECTORS	PSS	1 / EACH/NUM BER	ZUOSEC-ABX	CETC mansion no 5 Wulutong North Street Xicheng District Beijing	TECHNICAL SPECIFICATION - IT IS USED WITH PSS/VIGIL GENERAL SPECIFICATION - IT IS USED WITH PSS/VIGIL.
42	SNM66994	3908615/ LF3859 (LF03349 00)	2940012808419 / CARTRIGE LUB OIL FILTER ELEMENT D/G LF3349FLEET GUARD	Cummins SSDG (Engine) 6B15.9-GM83 USA	28 / EACH/NUM BER		500 JACKSON ST. COLUMBUSCO NTACT NO 812-377-3920FAX	TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
43	DNF73791	FE-01-C	6665015587743 / SENSING ELEMENT (1 Box contains 10 small boxes)	FIDO EXPLOSIVE DETECTOR PORTABLE	4 / BOX		fidu.sense@fir.com 405-372-9535 (USA)	TECHNICAL SPECIFICATION - OEM: NOMADICS INC. DBA ICX NOMADICS 1024 S INNOVATION WAY STILLWATER OK UNITED STATES 74074-1508 405-372-9535 405-372-9537 DUNS 879735579 MINH.BINGHAM@ICXT.COM HTTP://WWW.NOMADICS.COM/ GENERAL SPECIFICATION - OEM: NOMADICS INC. DBA ICX NOMADICS 1024 S INNOVATION WAY STILLWATER OK UNITED STATES 74074-1508 405-372-9535 405-372-9537 DUNS 879735579 MINH.BINGHAM@ICXT.COM HTTP://WWW.NOMADICS.COM/
44	DNQ65962		4730995332968 / CLAMP HOSE ZINC PLATED W12.8MM I/D 55MMX70MM SZ 70MM 68/226	E16 MACHINERY SPACE DAMAGE CONTROL TOOLB	22 / EACH/NUM BER		AD VALVO PENTA SWEDEN SE 405 08 GOTHENBURG SWEDEN	TECHNICAL SPECIFICATION - ZINC PLATED W12.8MM I/D 55MMX70MM SZ 70MM 68/226 GENERAL SPECIFICATION - ZINC PLATED W12.8MM I/D 55MMX70MM SZ 70MM 68/226
45	DNQ68965	266958	4120725140634 / DIVIDIND BREACHING WITH BALL VALVE BS 2-1/2" M -2X2 1/2" M FEMALE 3.80 KG	F F VEHICLES/ TRAILER PUMP	3 / EACH/NUM BER	NO DATA AVAILABLE	GR	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
46	DNZ73200	3930942	2910997647800 / FILTER,FLUID	MAIN DG	10 / EACH/NUM BER	BETA	Cummins, Engine Co. Ltd	TECHNICAL SPECIFICATION - Buy from Cummins Filtration GENERAL SPECIFICATION - Buy from Cummins Filtration
47	DNF73587	RP200- 12/ 93290064 C	9999735179016 / BATTERY 12V 200AH H(MAINTENCE FREE)	Diesel Generator cummins	3 / EACH/NUM BER	RP200-12	ROCKT PREMIUM BATTERY.KOR EA WWW.gbatt	TECHNICAL SPECIFICATION - ROCKT PREMIUM BATTERY.KOREA.WWWW.gbattery.com GENERAL SPECIFICATION - ROCKT PREMIUM BATTERY.KOREA.WWWW.gbattery.com
48	DNF71858	MF-D20- 5070R / MF-D20- 300W	4440735139692 / DEHUMIDIFIER 220/240V 300W	DEHUMIDIFIE R	1 / EACH/NUM BER	MF-D20-50 CROWN	OC	TECHNICAL SPECIFICATION - 44KG,230V/50HZ GENERAL SPECIFICATION - 44KG,230V/50HZ
49	DNF73661	sr5kxii	6130785141278 / APC SMART UPS 5KVA	ILS SYSTEM	1 / EACH/NUM BER	NO DATA AVAILABLE	US	TECHNICAL SPECIFICATION - OEM ADD-APC CO.LTD,USA. backup 20-30Min with Full Load GENERAL SPECIFICATION - OEM ADD-APC CO.LTD,USA. backup 20-30Min with Full Load
50	DNF71801	56462	6140715211163 / BATTERY, J305 GH, 315AH, 6v	SELF PROPELLED ARTICULATIN G BOOM	4 / EACH/NUM BER	ZX-135/70	GENIE UNITED STATE 18340 NE. 76TH STREET	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
51	DNF73061	B-065095 (8130)	4470705183291 / UPS 3 KVA EATON POWER WARE	AROS 73 RADAR	1 / EACH/NUM BER	1995	EATON POWER WARE WWW.AMAZO N.COM	TECHNICAL SPECIFICATION - UPS 3KVA EATON POWER WARE 9130 BACK UP TIME: 20 minutes GENERAL SPECIFICATION - UPS 3KVA EATON POWER WARE 9130 BACK UP TIME: 20 minutes

52	SNM67811	LW 260 0087	3120725156324 / SMALL END BEARING	HP AIR COMPRESSOR	3 / EACH/NUMBER		IM TAUBENFANG 4 D-62653 LORCH/GERMANY TEL: +49 6251/54850 FAX: +49 6251/54805 Email: info@lenhardt-wagner.de	TECHNICAL SPECIFICATION - SOURCE OF AVAILABILITY: LENHARDT & WAGNER GmbH IM TAUBENFANG 4 D-62653 LORCH/GERMANY. TEL: +49 6251/54850 FAX: +49 6251/54805 Email: info@lenhardt-wagner.de
53	DNQ70836	484746 ABN.	4730014355106 / REPAIR KIT, PIPE, EMERGENCY DAMAGE CONTROL	EMERGENCY CONTROL PIPE REPAIR KIT.	1 / KIT		OEM: STOP IT PIPE REPAIR SYSTEM 3355 WEST ALABAMA ST STE 110 HOUSTON TX UNITED STATES 77068-1799 713-977-4100 713-977-4174 DUNS 161788682 DON@INDUMAR.COM HTTP://WWW.STOPIT.COM	TECHNICAL SPECIFICATION - OEM: INDUMAR PRODUCTS INC DBA STOP IT PIPE REPAIR SYSTEM 3355 WEST ALABAMA ST STE 110 HOUSTON TX UNITED STATES 77068-1799 713-977-4100 713-977-4174 DUNS 161788682 DON@INDUMAR.COM HTTP://WWW.STOPIT.COM
54	SNM61053	MISM GRFY 035F20D4 3	4820725177126 / MEGNIT SOLENOID	AGG HYDRO PP	1 / EACH/NUMBER	SRP-1010FP	SCHOTTEL GmbH & Co KG D-56322 SPAYRHEIN GERMANY	TECHNICAL SPECIFICATION - oem: volvo penta schottel gmbh germany AMG NIT SOLENOID OPERATING VALVE 24VDC SUPPLY
55	DNS70534	00317009	5640FT1019337 / Thermal Protection Aid (TPA)	Emergency Pack - 1	48 / EACH/NUMBER	583210B.0006	KINGSWAY DUNMURRY BELFAST	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
56	DNM62736	3588745	3426171227297 / ANODE KIT ZINC ANODE	Volvo Penta Main Engine D8 370 AB (CNS BARGE)	1 / EACH/NUMBER	D-6835	AB VOLVO PENTA, GOTEBORG SWEDEN	TECHNICAL SPECIFICATION - REQUIRED FOR VOLVO MAIN ENGINE D-6887
57	DNM67022	116-6680	6625715228823 / SENSOR AS-SPEED (ENGINE)	50KVA ALLIED CAT DG 400 VOLTS 3 PHASE 50 HZ	1 / EACH/NUMBER	N/A	CATERPILLAR INC MANAGER CUSTOMER SERVICE ENGINE DIVISION	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
58	DNM67021	349-9594	6120715228779 / TRANSFORMER-CURRENT (RATIO 100:5)	50KVA ALLIED CAT DG 400 VOLTS 3 PHASE 50 HZ	3 / EACH/NUMBER	N/A	CATERPILLAR INC MANAGER CUSTOMER SERVICE ENGINE DIVISION	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
59	DNM67020	439-5149	5920715228777 / FUSE (12-VOLT)	50KVA ALLIED CAT DG 400 VOLTS 3 PHASE 50 HZ	3 / EACH/NUMBER	N/A	CATERPILLAR INC MANAGER CUSTOMER SERVICE ENGINE DIVISION	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
60	DNM67019	143-5090	5945715228742 / DIODE AS	50KVA ALLIED CAT DG 400 VOLTS 3 PHASE 50 HZ	1 / EACH/NUMBER	N/A	CATERPILLAR INC MANAGER CUSTOMER SERVICE ENGINE DIVISION	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
61	DNM67018	448-5168	5945715228720 / RELAY (12-VOLT)	50KVA ALLIED CAT DG 400 VOLTS 3 PHASE 50 HZ	1 / EACH/NUMBER	N/A	CATERPILLAR INC MANAGER CUSTOMER SERVICE ENGINE DIVISION MOSSVILLE BLDG AC P.O. BOX 610 MOSSVILLE, ILLINOIS 61552-0610 COUNTRY USA	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
62	SNM64525	0100119	5366143906643 / CYLINDER 2ND STAGE	HPAC	1 / EACH/NUMBER	HAB25	GARDNER DENVER LTD CLAYBROOK	TECHNICAL SPECIFICATION - CYLINDER 2ND STAGE OF HPAC GENERAL SPECIFICATION - CYLINDER 2ND STAGE OF HPAC
63	DPC67062	3315459	6850013871529 / SUPPLEMENTAL COOLANT ADDITIVES (DCA 4 coolant) OEM MS FLEETGUARD)	DIG	1586 / LITER		FLEETGUARD INC A CUMMINS CO 2931 ELM HILL PIKE	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
64	SNM64531	98650.11 84.97	4820955913685 / 3RD STAGE SAFETY VALVE	HPAC	1 / EACH/NUMBER	HAB25	GARDNER DENVER LTD CLAYBROOK DRIVE	TECHNICAL SPECIFICATION - 3RD STAGE SAFETY VALVE OF HPAC GENERAL SPECIFICATION - 3RD STAGE SAFETY VALVE OF HPAC
65	DNM65452	877072/ 861700	5330270363984 / VALVE STEM SEAT KIT	VOLVO ENGINE GRP BOAT	8 / EACH/NUMBER	NO DATA AVAILABLE	27	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
66	DNM65147	889970	3120270372601 / SLEEVE	VOLVO ENGINE GRP BOAT	22 / EACH/NUMBER	NO DATA AVAILABLE	27	TECHNICAL SPECIFICATION -

67	DNF73655	SRV6KI	6130715194943 / 06 KVA ON LINE UPS	SMART UPS ON-LINE5	1 / EACH/NUMBER	Smart UPS On-Line SRC 230 V	Schneider Electric Industries SAS USA www.schneider-electric.com 999-1269702_US + 971 4 7099333 USA	TECHNICAL SPECIFICATION - Power Rating : 06KVA/3500 W Nominal Output Voltage : 220 Vac single-phase UPS Nominal Input Voltage : 220/230 Vac single-phase UPS Input Frequency Range : 40 ? 70 Hz Output Frequency : 50/60 Hz Topology : Double-conversion Online Backup time : MINIMUM OF 05 MINUTES AND MAXIMUM FOR 15 MINUTES GENERAL SPECIFICATION - Power Rating : 06KVA/3500 W Nominal Output Voltage : 220 Vac single-phase UPS Nominal Input Voltage : 220/230 Vac single-phase UPS Input Frequency Range : 40 ? 70 Hz Output Frequency : 50/60 Hz Topology : Double-conversion Online Backup time : MINIMUM OF 05 MINUTES AND MAXIMUM FOR 15 MINUTES.
68	DNF73508	SRV6KI	6130715194943 / 06 KVA ON LINE UPS	SMART UPS ON-LINE5	1 / EACH/NUMBER	Smart UPS On-Line SRC 230 V	Schneider Electric Industries SAS USA www.schneider-electric.com 999-1269702_US + 971 4 7099333 USA	TECHNICAL SPECIFICATION - Power Rating : 06KVA/3500 W Nominal Output Voltage : 220 Vac single-phase UPS Nominal Input Voltage : 220/230 Vac single-phase UPS Input Frequency Range : 40 ? 70 Hz Output Frequency : 50/60 Hz Topology : Double-conversion Online Backup time : MINIMUM OF 05 MINUTES AND MAXIMUM FOR 15 MINUTES GENERAL SPECIFICATION - Power Rating : 06KVA/3500 W Nominal Output Voltage : 220 Vac single-phase UPS Nominal Input Voltage : 220/230 Vac single-phase UPS Input Frequency Range : 40 ? 70 Hz Output Frequency : 50/60 Hz Topology : Double-conversion Online Backup time : MINIMUM OF 05 MINUTES AND MAXIMUM FOR 15 MINUTES.
69	DPC67063	CON-EDDC-1PP1-P30	8010705204660 / EZIKLEAN DE-GREASER, CARBON AND SURFACE CLEANER CO	KACRHER MACHINE	25 / LITER	1PP1	HEAD OFFICE: NURISTAA @ BUILDING NO 85, BLOCK DD CCA, PHASE 4, DHA LAHORE. PH: +92 322-388-888-2 www.nuristaa.com E-mail: sales@nuristaa.com	TECHNICAL SPECIFICATION - ITEM REQUIRED FOR all metal surfaces (ferrous and no ferrous) stainless steel surface brass and chrome surface, glass surface, marble ceramic, porcelain, plastic and wooden floor, kitchen equipment, plastic, rubber and leather surface GENERAL SPECIFICATION - ITEM REQUIRED FOR all metal surfaces (ferrous and no ferrous) stainless steel surface brass and chrome surface, glass surface, marble ceramic, porcelain, plastic and wooden floor, kitchen equipment, plastic, rubber and leather surface
70	DNF57126	MD3003B 1 / BS-HH 07	6665705208217 / HAND HELD METAL DETECTOR	METAL DETECTOR DESTO PAK	2 / EACH/NUMBER	MD3003B 1/BS-HH-07	DESTO (HQ) CHAKRAL A cant, Rawalpindi 46200, Pakistan	TECHNICAL SPECIFICATION - a Operating Frequency : 25/27/93 KHz b Length c Weight d Tuning e Battery f Maximum Detection Depth at 70 KHz Paper Pin: 2-3 cm Razor Blade/Knife: 9-15 cm Pistol: 15-18 cm g Normal Operation duration: 12 hrs GENERAL SPECIFICATION - a Operating Frequency : 25/27/93 KHz b Length c Weight d Tuning e Battery f Maximum Detection Depth at 70 KHz Paper Pin: 2-3 cm Razor Blade/Knife: 9-15 cm Pistol: 15-18 cm g Normal Operation duration: 12 hrs
71	SNM67775	243-4304	2815795229925 / PUMP AS - ENGINE OIL	33KVA CATERPILLER DG DEO33EO UK	1 / EACH/NUMBER	DEO33EO	CATERPILLER SARI C/O EAME Power System	TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOR SET GENERAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOR SET
72	DNF73087	9116 COAX-CATV CABLE	5995715148031 / COAX-CATV CABLE	DVBS 2 HUB	150 / METER	NO DATA AVAILABLE	US	TECHNICAL SPECIFICATION - Use with DVBS KU Band for transmission & reception 50-70 DBM GENERAL SPECIFICATION - Use with DVBS KU Band for transmission & reception 50-70 DBM
73	SNM67787	282-9015/291 8885	2815795229554 / KIT ENGINE GASKET (TOP)	33KVA CATERPILLER DG DEO33EO UK	1 / EACH/NUMBER	DEO33EO	CATERPILLER SARI C/O EAME Power System	TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOR SET GENERAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOR SET
74	DNF64700	5842NL-PE6PT	6605785168381 / 6 POWER POINTS EXTENSION BOARD	6 POWER POINTS EXTENSION BOARD	1 / EACH/NUMBER		PAK MAC 55A ST E 48 F-B/4 ISLAMABAD PH 2850772-78	TECHNICAL SPECIFICATION - PAK MAC 55A ST E 48 F-B/4 ISLAMABAD PH 2850772-78 GENERAL SPECIFICATION - PAK MAC 55A ST E 48 F-B/4 ISLAMABAD PH 2850772-78
75	DNQ63438	PHY32.C	4630705212408 / RUBBER DIAPHRAGM FOR FIXED 700 L BOTTLE	AFFF FOAM BOTTLE	2 / EACH/NUMBER	RUBBER DIAPHRAGM FOR PHY32.C	ZHENDAN FIRE EQUIPMENT WORKS	TECHNICAL SPECIFICATION - SIZE 1080X1125X2150 MM GENERAL SPECIFICATION - SIZE 1080X1125X2150 MM
76	DNV73658	2080/G 1/2080/g	5998755231829 / MOTHER BOARD PCB SMART LOOP 2L	FIRE ALARM 2080/G-1 ITALY	1 / EACH/NUMBER	2080/G-1	INZM ELECTRONICS 9001-2008 REGD. COMPANY VIA FOSSO	TECHNICAL SPECIFICATION - INPUT: 220V/ 110VAC & 24VDC GENERAL SPECIFICATION - INPUT: 220V/ 110VAC & 24VDC

77	DNF55806	SWTG DS 6.3	6350705220323 / SMART WALK THROUGH GATE	SWTG	1 / EACH/NUM BER	DS-6.3	DEFENCE SCIENCE AND TECHNOLOGY ORGANIZATION CHAKLALA CANTT RAWALPINDI	TECHNICAL SPECIFICATION - DIMENSIONS HEIGHT 2210MM WIDTH 810MM DEPTH 605MM OPERATING VOLTAGE AC 200-230V/DC 12V POWER CONSUMPTION 35 WATT WORK ENVIRONMENT -5c- 50c NO OF ZONES 06 DISPLAY TYPE LCD RECHARGEABLE BATTERY 12 MONTHS LIFE GENERAL SPECIFICATION - DIMENSIONS HEIGHT 2210MM WIDTH 810MM DEPTH 605MM OPERATING VOLTAGE AC 200-230V/DC 12V POWER CONSUMPTION 35 WATT WORK ENVIRONMENT -5c- 50c NO OF ZONES 06 DISPLAY TYPE LCD RECHARGEABLE BATTERY 12 MONTHS LIFE
78	DNS69022	03101-25	5305716188704 / SERRATED TERMINAL SHAFT	WOODWARD MAIN ENGINE GOVERNOR 3181 USA	2 / EACH/NUM BER	TYPE 3181 PNO 8540852	WOODWARD PO Box 1518 Fort Collins CO 80522-1519	TECHNICAL SPECIFICATION - TP1 GENERAL SPECIFICATION - TP1
79	DNF70573	LICP-4- 17	6135705207658 / LITHIUM ION CELL	G-3 SIMULATOR 2017 PAK	2 / EACH/NUM BER	2017	M/S SOFT INNOVATIVE SYSTEMS 34- A/2, 1ST FLOOR LUXURY HOTEL LALA ZAR OFF, M T KHAN ROAD KARACHI +922138561027	TECHNICAL SPECIFICATION - OPERATING VOLTAGE 3.7V VDC +/-15% RATED CURRENT 2AH +/-10% MICROCONTROLLER PIC12F675 RELAY DPDT BUTTON ON/OFF BUTTON INDICATION LED POWER PCB FR4, SINGLE LAYER MODEL NUMBER VERSION 3.0-201 GENERAL SPECIFICATION - OPERATING VOLTAGE 3.7V VDC +/-15% RATED CURRENT 2AH +/- 10% MICROCONTROLLER PIC12F675 RELAY DPDT BUTTON ON/OFF BUTTON INDICATION LED POWER PCB FR4, SINGLE LAYER MODEL NUMBER VERSION 3.0-201
80	DNM67957	NC1- 121(110V)	6110785211676 / MAGNETIC CONTACTOR	MOBILE AC PLANT	2 / EACH/NUM BER	NC1-121(110V)	COOL POINT	TECHNICAL SPECIFICATION - BACOLYTE/PLASTIC GENERAL SPECIFICATION - BACOLYTE/PLASTIC
81	DNF65118	NR AL 01070759	5925755141899 / CIRCUIT BREAKER 250 AMPS 3PHASE	180 KVA PERKIN DG	1 / EACH/NUM	n/c250-smx/smx mitsubishi	IT	TECHNICAL SPECIFICATION - Voltage: 450 AC Ampere : 250 Frequency: 50-60 HZ Height 27.8 cm (270
82	DNF73791	FE-01-C	6665015587743 / SENSING ELEMENT (1 Box contains 10 small boxes)	FIDO EXPLOSIVE DETECTOR PORTABLE	4 / BOX		OEM: NOMADICS INC. DBA ICX NOMADICS 1024 S INNOVATION WAY STILLWATER OK UNITED STATES 74074-1508	TECHNICAL SPECIFICATION - OEM: NOMADICS INC. DBA ICX NOMADICS 1024 S INNOVATION WAY STILLWATER OK UNITED STATES 74074-1508 405- 372-9535 405-372-9537 DUNS 879735579 MINH.BINGHAM@ICXT.COM HTTP://WWW.NOMADICS.COM GENERAL SPECIFICATION - OEM: NOMADICS INC. DBA ICX NOMADICS 1024 S INNOVATION WAY STILLWATER OK UNITED STATES 74074-1508 405-372-9535 405- 372-9537 DUNS 879735579 MINH.BINGHAM@ICXT.COM HTTP://WWW.NOMADICS.COM
83	DNM57290	20101M- DR	2910013538540 / 10 MICRON ELEMENT W/SEALS	DIESEL GENERATOR QSB7DM	3 / EACH/NUM BER	500FG	PARKER HANNIFIN CORPORATION	TECHNICAL SPECIFICATION - 10 micron Element w/Seals FOR DIESEL GENERATOR CUMMINS QSB7DM 6 CYL GENERAL SPECIFICATION - 10 micron Element w/Seals FOR DIESEL GENERATOR CUMMINS QSB7DM 6 CYL
84	DNF73585	N1537	6110705155260 / ENERGY SAVER 220V-240V ,11W.(screw type)	SELF-FOR DISTRIBUTION SYS.	200 / EACH/NUM BER		SOURCE OF AVAILABILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPLCS:220 240V 11W. OEM: Pierite OEM Email: www.Pierite.com Country of Origin: China. 2. Philips Pakistan Address: K-2/1,11 Main Ch Khaleeq Uz Zaman Road Gizi Karachi GENERAL SPECIFICATION - SOURCE OF AVAILABILITY: PHILIPS CO LTD,ROSHAN ELECTRIC STORE JUPLTER MARKET SERAI ROAD DENSO HALL KARACHI. PRICE:RS140 PKR. REQ:1000. FOR GENERAL LIGHTING. SPECS:220-240V 11W. OEM: Pierite OEM Email: www.Pierite.com Country of Origin: China. 2. Philips Pakistan Address: K-2/1,11 Main Ch Khaleeq Uz Zaman Road Gizi Karachi	
85	DNM66798	450- 8608/503 4411	2520150035112 / EMCP 4.2 (Engne Control Panel)	CATERPILLAR GENSET D3512B (Y881) USA	1 / EACH/NUM BER	NA	CATERPILLAR INC 100 N.E. ADAMS STREET, DEARBORN	TECHNICAL SPECIFICATION - 0 GENERAL SPECIFICATION - 0
86	DNM69563	1284J009 70	1325794600056 / DIAPHRAGM PART/NO-1284J00970		10 / EACH/NUM BER			TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
87	DNH65740	NO DATA AVAILAB LE	1308500530116 / AIR CONDITIONER 1.5 TON WINDOW TYPE		1 / EACH/NUM BER			TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE

80	DNF58388	JPN 8840	0583799427885 / TORCH-HAND-ELECT		2 / EACH/NUMBER	SOGO HUNTER	TECHNICAL SPECIFICATION - INPUT 220-240V 50/60Hz RANGE: 1000M BATTERY: 6V 4Ah OUTPUT: 15W Rechargeable time: 20-24Hrs Dimension: 190x122x127mm GENERAL SPECIFICATION - INPUT 220-240V 50/60Hz RANGE: 1000M BATTERY: 6V 4Ah OUTPUT: 15W Rechargeable time: 20-24Hrs Dimension: 190x122x127mm.
89	DNF58231	JPN 8840	0583799427885 / TORCH-HAND-ELECT		12 / EACH/NUMBER	SOGO HUNTER	TECHNICAL SPECIFICATION - INPUT 220-240V 50/60Hz RANGE: 1000M BATTERY: 6V 4Ah OUTPUT: 15W Rechargeable time: 20-24Hrs Dimension: 190x122x127mm GENERAL SPECIFICATION - INPUT 220-240V 50/60Hz RANGE: 1000M BATTERY: 6V 4Ah OUTPUT: 15W Rechargeable time: 20-24Hrs Dimension: 190x122x127mm.
90	DNM55891	98154.10 34	2930795097481 / RADIATOR ASSY FOR MOBILE HP AIR COMPRESSOR	HP COMPRESSOR R 6436 HAC OEM:COMP AIR LTD	1 / EACH/NUMBER		TECHNICAL SPECIFICATION - 1) Make/ brand: Comp Air 4k Ltd (2) Model: H-5436-2 (3) Height: 42 inches (4) Width: 36 inches (5) No of tube rows in width: 05 (6) No of tubes in columns: 80 (7) Total tubes: 400 GENERAL SPECIFICATION - 1) Make/ brand: Comp Air 4k Ltd (2) Model: H-5436-2 (3) Height: 42 inches (4) Width: 36 inches (5) No of tube rows in width: 05 (6) No of tubes in columns: 80 (7) Total tubes: 400
91	DNJ73710	AED11020 10B	2930765075941 / MECHANICAL SEAL 0305 FOR COOLING WATER PUMP	COOLING WATER PUMP (6DSM 22)	3 / EACH/NUMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
92	DNJ73774	AED11020 10B	2930765075941 / MECHANICAL SEAL 0305 FOR COOLING WATER PUMP	COOLING WATER PUMP (6DSM 22)	1 / EACH/NUMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
93	DNM28876	4W078E/1 05-2508	2915012025893 / PUMP (PRIMARY FUEL PUMP/HAND PUMP)	3306,FUEL SYS,CATTERPILLAR DIG USA	1 / EACH/NUMBER	3306 & 3304B	TECHNICAL SPECIFICATION - (a) NSN NO : 2915-01-202-5893 (b) SHIP : AUX MELZAN (c) ENGINE S NO : 18668 (d) MAKE/ MODEL : CAT (USA)/ 3304 PC (e) PARENT EQUIPMENT : CATERPILLAR 3304 PC GENERAL SPECIFICATION - (a) NSN NO : 2915-01-202-5893 (b) SHIP : AUX MELZAN (c) ENGINE S NO : 18668 (d) MAKE/ MODEL : CAT (USA)/ 3304 PC (e) PARENT EQUIPMENT : CATERPILLAR 3304 PC
94	SNM66027	2654407	2940010803861 / OIL FILTER	PERKIN DVE 606Y6-102 OEM:ADAMJE E D'ENGG	2 / EACH/NUMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
95	DNA63341	SN 02-06	2815735089199 / FERRULE SIZE 3/8"	MACHINERY ON TYPE-21 & MCMYS	40 / EACH/NUMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
96	DNA63338	SN 02-04	2815735089197 / FERRULE SIZE 1/4"	MACHINERY ON TYPE-21 & MCMYS	20 / EACH/NUMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
97	SNM66015	HL020030	4310725055425 / DISTANCE RING (STEEL) SIZE:LG15.2MM TH8MM WDS.5MM	HATALPA ELECTRICAL AIR COMPRESSOR	6 / EACH/NUMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
98	SNM64518	98262.10 60	4310998073691 / SUCTION FILTER ELEMENT	HP AIRCOMPRESSOR COMPAIR UK	1 / EACH/NUMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
99	DNM67960	3037	4310251209582 / VALVE HP	AIR COMP HL 2/90 OEM:SPERRE INDUSTRI A/S	1 / EACH/NUMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
100	DNM67434	3160401	4130715087536 / RESERVOIR (SUCTION ACCUMULATOR)	AC COND. UNIT CRUISAIR WFAH48E OEM:TAYLER	2 / EACH/NUMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
101	DNM67934	FR200	4940012017680 / SCALLING AND CHIPPING MACHINE(HEAVY DUTY),440V 60HZ 3PHASE	FLOOR SCALLING&CHIPPING MACHINE TR200	2 / EACH/NUMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
102	DNM65213	3081012	4720715097533 / SUCTION (BASE) VALVE	AC COND UNIT CRUISAIR WFAH48E OEM:TAYLER	1 / EACH/NUMBER	3081012	TECHNICAL SPECIFICATION - Make/ OEM: U.S.A. CRUISAIR GENERAL SPECIFICATION - Make/ OEM: U.S.A. CRUISAIR
103	DNQ66744	00779	4730995332961 / CLAMP	LUB OIL PURIFIER OR-M ALFA LAVAL ENGG.UK	43 / EACH/NUMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE
			HOSE WORM DRIVE TY STEEL ZINC PLATED W13MM BAND 65/226	OR-M ALFA LAVAL ENGG.UK	UMBER		TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE

104	DNM56181	945408/9 90040	5310270240601 / FLANGE NUT	CNS BARGE	67 / EACH/NUM BER	VOLVO PENTA	AB VOLVO PENTA CROPE,CARDS	TECHNICAL SPECIFICATION - NO DATA AVAILABILITY GENERAL SPECIFICATION - NO DATA AVAILABLE
105	DNF55299	DIN41494	5995795141292 / 9 U WALL MOUNTED NETWORK RACK WITH 19 INCHES 600MMX60MM FRONT GLASS DOOR,18SWG,2 FANS	ILS SYSTEM	2 / EACH/NUM BER	D-Link (Pakistan)	UK	TECHNICAL SPECIFICATION - OEM/SOURCE OF AVAILABILITY:CLIPSAI,UK GENERAL SPECIFICATION - OEM/SOURCE OF AVAILABILITY:CLIPSAI,UK.
106	SNM68156	277-3013	5330015678826 / SEAL,PLAIN ENCASED	CAT GENERATOR CAT7.1 USA	10 / UNIT	CAT7.1	CATERPILLAR INC IDRA CATERPILLAR DIV	TECHNICAL SPECIFICATION - ITEM REQUIRED FOR MAINTENANCE OF CATERPILLAR DCGENERAL SPECIFICATION - ITEM REQUIRED FOR MAINTENANCE OF CATERPILLAR DCG
107	SNM68643	FF900300 D	2910715170013 / FUEL FILTER	DIESEL ENGINE CUMMINS (GRIP CREEK CRAFT)	20 / EACH/NUM BER	QSB 9-305 MCD	OEM/M/S CUMMINS INC. 500 JACKSON ST COLUMBUS STE. IN UNITED STATES 47201- 6258 TEL: 812- 377-3920 FAX: 812-377-1715 EMA: STEVE.A.HEWITT@CUMMINS .COM	TECHNICAL SPECIFICATION - OEM/M/S CUMMINS INC. 500 JACKSON ST COLUMBUS STE. IN UNITED STATES 47201-6258 TEL: 812-377-3920 FAX: 812-377- 1715 EMA: STEVE.A.HEWITT@CUMMINS.COM GENERAL SPECIFICATION - OEM/M/S CUMMINS INC. 500 JACKSON ST COLUMBUS STE. IN UNITED STATES 47201-6258 TEL: 812-377-3920 FAX: 812-377- 1715 EMA: STEVE.A.HEWITT@CUMMINS.COM
108	DNM51331	3088505/ 22171036	2920332067808 / BELT TENSIONER (COMPRESSOR)	COMPRESSOR	2 / EACH/NUM BER		AB VALVO PENTA DE 405 08 GOTHENBURG	TECHNICAL SPECIFICATION - make & Of M. volvo penta GENERAL SPECIFICATION - make & Of M. volvo penta
109	DNM70191	3588745	3426171227297 / ANODE KIT ZINC ANODE	Volvo Penta Main Engine D6- 370 AB (CNS BARGE)	1 / EACH/NUM BER	D-6835	AB VOLVO PENTA, GOTEBORG, SWEDEN	TECHNICAL SPECIFICATION - REQUIRED FOR VOLVO MAIN ENGINE D-6887GENERAL SPECIFICATION - REQUIRED FOR VOLVO MAIN ENGINE D-6887.
110	SNM67786	116-8680	6625715228823 / SENSOR AS- SPEED (ENGINE)	50KVA ALLIED CAT DG 400 VOLTS 3 PHASE 50 HZ	1 / EACH/NUM BER	N/A	CATERPILLAR INC MANAGER .CUSTOMER SERVICE,ENGI NE DIVISION	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
111	DNM71024	116-8680	6625715228823 / SENSOR AS- SPEED (ENGINE)	50KVA ALLIED CAT DG 400 VOLTS 3 PHASE 50 HZ	1 / EACH/NUM BER	N/A	CATERPILLAR INC MANAGER .CUSTOMER SERVICE,ENGI NE DIVISION	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
112	DNM67014	395-1838	6625715228824 / SENSOR (ENGINE TEMPERATURE)	50KVA ALLIED CAT DG 400 VOLTS 3 PHASE 50 HZ	1 / EACH/NUM BER	N/A	CATERPILLAR INC MANAGER .CUSTOMER SERVICE,ENGI NE DIVISION	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
113	SNM67782	349-8594	6120715228779 / TRANSFORMER-CURRENT (RATIO 100:5)	50KVA ALLIED CAT DG 400 VOLTS 3 PHASE 50 HZ	3 / EACH/NUM BER	N/A	CATERPILLAR INC MANAGER .CUSTOMER SERVICE,ENGI NE DIVISION	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
114	SNM67773	438-5149	5920715228777 / FUSE (12- VOLT)	50KVA ALLIED CAT DG 400 VOLTS 3 PHASE 50 HZ	3 / EACH/NUM BER	N/A	CATERPILLAR INC MANAGER .CUSTOMER SERVICE,ENGI NE DIVISION	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
115	SNM67778	143-5080	5945715228742 / DIODE AS	50KVA ALLIED CAT DG 400 VOLTS 3 PHASE 50 HZ	1 / EACH/NUM BER	N/A	CATERPILLAR INC MANAGER .CUSTOMER SERVICE,ENGI NE DIVISION	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
116	SNM67779	448-5168	5945715228720 / RELAY (12- VOLT)	50KVA ALLIED CAT DG 400 VOLTS 3 PHASE 50 HZ	1 / EACH/NUM BER	N/A	CATERPILLAR INC MANAGER .CUSTOMER SERVICE,ENGI NE DIVISION	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
117	SNF51847	ACM400K FL-YBS- 02	5999755207322 / DISPLAY PCB	FIRE ALARM 2080/G ITALY	2 / EACH/NUM BER	2080/G	INIM ELECTRONICS ITALY	TECHNICAL SPECIFICATION - INPUT 115V/24 VOLT OEM, M/S INIM ELECTRONICS ITALYGENERAL SPECIFICATION - INPUT 115V/24 VOLT OEM, M/S INIM ELECTRONICS ITALY
118	DNF68091	HTDZ H1- 2000A/YX 1620	5996715143719 / MIXER(PRE AMPLIFIER FOR MIC)	CONNING INTERCOM SYSTEM	2 / EACH/NUM BER	NO DATA AVAILABLE	US	TECHNICAL SPECIFICATION - M/S:KYAF CORPORATION,24 NATIONAL T.V.MARKET SOHRAB KHATRAK ROAD SADDAR KARACHI,TEL:0092-21- 9685654&5680739 12 Parts of MikeGENERAL SPECIFICATION - M/S:KYAF CORPORATION,24 NATIONAL T.V.MARKET SOHRAB KHATRAK ROAD SADDAR KARACHI, TEL:0092-21-5685654&5680739 12 Parts of Mike

118	SNM68644	1550810	5330145634017 / SEAL LINER	MAIN ENGINE	12 / EACH/NUMBER	C-18 ACERT	CATERPILLAR USA	TECHNICAL SPECIFICATION - CATERPILLAR PDPNMIT LETTER NO PNMT/400/1201 DT 11 DEC 12 DAMEN SHIPYARDS P O BOX 1 4200 A A CORINCHEM HOLLAND TEL: 31 (0) 183-639911 31 (0) 183-632189 GENERAL SPECIFICATION - CATERPILLAR PDPNMIT LETTER NO PNMT/400/1201 DT 11 DEC 12 DAMEN SHIPYARDS P O BOX 1 4200 A A CORINCHEM HOLLAND TEL: 31 (0) 183-639911 31 (0) 183-632189
120	SNM64554	C20341050	2815795225755 / PLUNGER LINER ASSEMBLY	HPAC HAB25 UK	1 / EACH/NUMBER	HAB25	GARDNER DENVER LTD CLAYBROOK DRIVE REDDITCH WORCESTERS HIRE B98 DS UK TELEPHONE # 0044 (0) 1527838200 FAX # 0044 (0) 1527838438 E MAIL: highpressure@gardnerdenver.com	TECHNICAL SPECIFICATION - PLUNGER LINER ASSEMBLY OF HPAC GENERAL SPECIFICATION - PLUNGER LINER ASSEMBLY OF HPAC
121	SNM64550	C200859	4310795225779 / OIL PUMP CANE	HPAC HAB25 UK	1 / EACH/NUMBER	HAB25	GARDNER DENVER LTD CLAYBROOK DRIVE REDDITCH WORCESTERS HIRE B98 DS UK TELEPHONE # 0044 (0) 1527838200 FAX # 0044 (0) 1527838438 E MAIL: highpressure@gardnerdenver.com	TECHNICAL SPECIFICATION - OIL PUMP CANE OF HPAC GENERAL SPECIFICATION - OIL PUMP CANE OF HPAC
122	SNM64549	D10148550	4310145471818 / CONNECTING ROD ASSEMBLY	HPAC	3 / ASSEMBLY	HAB25	GARDNER DENVER LTD CLAYBROOK DRIVE REDDITCH WORCESTERS HIRE B98 DS UK TELEPHONE # 0044 (0) 1527838200 FAX # 0044 (0) 1527838438 E MAIL: highpressure@gardnerdenver.com	TECHNICAL SPECIFICATION - CONNECTING ROD ASSEMBLY OF HPAC GENERAL SPECIFICATION - CONNECTING ROD ASSEMBLY OF HPAC
123	SNM64529	C200525	4310995945516 / 3RD STAGE LINER	HPAC	1 / EACH/NUMBER	HAB25	GARDNER DENVER LTD CLAYBROOK DRIVE REDDITCH WORCESTERS HIRE B98 DS UK TELEPHONE # 0044 (0) 1527838200 FAX # 0044 (0) 1527838438 E MAIL: highpressure@gardnerdenver.com	TECHNICAL SPECIFICATION - 3RD STAGE LINER OF HPAC GENERAL SPECIFICATION - 3RD STAGE LINER OF HPAC
124	SNM64520	B5001.255	5305795225752 / SET SCREW M8 X 20	HPAC HAB25 UK	1 / EACH/NUMBER	HAB25	GARDNER DENVER LTD CLAYBROOK DRIVE REDDITCH WORCESTERS HIRE B98 DS UK TELEPHONE # 0044 (0) 1527838200 FAX # 0044 (0) 1527838438 E MAIL: highpressure@gardnerdenver.com	TECHNICAL SPECIFICATION - SET SCREW - M8 X 20 OF HPAC GENERAL SPECIFICATION - SET SCREW - M8 X 20 OF HPAC
125	DNM70689	423-8521	2910715223059 / FILTER G P-WATER SEP AND FUEL	caterpillar C-13 USA	30 / EACH/NUMBER	NA	CATERPILLAR DIESEL GENERATOR	TECHNICAL SPECIFICATION - OEM: CATERPILLAR GENERAL SPECIFICATION - OEM: CATERPILLAR
126	DNF70256	SSI-1000/DH1512/asi-1000	7035725171063 / UPS 1 KVA	N/A	1 / EACH/NUMBER	SSI-1000/DH1512	GERMANY	TECHNICAL SPECIFICATION - DH 512 VOLTAGE 150-280 VAC FREQUENCY 50 MHZ PLUS MINUS 5 PERCENT VOLTAGE 220/230/240 V AC TRANSFORMER 2MSEC BACK UP TIME 4-8 HOURS GENERAL SPECIFICATION - DH 512 VOLTAGE 150-280 VAC FREQUENCY 50 MHZ PLUS MINUS 5 PERCENT VOLTAGE 220/230/240 V AC TRANSFORMER 2MSEC BACK UP TIME 4-8 HOURS
127	SNM67781	233-7232	2815795229916 / PISTON AS (STANDARD)	33KVA CATERPILLAR DG DEO33E0 UK	3 / EACH/NUMBER	DEO33E0	CATERPILLAR SARTL C/O EAME Power System, Building 21 Millennium Springsvale Business Park Belfast BT	TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33E0 GENERATOR SET GENERAL SPECIFICATION - PART MANUAL C3.3 DE33E0 GENERATOR SET

129	SNM67772	233-7231	2815795229917 / RING GP - PISTON	33KVA CATERPILLER DG DE033E0 UK	3 / EACH/NUMBER	DE033E0	CATERPILLER S.A.R.L. C/O EAME Power System, Building 21 Millennium Springvale Business Park Belfast BT	TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33E0 GENERATOR SET <u>GENERAL SPECIFICATION</u> - PART MANUAL C3.3 DE33E0 GENERATOR SET
129	SNM67784	353-7439	5310795229591 / KIT-BEARING (STANDARD)	33KVA CATERPILLER DG DE033E0 UK	1 / EACH/NUMBER	DE033E0	CATERPILLER S.A.R.L. C/O EAME Power System, Building 21 Millennium Springvale Business Park Belfast BT	TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33E0 GENERATOR SET <u>GENERAL SPECIFICATION</u> - PART MANUAL C3.3 DE33E0 GENERATOR SET
130	SNM67776	275-0885	2815795229553 / KIT GASKET (BOTTOM)	33KVA CATERPILLER DG DE033E0 UK	1 / EACH/NUMBER	DE033E0	CATERPILLER S.A.R.L. C/O EAME Power System, Building 21 Millennium Springvale Business Park Belfast BT	TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33E0 GENERATOR SET <u>GENERAL SPECIFICATION</u> - PART MANUAL C3.3 DE33E0 GENERATOR SET
131	SNM67785	353-2748	5310795229595 / KIT-BEARING (STANDARD)	33KVA CATERPILLER DG DE033E0 UK	1 / EACH/NUMBER	DE033E0	CATERPILLER S.A.R.L. C/O EAME Power System, Building 21 Millennium Springvale Business Park Belfast BT	TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33E0 GENERATOR SET <u>GENERAL SPECIFICATION</u> - PART MANUAL C3.3 DE33E0 GENERATOR SET
132	SNM61058	2521466	2910015392763 / INJECTOR AS FUEL	D/G CATERPILLAR C2.2	3 / EACH/NUMBER		USA	TECHNICAL SPECIFICATION - ITEM REQUIRED FOR TOH / MOH OF DGs <u>GENERAL SPECIFICATION</u> - ITEM REQUIRED FOR TOH / MOH OF DGs
133	DNF69838	11326	6135705161504 / 12 VOLT BATTERY 110 AH MAINTENANCE FREE	R&S EQUIPMENT	2 / EACH/NUMBER	DT3042/ WPL-120-12 RN with Make LONG	DIGI-TECH SHOP NO.2 NEW MEMON CHAMBERS ALTAI HUSSAIN ROAD DENSO HALL KARACHI 74000 TEL:2639514 & 2638482	TECHNICAL SPECIFICATION - R(D&D) DEPT LETTER NO.DD/INSTT/2/B DATED 03-05-2012 <u>GENERAL SPECIFICATION</u> - R(D&D) DEPT. LETTER NO.DD/INSTT/2/B DATED 03-05-2012 Gasoline reciprocating engines, except aircraft and components
134	DNM68152	21422649 / 2413937 3	2805735179417 / IMPELLER KIT (SEA WATER PUMP COMPONENTS)	SEA WATER PUMP COMPONENT S	6 / EACH/NUMBER		AB VALVO PENTA SE 405 08 GOTHENBURG SWEDEN	TECHNICAL SPECIFICATION - IMPELLER KIT (SEA WATER PUMP COMPONENTS) make/model : Gasoline reciprocating engines, except aircraft and components <u>GENERAL SPECIFICATION</u> - IMPELLER KIT (SEA WATER PUMP COMPONENTS) make/model
135	SNM64036	10000-60380/70 9231262	5120795193098 / OIL FILTER	DG 300 KVA	4 / EACH/NUMBER	PS30H-1	FG WILSON U.K	TECHNICAL SPECIFICATION - oem : perkins <u>GENERAL SPECIFICATION</u> - oem : perkins
136	DNM69893	9510227	5999735161488 / CORROSION PROTECTION	IPS 500 (PROPULSION & STEERING SYSTEM)	4 / EACH/NUMBER		M/S VOLVO PENTA, GÖTEBORG SWEDEN	TECHNICAL SPECIFICATION - CORROSION PROTECTION <u>GENERAL SPECIFICATION</u> - CORROSION PROTECTION
137	SNM70856	9510227	5999735161488 / CORROSION PROTECTION	IPS 500 (PROPULSION & STEERING SYSTEM)	21 / EACH/NUMBER		M/S VOLVO PENTA, GÖTEBORG SWEDEN	TECHNICAL SPECIFICATION - CORROSION PROTECTION <u>GENERAL SPECIFICATION</u> - CORROSION PROTECTION
138	SNM64035	458/259	2950755207635 / FUEL FILTER	PERKIN Engine 1506A-E88TAG3 ITALY	10 / EACH/NUMBER	1506A-E88TAG3	Elcos srl - S.S. 234 Km 58,25 Grumello Cremonese (CR) Italy tel: +39 0372 72330 fax +39 0372 7233220 - info@elcos.net - www.elcos.net	TECHNICAL SPECIFICATION - Fuel Filter Perkins Engine Model No 1506A-E88TAG3 <u>GENERAL SPECIFICATION</u> - Fuel Filter Perkins Engine Model No 1506A-E88TAG3

139	DNH63112	N/A	5410705232583 / PORTABLE TOILET GRP 5'X5'X7'	PORTABLE TOILET	10 / EACH/NUMBER	LOCAL	ASKARI FIBER GLASS PORTABLE TOILET NAJAM 03332236122	TECHNICAL SPECIFICATION - Item Specification a. Roof, walls and floor structure of iron pipe (16 Gauge), b. Roof & wall insulated with thermopole 25mm, c. Outer wall of fiber sheet/GRP, gi colour coated sheet, d. 2'x2' False (Gypsum) ceiling at roof, e. 01 x Eastern commode with FAisal or Master brand sanitary, F. 01 X MUSLIM SHOWER (Plastic Material) G. 01 X Durr Wash Basin (18" x 22") H. 01 X Mirror (1.5' X 2') I. 01 x SS Towel rod (1.5') J. PPR fitting for Water Supply K. Complete Commissioning of water inlet and drain system l. 02 x LED 14 Watt lightsinside 01 x capsule light philips saver outside of door m. 01 x Exhaust Fan 8" (GFC or Royal) N. Electrical Work (Pakistan Cable 3/29 Cable for lighting and Exhaust Fan, Industrial Sockets outer side for supply line) O. Paint and Corrosion Resistant Accessories for Iron Structure
140	DNH63137	N/A	5410705232583 / PORTABLE TOILET GRP 5'X5'X7'	PORTABLE TOILET	10 / EACH/NUMBER	LOCAL	ASKARI FIBER GLASS PORTABLE TOILET NAJAM 03332236122	TECHNICAL SPECIFICATION - Item Specification a. Roof, walls and floor structure of iron pipe (16 Gauge), b. Roof & wall insulated with thermopole 25mm, c. Outer wall of fiber sheet/GRP, gi colour coated sheet, d. 2'x2' False (Gypsum) ceiling at roof, e. 01 x Eastern commode with FAisal or Master brand sanitary, F. 01 X MUSLIM SHOWER (Plastic Material) G. 01 X Durr Wash Basin (18" x 22") H. 01 X Mirror (1.5' X 2') I. 01 x SS Towel rod (1.5') J. PPR fitting for Water Supply K. Complete Commissioning of water inlet and drain system l. 02 x LED 14 Watt lightsinside 01 x capsule light philips saver outside of door m. 01 x Exhaust Fan 8" (GFC or Royal) N. Electrical Work (Pakistan Cable 3/29 Cable for lighting and Exhaust Fan, Industrial Sockets outer side for supply line) O. Paint and Corrosion Resistant Accessories for Iron Structure
								Electrical Work (Pakistan Cable 3/29 Cable for lighting and Exhaust Fan, Industrial Sockets outer side for supply line) O. Paint and Corrosion Resistant Accessories for Iron Structure GENERAL SPECIFICATION - Item Specification a. Roof, walls and floor structure of iron pipe (16 Gauge), b. Roof & wall insulated with thermopole 25mm, c. Outer wall of fiber sheet/GRP, gi colour coated sheet, d. 2'x2' False (Gypsum) ceiling at roof, e. 01 x Eastern commode with FAisal or Master brand sanitary, F. 01 X MUSLIM SHOWER (Plastic Material) G. 01 X Durr Wash Basin (18" x 22") H. 01 X Mirror (1.5' X 2') I. 01 x SS Towel rod (1.5') J. PPR fitting for Water Supply K. Complete Commissioning of water inlet and drain system l. 02 x LED 14 Watt lightsinside 01 x capsule light philips saver outside of door m. 01 x Exhaust Fan 8" (GFC or Royal) N. Electrical Work (Pakistan Cable 3/29 Cable for lighting and Exhaust Fan, Industrial Sockets outer side for supply line) O. Paint and Corrosion Resistant Accessories for Iron Structure
141	SNM68154	NC1-121(110V)	6110785211676 / MAGNETIC CONTACTOR	MOBILE AC PLANT	3 / EACH/NUMBER	NC1-121(110V)	COOL POINT	TECHNICAL SPECIFICATION - BACOLYTE/PLASTIC GENERAL SPECIFICATION - BACOLYTE/PLASTIC
142	SNM68647	24850041741331507	2910015178631 / THERMOSTAT	60 KVA PERKINS D/G	3 / EACH/NUMBER		PERKINS USA	TECHNICAL SPECIFICATION - SM JAFFER AT KEAMARY GENERAL SPECIFICATION - SM JAFFER AT KEAMARY
143	SNM68155	3837736/1F3970	4330014926796 / CARTRIDGE, LUB OIL FILTER	GENERATOR CUMMINS QSR7DM	15 / EACH/NUMBER	LF3970	CUMMINS UK	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -
144	SNM68648	3642505	2915715175350 / ROLLER CAM FOLLOWER	MAIN ENGINEKTA50M2	2 / EACH/NUMBER	KTA50M2	Cummins Inc South Carolina USA	TECHNICAL SPECIFICATION - roller cam follower FOR cam follower of main engine cummins <u>KTA50M2</u> GENERAL SPECIFICATION - roller cam follower FOR cam follower of main engine cummins <u>KTA50M2</u>

143	DNM70682	imp/gp/st b/g01	2010715221031 / STUFFING BOX FOR 50 MM SHAFT DIA	SHAFTING ARRANGEME NT	4 / EACH/NUM BER	NA	CUMMINS ENGINE CO 4600 LEEDS AVENUE SUITE 500 NORTH CHARLESTON SC, USA	<u>TECHNICAL SPECIFICATION - LIP SEAL TYPE STUFFING BOX, TIDES MARINE SURE SEAL FOR 50MM SHAFT DIA, QUOTATION ALONGWITH TECHNICAL SPECS IS ATTACHED</u> <u>GENERAL SPECIFICATION - LIP SEAL TYPE STUFFING BOX, TIDES MARINE SURE SEAL FOR 50MM SHAFT DIA, QUOTATION ALONGWITH TECHNICAL SPECS IS ATTACHED</u>
144	DNH68593	NIL, LOCAL	7320705163607 / ELECTRIC ROTI PLANT 1000 CHAPATI /HRS	ROTI PLANT	1 / EACH/NUM BER	Automatic Electric Roti Plant	M/S SHARIF ENGINEERING WORKS BAZAR KHARADAN GUJRANWALA	<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>
147	SNM68169	NC1-8511	6110785211673 / MAGNETIC CONTACTOR COMPRESSOR	MOBILE AC PLANT	2 / EACH/NUM BER	NC1-8511	COOL POINT	<u>TECHNICAL SPECIFICATION - BACOLYTE</u> <u>GENERAL SPECIFICATION - BACOLYTE</u>
148	DPC58896		0474502201738 / SOAP TOILET IN LIQUID FORM (PERFUMED), NON-TOXIC COLOURING MATTER OR BOTH WITH PACKING 25 LTR CARBUOY	SKF COUPLING	1800 / LITER			<u>TECHNICAL SPECIFICATION - BS 1545</u> <u>GENERAL SPECIFICATION - BS 1545 : 1990</u>
149	DPC50194		0474500007138 / VASELINE PARAFIN WHITE		50 / KILOGRAM ME			<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>
150	DNM68136	0330-002	1325792690003 / NOZZLE- SAFE FIRE-CUTTER-ANM6- 3/64"		8 / EACH/NUM BER			<u>TECHNICAL SPECIFICATION - MAKE & oem VICTOR</u> <u>GENERAL SPECIFICATION - MAKE & oem VICTOR USA</u>
151	DPC59037		0474502242463 / SOAP SCRUBBING		918 / KILOGRAM ME			<u>TECHNICAL SPECIFICATION - BS 1913 of 1990 Soap Type a: Soap Scrubbing TYPE A: Suitable for general toilet purpose</u> <u>GENERAL SPECIFICATION - BS 1913 of 1990 Soap Type a: Soap Scrubbing TYPE A: Suitable for general toilet purpose</u>
152	DPC50033		0474502242463 / SOAP SCRUBBING		1475 / KILOGRAM ME			<u>TECHNICAL SPECIFICATION - BS 1913 of 1990 Soap Type a: Soap Scrubbing TYPE A: Suitable for general toilet purpose</u> <u>GENERAL SPECIFICATION - BS 1913 of 1990 Soap Type a: Soap Scrubbing TYPE A: Suitable for general toilet purpose</u>
153	DNM68088	1353020/ 15080280 M	2940745077280 / CARTRIDGE FILTERING 210MIC57 (MADE IN FRANCE)	BAUJOUIN ENGINE (FRANCE)	2 / EACH/NUM BER			<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>
154	DNM68959	378103	2895795025606 / PULLER FLY WHEEL	EVINRUDE ENGINE	1 / EACH/NUM BER			<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>
155	SNM68157	7N0805/5 24-7986	2815011165920 / PIN(PISTON)		22 / EACH/NUM BER	CAT3306		<u>TECHNICAL SPECIFICATION - Make: CATERPILLAR (USA) Model: CAT3306 Parent Equipment: Diesel Generator</u> <u>GENERAL SPECIFICATION - Make CATERPILLAR (USA) Model: CAT3306 Parent Equipment: Diesel Generator</u>
156	SNM51595	3026451/ 3090450	2815715054030 / RING OIL PISTON		20 / EACH/NUM BER	K19-DM		<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>
157	DNM70568	A/C 1-1/2 TON 03 YEAR GUARAN TEE	4310731001978 / A/C COMP 50HZ 220-240V 18000BTU 1- PH COPLAND USA 52-68 LRA	A/C 1-1/2 TON	4 / EACH/NUM BER			<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>
158	DNA69533	0350- 2N378A	4320995585275 / MECHANICAL SEAL	AIR CONDITION PLANT	3 / EACH/NUM BER			<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>
159	DNH67461		4120705051919 / AIR CONDITIONER 1.5 TON SPLIT TYPE COMPLETE	SELF	2 / EACH/NUM BER			<u>TECHNICAL SPECIFICATION - GREE GENERAL LG.MITSUBISHI DAIKIN (INVERTER BASED SPLIT TYPE ACs MAY BE PREFERRED FOR NORTH REGION ONLY)</u> <u>GENERAL SPECIFICATION - GREE GENERAL LG.MITSUBISHI DAIKIN (INVERTER BASED SPLIT TYPE ACs MAY BE PREFERRED FOR NORTH REGION ONLY)</u>
160	DNH70071	NIL	4130715052098 / COMPRESSOR 1/3HP 220V 50HZ HBP W/CAPICITOR GUARNTTEE 03 YEAR.	WATER COOLER 30 GALLONS AKS	1 / EACH/NUM BER			<u>TECHNICAL SPECIFICATION - EQUIVALENT PRODUCT</u> <u>GENERAL SPECIFICATION - EQUIVALENT PRODUCT</u>
161	SNG68659	FAG/SKF 6309ZZ	3110001556727 / BEARING BALL ANNULAR FAG 6309 SZ 45.00X100.00X25.00MM		25 / EACH/NUM BER			<u>TECHNICAL SPECIFICATION - OEM= NAVAL SHIP SYSTEMS COMMAND</u> <u>GENERAL SPECIFICATION - OEM= NAVAL SHIP SYSTEMS COMMAND</u>