

# KARACHI PORT TRUST

STORES DEPARTMENT - LOCAL PURCHASE Section: **MAIN LOCAL**

Enquiries Opening Date **31-DEC-24** and **31-DEC-24** Drop Time 1030 Hrs & Opening 1100 Hours

Page 1 of 10

<b>Enquiry No.</b> <b>2425-3322</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	<b>NSN# 9150 KP 0046710</b>	<b>Qty. 320</b>	<b>KG</b>	
<b>Item Desc.</b> MARINE GRADE GREASE FOR EXCELLENT CORROSION RESISTANCE IN SUBMERSED APPLICATION SPECIFICATION :-							
<b>Drawing#</b> NA						<b>Parnt. Eqp.</b> VIPER MK-II WIRE ROPE LUBRICATOR	
<b>Part#</b> VCG-1-10-9 KG						<b>Cntry of Origin</b> AUSTRALIA	
<b>item_type</b> Mechanical - Grase						<b>Manufacturer</b> --NIL--	
<b>Sp. Ins 4 Supp.</b> --- NIL ---							
<b>Remarks</b> OEM COC REQUIRED ALONG WITH SUPPLY							
<b>Enquiry No.</b> <b>2425-3323</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	<b>NSN# 4220 73 0052147</b>	<b>Qty. 5</b>	<b>EA</b>	
<b>Item Desc.</b> CREWFIT 165N SPORT LIFE JACKET SPECIFICATION :- CREWFIT 165N SPORT LIFE JACKET (ISO 12402-3 APPROVED) HIGH PERFORMANCE INFLATION CHAMBER,							
<b>Drawing#</b> EXCEPTIONAL TURNING SPEED, HARD WEARING OUTER COVER, SINGLE SOFT LOOP DECK SAFETY HARNESS (ISO 12401:2009, TWIN BRUST COVER ZIP,							
<b>Part#</b> ADJUSTING BUCKLE FOR PERFECT FIT, SINGLE CROTCH STRAP, WHISTLE WARRANTY STANDARD						<b>Parnt. Eqp.</b> -- Nil --	
<b>item_type</b> -- Nil --						<b>Cntry of Origin</b> EU	
<b>Sp. Ins 4 Supp.</b> -- Nil --							<b>Manufacturer</b> --NIL--
<b>Remarks</b> --- NIL ---							
<b>Enquiry No.</b> <b>2425-3324</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	<b>NSN# 6210 KP 0035208</b>	<b>Qty. 1</b>	<b>EA</b>	
<b>Item Desc.</b> DOUBLE LENS NAVIGATION, 70D IP-56 TYPE ALL ROUND RED 24VDC, REF: HTKZ SPECIFICATION :-							
<b>Drawing#</b> -- Nil --						<b>Parnt. Eqp.</b> LIGHT FITTINGS OF BD AFTAB	
<b>Part#</b> 3075290						<b>Cntry of Origin</b> GERMANY	
<b>item_type</b> ELECTRICAL						<b>Manufacturer</b> --NIL--	
<b>Sp. Ins 4 Supp.</b> --- NIL ---							
<b>Remarks</b> OEM COC REQUIRED ALONG WITH SUPPLY							
<b>Enquiry No.</b> <b>2425-3325</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	<b>NSN# 6210 KP 0035210</b>	<b>Qty. 2</b>	<b>EA</b>	
<b>Item Desc.</b> DOUBLE LENS NAVIGATION, 70D IP-56 TYPE ALL ROUND MAST HEAD TOPP, 24VDC, REF: HTKZ. SPECIFICATION :-							
<b>Drawing#</b> -- Nil --						<b>Parnt. Eqp.</b> LIGHT FITTINGS OF BD AFTAB	
<b>Part#</b> 3075090						<b>Cntry of Origin</b> GERMANY	
<b>item_type</b> ELECTRICAL						<b>Manufacturer</b> --NIL--	
<b>Sp. Ins 4 Supp.</b> --- NIL ---							
<b>Remarks</b> OEM COC REQUIRED ALONG WITH SUPPLY							

# KARACHI PORT TRUST

STORES DEPARTMENT - LOCAL PURCHASE Section: **MAIN LOCAL**

Enquiries Opening Date **31-DEC-24** and **31-DEC-24** Drop Time 1030 Hrs & Opening 1100 Hours

Page 2 of 10

<b>Enquiry No.</b> <b>2425-3326</b>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 6210 KP 0035209	<b>Qty.</b> 1	<b>EA</b>
<b>Item Desc.</b> DOUBLE LENS NAVIGATION, 70D IP-56 TYPE ALL ROUND GREEN 24VDC, REF: HTKZ SPECIFICATION :-						
<b>Drawing#</b> -- Nil --				<b>Parnt. Eqp.</b> LIGHT FITTINGS OF BD AFTAB		
<b>Part#</b> 3075190				<b>Cntry of Origin</b> GERMANY		
<b>item_type</b> ELECTRICAL				<b>Manufacturer</b> --NIL--		
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> OEM COC REQUIRED ALONG WITH SUPPLY						
<b>Enquiry No.</b> <b>2425-3327</b>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 6210 KP 0035207	<b>Qty.</b> 3	<b>EA</b>
<b>Item Desc.</b> DOUBLE LENS NAVIGATION, 70D IP-56 TYPE ALL ROUND WHITE 24VDC, REF: HTKZ SPECIFICATION :-						
<b>Drawing#</b> -- Nil --				<b>Parnt. Eqp.</b> LIGHT FITTINGS OF BD AFTAB		
<b>Part#</b> 3075790				<b>Cntry of Origin</b> GERMANY		
<b>item_type</b> ELECTRICAL				<b>Manufacturer</b> --NIL--		
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> OEM COC REQUIRED ALONG WITH SUPPLY						
<b>Enquiry No.</b> <b>2425-3328</b>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 4220 73 0052147	<b>Qty.</b> 5	<b>EA</b>
<b>Item Desc.</b> CREWFIT 165N SPORT LIFE JACKET SPECIFICATION :- CREWFIT 165N SPORT LIFE JACKET (ISO 12402-3 APPROVED) HIGH PERFORMANCE INFLATION CHAMBER,						
<b>Drawing#</b> EXCEPTIONAL TURNING SPEED, HARD WEARING OUTER COVER, SINGLE SOFT LOOP DECK SAFETY HARNESS (ISO 12401:2009, TWIN BRUST COVER ZIP,						
<b>Part#</b> ADJUSTING BUCKLE FOR PERFECT FIT, SINGLE CROTCH STRAP, WHISTLE WARRANTY STANDARD				<b>Parnt. Eqp.</b> -- Nil --		
<b>item_type</b> -- Nil --				<b>Cntry of Origin</b> EU		
<b>Sp. Ins 4 Supp.</b> -- Nil --				<b>Manufacturer</b> --NIL--		
<b>Remarks</b> --- NIL ---						
<b>Enquiry No.</b> <b>2425-3329</b>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 9999 50 0047771	<b>Qty.</b> 30	<b>CZ</b>
<b>Item Desc.</b> FILLER MATERIAL (KHAKA) SPECIFICATION :-						
<b>Drawing#</b> -- Nil --				<b>Parnt. Eqp.</b> -- Nil --		
<b>Part#</b> -- Nil --				<b>Cntry of Origin</b> -- Nil --		
<b>item_type</b> --NIL--				<b>Manufacturer</b> --NIL--		
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b>						

# KARACHI PORT TRUST

STORES DEPARTMENT - LOCAL PURCHASE Section: **MAIN LOCAL**

Enquiries Opening Date **31-DEC-24** and **31-DEC-24** Drop Time 1030 Hrs & Opening 1100 Hours

Page 3 of 10

<b>Enquiry No.</b>	<b>2425-3330</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	NSN# <b>4220 73 0052147</b>	Qty. <b>5</b>	<b>EA</b>
<b>Item Desc.</b>	<b>CREWFIT 165N SPORT LIFE JACKET SPECIFICATION :- CREWFIT 165N SPORT LIFE JACKET (ISO 12402-3 APPROVED) HIGH PERFORMANCE INFLATION CHAMBER,</b>						
<b>Drawing#</b>	<b>EXCEPTIONAL TURNING SPEED, HARD WEARING OUTER COVER, SINGLE SOFT LOOP DECK SAFETY HARNESS (ISO 12401:2009, TWIN BRUST COVER ZIP,</b>						
<b>Part#</b>	<b>ADJUSTING BUCKLE FOR PERFECT FIT, SINGLE CROTCH STRAP, WHISTLE WARRANTY STANDARD</b>						
<b>item_type</b>	-- Nil --			Parnt. Eqp.-- Nil --			
<b>Sp. Ins 4 Supp.</b>	-- Nil --			Cntry of Origin EU			
<b>Remarks</b>	--NIL--			Manufacturer --NIL--			
	--- NIL ---						
<b>Enquiry No.</b>	<b>2425-3331</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	NSN# <b>2815 KP 0042075</b>	Qty. <b>1</b>	<b>EA</b>
<b>Item Desc.</b>	<b>TENSIONER BELT SPECIFICATION :-</b>						
<b>Drawing#</b>	GROP NO 13.11			Parnt. Eqp.FOR MAIN ENGINES OF GRP BOATS			
<b>Part#</b>	3911315			Cntry of Origin USA			
<b>item_type</b>	GROP NO 13.11			Manufacturer --NIL--			
<b>Sp. Ins 4 Supp.</b>	--- NIL ---						
<b>Remarks</b>	OEM COC REQUIRED ALONG WITH SUPPLY						
<b>Enquiry No.</b>	<b>2425-3332</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	NSN# <b>7510 73 0052118</b>	Qty. <b>4</b>	<b>EA</b>
<b>Item Desc.</b>	<b>LENOVO CORE i3 DESKTOP OR EQUIVALENT SPECIFICATION :- THINKCENTRE NEO 50T G4, INTEL CORE i3-13100, (1X 08 GB RAM DDR4), 512GB SSD 2280, DVD</b>						
<b>Drawing#</b>	<b>WRITER, BT 5.1 OR ABOVE, WIFI 6 AX201 2X2, USB KB + MICE BLACK-ENGLISH (EURO), WINDOWS 11 PRO LICENSED &amp; LENOVO D19-10 18.5" LED DISPLAY,</b>						
<b>Part#</b>	<b>ALONG WITH ALL ACCESSORIES (KEYBOARD, MOUSE, CABLES, CORDS &amp; ETC) WITH OFFICIAL WARRANTY CARD WITH GENUINE PART REPLACEMENT IN THREE</b>						
<b>item_type</b>	NA			Parnt. Eqp.NA			
<b>Sp. Ins 4 Supp.</b>	NA			Cntry of Origin USA / CHINA			
<b>Remarks</b>	ELECTRIC			Manufacturer --NIL--			
	--- NIL ---						
	BROUCHER MUST BE STATED						
<b>Enquiry No.</b>	<b>2425-3333</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	NSN# <b>4120 50 0026113</b>	Qty. <b>1</b>	<b>SE</b>
<b>Item Desc.</b>	<b>AIR CONDITIONER SPLIT TYPE 4 TONS CAPACITY WITH FLOOR MOUNTED INDOOR UNIT.( 2 NOS COMPRISING OF 1 SET) SPECIFICATION :-</b>						
<b>Drawing#</b>	-- Nil --			Parnt. Eqp.-- Nil --			
<b>Part#</b>	-- Nil --			Cntry of Origin PAKISTAN			
<b>item_type</b>	--NIL--			Manufacturer --NIL--			
<b>Sp. Ins 4 Supp.</b>	--- NIL ---						
<b>Remarks</b>	BROUCHER MUST BE STATED						

# KARACHI PORT TRUST

STORES DEPARTMENT - LOCAL PURCHASE Section: **MAIN LOCAL**

Enquiries Opening Date **31-DEC-24** and **31-DEC-24** Drop Time 1030 Hrs & Opening 1100 Hours

Page 4 of 10

<b>Enquiry No.</b> <b>2425-3334</b>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 9999 50 0024737	<b>Qty.</b> 500	<b>CZ</b>
<b>Item Desc.</b> SWEET EARTH, NOORIABAD SPECIFICATION :-						
<b>Drawing#</b> -- Nil --				<b>Parnt. Eqp.</b> -- Nil --		
<b>Part#</b> -- Nil --				<b>Cntry of Origin</b> PAKISTAN		
<b>item_type</b> --NIL--				<b>Manufacturer</b> --NIL--		
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b>						
<b>Enquiry No.</b> <b>2425-3335</b>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 2815 KP 0052156	<b>Qty.</b> 1	<b>EA</b>
<b>Item Desc.</b> CHARGE AIR PRESSURE DEPENDENT FUEL LIMITATION ASSEMBLY / DEVICE, TECH. DRAWING ALONGWITH DESCRIPTION OF ALL ITEMS OF ASSEMBLY IS ENCLOSED						
<b>Drawing#</b> 03 PAGES ALONGWITH HARD COPY. SPECIFICATION :- CHARGE AIR PRESSURE DEPENDENT FUEL LIMITATION ASSEMBLY / DEVICE, TECH. DRAWING ALONGWITH						
<b>Part#</b> DESCRIPTION OF ALL ITEMS OF ASSEMBLY IS ENCLOSED 03 PAGES ALONGWITH HARD COPY.						
<b>item_type</b> C11-20300-1672				<b>Parnt. Eqp.</b> MAIN ENGINE OF SHB AHAD / SHB AHSAN		
<b>Sp. Ins 4 Supp.</b> 203.24				<b>Cntry of Origin</b> GERMANY / CHINA		
<b>Remarks</b> MECHANICAL				<b>Manufacturer</b> --NIL--		
--- NIL --- DRAWING MUST BE SEEN IN THE OFFICE OF LOCAL PURCHASE SECTION, PROCUREMENT DEPARTMENT, KPT HEAD OFFICE, ANNEXE BUILDING						
<b>Enquiry No.</b> <b>2425-3336</b>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 6830 50 0000843	<b>Qty.</b> 850	<b>CZ</b>
<b>Item Desc.</b> GAS OXYGEN IN CYLINDER SPECIFICATION :-						
<b>Drawing#</b> -- Nil --				<b>Parnt. Eqp.</b> -- Nil --		
<b>Part#</b> -- Nil --				<b>Cntry of Origin</b> PAKISTAN		
<b>item_type</b> --NIL--				<b>Manufacturer</b> --NIL--		
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> BRAND MUST BE STATED						
<b>Enquiry No.</b> <b>2425-3337</b>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 5975 50 0048936	<b>Qty.</b> 100	<b>EA</b>
<b>Item Desc.</b> MINIATURE CIRCUIT BREAKER 16 AMPS SINGLE POLE SCHNEIDER SPECIFICATION :- MINIATURE CIRCUIT BREAKER 16 AMPS SINGLE POLE SCHNEIDER						
<b>Drawing#</b> -- Nil --				<b>Parnt. Eqp.</b> -- Nil --		
<b>Part#</b> -- Nil --				<b>Cntry of Origin</b> -- Nil --		
<b>item_type</b> --NIL--				<b>Manufacturer</b> --NIL--		
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> SAMPLE MUST BE SUBMITTED ALONG WITH THE OFFER, OTHERWISE QUOTATION WILL NOT BE ENTERTAINED						

# KARACHI PORT TRUST

STORES DEPARTMENT - LOCAL PURCHASE Section: **MAIN LOCAL**

Enquiries Opening Date **31-DEC-24** and **31-DEC-24** Drop Time 1030 Hrs & Opening 1100 Hours

Page 5 of 10

<b>Enquiry No.</b> <u>2425-3338</u> <b>Date</b> 11-DEC-24 <b>36(A)</b> <b>Date of Opening</b> 31-DEC-24 <b>NSN#</b> 9999 50 0051062 <b>Qty.</b> 600 <b>SF</b>
<b>Item Desc.</b> PVC PANELLING AS PER REQUIREMENT SPECIFICATION :- PVC PANELLING AS PER REQUIREMENT
<b>Drawing#</b> -- Nil -- <b>Parnt. Eqp.</b> -- Nil --
<b>Part#</b> -- Nil -- <b>Cntry of Origin</b> -- Nil --
<b>item_type</b> --NIL-- <b>Manufacturer</b> --NIL--
<b>Sp. Ins 4 Supp.</b> --- NIL ---
<b>Remarks</b>
<b>Enquiry No.</b> <u>2425-3339</u> <b>Date</b> 11-DEC-24 <b>36(A)</b> <b>Date of Opening</b> 31-DEC-24 <b>NSN#</b> 9999 50 0047418 <b>Qty.</b> 150 <b>CZ</b>
<b>Item Desc.</b> GRANULAR BASE COURSE MATERIAL (GHERA) SPECIFICATION :-
<b>Drawing#</b> -- Nil -- <b>Parnt. Eqp.</b> -- Nil --
<b>Part#</b> -- Nil -- <b>Cntry of Origin</b> -- Nil --
<b>item_type</b> --NIL-- <b>Manufacturer</b> --NIL--
<b>Sp. Ins 4 Supp.</b> --- NIL ---
<b>Remarks</b>
<b>Enquiry No.</b> <u>2425-3340</u> <b>Date</b> 11-DEC-24 <b>36(A)</b> <b>Date of Opening</b> 31-DEC-24 <b>NSN#</b> 6850 50 0027047 <b>Qty.</b> 600 <b>KG</b>
<b>Item Desc.</b> POLYESTER RESIN SPECIFICATION :-
<b>Drawing#</b> -- Nil -- <b>Parnt. Eqp.</b> GRP MATERIAL FOR W/S USE.
<b>Part#</b> -- Nil -- <b>Cntry of Origin</b> PAKISTAN
<b>item_type</b> CHAMICAL <b>Manufacturer</b> --NIL--
<b>Sp. Ins 4 Supp.</b> --- NIL ---
<b>Remarks</b> SAMPLE MUST BE SUBMITTED ALONG WITH THE OFFER, OTHERWISE QUOTATION WILL NOT BE ENTERTAINED
<b>Enquiry No.</b> <u>2425-3341</u> <b>Date</b> 11-DEC-24 <b>36(A)</b> <b>Date of Opening</b> 31-DEC-24 <b>NSN#</b> 6850 50 0027051 <b>Qty.</b> 250 <b>KG</b>
<b>Item Desc.</b> WOVEN ROVING 800 GRAMS / METER SQUARE SPECIFICATION :-
<b>Drawing#</b> -- Nil -- <b>Parnt. Eqp.</b> -- Nil --
<b>Part#</b> -- Nil -- <b>Cntry of Origin</b> PAKISTAN
<b>item_type</b> --NIL-- <b>Manufacturer</b> --NIL--
<b>Sp. Ins 4 Supp.</b> --- NIL ---
<b>Remarks</b> BRAND MUST BE STATED
<b>Enquiry No.</b> <u>2425-3342</u> <b>Date</b> 11-DEC-24 <b>36(A)</b> <b>Date of Opening</b> 31-DEC-24 <b>NSN#</b> 6850 50 0027048 <b>Qty.</b> 20 <b>KG</b>
<b>Item Desc.</b> ACCELERATOR 01% SPECIFICATION :-
<b>Drawing#</b> -- Nil -- <b>Parnt. Eqp.</b> GRP MATERIAL FOR W/S USE.
<b>Part#</b> -- Nil -- <b>Cntry of Origin</b> PAKISTAN
<b>item_type</b> CHAMICAL <b>Manufacturer</b> --NIL--
<b>Sp. Ins 4 Supp.</b> --- NIL ---
<b>Remarks</b> BRAND MUST BE STATED

# KARACHI PORT TRUST

STORES DEPARTMENT - LOCAL PURCHASE Section: **MAIN LOCAL**

Enquiries Opening Date **31-DEC-24** and **31-DEC-24** Drop Time 1030 Hrs & Opening 1100 Hours

Page 6 of 10

<b>Enquiry No.</b> <b>2425-3343</b>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 6145 50 0011179	<b>Qty.</b> 1800	<b>MR</b>
<b>Item Desc.</b> CABLE P V C I SIZE 7 / 036 SINGLE CORE P V C S / P V C I . SPECIFICATION :-						
<b>Drawing#</b> -- Nil --			<b>Parnt. Eqp.</b> -- Nil --			
<b>Part#</b> -- Nil --			<b>Cntry of Origin</b> PAKISTAN			
<b>item_type</b> --NIL--			<b>Manufacturer</b> --NIL--			
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> SAMPLE MUST BE SUBMITTED ALONG WITH THE OFFER, OTHERWISE QUOTATION WILL NOT BE ENTERTAINED						
<b>Enquiry No.</b> <b>2425-3344</b>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 6830 50 0000848	<b>Qty.</b> 242.2	<b>CZ</b>
<b>Item Desc.</b> GAS ACETYLENE IN CYLINDER SPECIFICATION :-						
<b>Drawing#</b> -- Nil --			<b>Parnt. Eqp.</b> -- Nil --			
<b>Part#</b> -- Nil --			<b>Cntry of Origin</b> PAKISTAN			
<b>item_type</b> --NIL--			<b>Manufacturer</b> --NIL--			
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> BRAND MUST BE STATED						
<b>Enquiry No.</b> <b>2425-3345</b>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 2815 KP 0052156	<b>Qty.</b> 1	<b>EA</b>
<b>Item Desc.</b> CHARGE AIR PRESSURE DEPENDENT FUEL LIMITATION ASSEMBLY / DEVICE, TECH. DRAWING ALONGWITH DESCRIPTION OF ALL ITEMS OF ASSEMBLY IS ENCLOSED						
<b>Drawing#</b> 03 PAGES ALONGWITH HARD COPY. SPECIFICATION :- CHARGE AIR PRESSURE DEPENDENT FUEL LIMITATION ASSEMBLY / DEVICE, TECH. DRAWING ALONGWITH						
<b>Part#</b> DESCRIPTION OF ALL ITEMS OF ASSEMBLY IS ENCLOSED 03 PAGES ALONGWITH HARD COPY.						
<b>item_type</b> C11-20300-1672			<b>Parnt. Eqp.</b> MAIN ENGINE OF SHB AHAD / SHB AHSAN			
<b>Sp. Ins 4 Supp.</b> 203.24			<b>Cntry of Origin</b> GERMANY / CHINA			
<b>Remarks</b> MECHANICAL			<b>Manufacturer</b> --NIL--			
--- NIL ---						
DRAWING MUST BE SEEN IN THE OFFICE OF LOCAL PURCHASE SECTION, PROCUREMENT DEPARTMENT, KPT HEAD OFFICE, ANNEXE BUILDING						
<b>Enquiry No.</b> <b>2425-3346</b>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 5895 73 0045314	<b>Qty.</b> 4	<b>EA</b>
<b>Item Desc.</b> VHF WALKI TALKI SETS WITH HELIFLEX ANTENNA, HIGH CAPACITY NI MH BATTERY PACK, RAPID CHARGER, BELT CLIPS, FREQUENCY RANGE 136 TO 174 MHZ,						
<b>Drawing#</b> POWER OUTPUT 5 TO 7 W, INPUT SUPPLY FOR CHARGER 220 V AC 50 HZ AND MAKE: JAPAN / USA / UK SPECIFICATION :-						
<b>Part#</b> -- Nil --			<b>Parnt. Eqp.</b> -- Nil --			
<b>item_type</b> -- Nil --			<b>Cntry of Origin</b> -- Nil --			
<b>Sp. Ins 4 Supp.</b> --NIL--			<b>Manufacturer</b> --NIL--			
<b>Remarks</b> --- NIL ---						
BROUCHER MUST BE STATED						

# KARACHI PORT TRUST

STORES DEPARTMENT - LOCAL PURCHASE Section: **MAIN LOCAL**

Enquiries Opening Date **31-DEC-24** and **31-DEC-24** Drop Time 1030 Hrs & Opening 1100 Hours

Page 7 of 10

<b>Enquiry No.</b> <b>2425-3347</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	<b>NSN# 6545 50 0031618</b>	<b>Qty. 5000</b>	<b>SE</b>
<b>Item Desc.</b> DRIP IV SET INFUSION (WITHOUT DRIP) OR EQUIVALENT SPECIFICATION :-						
<b>Drawing#</b> -- Nil --				<b>Parnt. Eqp.</b> -- Nil --		
<b>Part#</b> -- Nil --				<b>Cntry of Origin</b> -- Nil --		
<b>item_type</b> --NIL--				<b>Manufacturer</b> --NIL--		
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> SAMPLE MUST BE SUBMITTED ALONG WITH THE OFFER, OTHERWISE QUOTATION WILL NOT BE ENTERTAINED						
<b>Enquiry No.</b> <b>2425-3348</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	<b>NSN# 2990 KP 0024880</b>	<b>Qty. 12</b>	<b>EA</b>
<b>Item Desc.</b> SPRING VALVE SPECIFICATION :- GROUP NO 02 . 01 OPTION NO PP 9742						
<b>Drawing#</b> -- Nil --				<b>Parnt. Eqp.</b> MAIN ENGINES OF GRP BOATS.		
<b>Part#</b> 3900276				<b>Cntry of Origin</b> U S A		
<b>item_type</b> MECHANICAL				<b>Manufacturer</b> --NIL--		
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> OEM COC REQUIRED ALONG WITH SUPPLY						
<b>Enquiry No.</b> <b>2425-3349</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	<b>NSN# 6145 50 0032303</b>	<b>Qty. 90</b>	<b>MR</b>
<b>Item Desc.</b> SHORE SUPPLY CABLE FLEXIBLE 4CORE, 16MM Sq. RUBBER INSOLATED SPECIFICATION :-						
<b>Drawing#</b> -- Nil --				<b>Parnt. Eqp.</b> FORUSEON HS ZEENAT.		
<b>Part#</b> -- Nil --				<b>Cntry of Origin</b> PAKISTAN		
<b>item_type</b> ELECTRICAL				<b>Manufacturer</b> --NIL--		
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> SAMPLE MUST BE SUBMITTED ALONG WITH THE OFFER, OTHERWISE QUOTATION WILL NOT BE ENTERTAINED						
<b>Enquiry No.</b> <b>2425-3350</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	<b>NSN# 9999 50 0047769</b>	<b>Qty. 600</b>	<b>SF</b>
<b>Item Desc.</b> C.C. PAVER (CITY TYPE) 80 m.m THICK (200 m.m X 100 m.m) WITH COMPRESSIVE STRENGTH OF 8000 PSI. SPECIFICATION :-						
<b>Drawing#</b> -- Nil --				<b>Parnt. Eqp.</b> -- Nil --		
<b>Part#</b> -- Nil --				<b>Cntry of Origin</b> -- Nil --		
<b>item_type</b> --NIL--				<b>Manufacturer</b> --NIL--		
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b>						
<b>Enquiry No.</b> <b>2425-3351</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	<b>NSN# 2815 KP 0027453</b>	<b>Qty. 12</b>	<b>EA</b>
<b>Item Desc.</b> GUIDE VALVE STEM SPECIFICATION :- REF: NO.22 OPTION NO. PP 9742 GROUP NO. 02-01						
<b>Drawing#</b> -- Nil --				<b>Parnt. Eqp.</b> CUMMINS DIESEL ENGINES FITTED ON 10 NOS GRP BOATS.		
<b>Part#</b> 3906206				<b>Cntry of Origin</b> U.S.A		
<b>item_type</b> MECHANICAL				<b>Manufacturer</b> --NIL--		
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> OEM COC REQUIRED ALONG WITH SUPPLY						

# KARACHI PORT TRUST

STORES DEPARTMENT - LOCAL PURCHASE Section: **MAIN LOCAL**

Enquiries Opening Date **31-DEC-24 and 31-DEC-24** Drop Time 1030 Hrs & Opening 1100 Hours

Page 8 of 10

<b>Enquiry No.</b> <u>2425-3352</u>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 7510 73 0052096	<b>Qty.</b> 3	<b>EA</b>
<b>Item Desc.</b> HP 280G9 PRO Core i3 12100 SPECIFICATION :- HP 280G9 PRO Core i3 12100, 8GB RAM, 512 SSD, WITH ORIGINAL HP OFFICIAL 3 YEARS WARRANTY CARD with						
<b>Drawing#</b> WINDOWS 11 PRO INCLUDING LICENSED KEY AND ORIGINAL HP LED 19 inch Model No.P19VG4 WITH HP OFFICIAL WARRANTY.						
<b>Part#</b> NA	<b>Parnt. Eqp.</b> NA					
<b>item_type</b> NA	<b>Cntry of Origin</b> CHINA / AMERICA					
<b>Sp. Ins 4 Supp.</b> ELECTRICAL	<b>Manufacturer</b> --NIL--					
<b>Remarks</b> --- NIL ---						
BROUCHER MUST BE STATED						
<b>Enquiry No.</b> <u>2425-3353</u>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 9999 73 0048050	<b>Qty.</b> 1500	<b>SF</b>
<b>Item Desc.</b> HIGH DENSITY POLYETHYLENE 900 GRAMS / Sq. Meter APPROX TENSILE MEMBRANE ( IMPORTED COMMERCIAL ) SHED WITH M.S STRUCTURE ( AS SPECIFIED )						
<b>Drawing#</b> WITH ALL ARRANGEMENTS. SPECIFICATION :-						
<b>Part#</b> -- Nil --	<b>Parnt. Eqp.</b> -- Nil --					
<b>item_type</b> -- Nil --	<b>Cntry of Origin</b> -- Nil --					
<b>Sp. Ins 4 Supp.</b> --NIL--	<b>Manufacturer</b> --NIL--					
<b>Remarks</b> --- NIL ---						
<b>Enquiry No.</b> <u>2425-3354</u>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 4310 KP 0023640	<b>Qty.</b> 1	<b>EA</b>
<b>Item Desc.</b> AIR COMPRESSOR COMPLETE TYPE:HATLAPA L20 SPECIFICATION :-						
<b>Drawing#</b> -- Nil --	<b>Parnt. Eqp.</b> AIR COMPRESSOR OF BD AFTAB					
<b>Part#</b> 680.01.00	<b>Cntry of Origin</b> GERMANY					
<b>item_type</b> MECHANICAL	<b>Manufacturer</b> --NIL--					
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b>						
<b>Enquiry No.</b> <u>2425-3355</u>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 6145 50 0002656	<b>Qty.</b> 270	<b>MR</b>
<b>Item Desc.</b> CABLE P.V.C INSULATED P.V.C SHEATED 25MM2 3.1/2 CORE 660 /1000 VOLTAGE GRADE UNARMoured. SPECIFICATION :-						
<b>Drawing#</b> -- Nil --	<b>Parnt. Eqp.</b> -- Nil --					
<b>Part#</b> -- Nil --	<b>Cntry of Origin</b> PAKISTAN					
<b>item_type</b> --NIL--	<b>Manufacturer</b> --NIL--					
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> SAMPLE MUST BE SUBMITTED ALONG WITH THE OFFER, OTHERWISE QUOTATION WILL NOT BE ENTERTAINED						
<b>Enquiry No.</b> <u>2425-3356</u>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 9999 KP 0048634	<b>Qty.</b> 2	<b>EA</b>
<b>Item Desc.</b> BATTERY CHARGER 24 VOLT, 60 AMPERE , SINGLE PHASE SPECIFICATION :- VICTRON BATTERY CHARGER, 24 VOLT, 60 AMPARE, SINGLE PHASE						
<b>Drawing#</b> NA	<b>Parnt. Eqp.</b> OBSERVATION HOUSE CONTROL PANNEL BHD ALI					
<b>Part#</b> CENTAUR 24V 60A	<b>Cntry of Origin</b> NETHERLAND					
<b>item_type</b> ELECTRICAL	<b>Manufacturer</b> --NIL--					
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> BROUCHER MUST BE STATED						



# KARACHI PORT TRUST

STORES DEPARTMENT - LOCAL PURCHASE Section: **MAIN LOCAL**

Enquiries Opening Date **31-DEC-24** and **31-DEC-24** Drop Time 1030 Hrs & Opening 1100 Hours

Page 9 of 10

<b>Enquiry No.</b> <b>2425-3357</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	<b>NSN# 6145 50 0010027</b>	<b>Qty. 900</b>	<b>MR</b>
<b>Item Desc.</b> CABLE PVC 110/ 0076, 4 CORE B 55 OR VDE STANDARD SPECIFICATION :-						
<b>Drawing#</b> -- Nil --			<b>Parnt. Eqp.</b> GENERAL USE .			
<b>Part#</b> -- Nil --			<b>Cntry of Origin</b> PAKISTAN			
<b>item_type</b> --NIL--			<b>Manufacturer</b> --NIL--			
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> SAMPLE MUST BE SUBMITTED ALONG WITH THE OFFER, OTHERWISE QUOTATION WILL NOT BE ENTERTAINED						
<b>Enquiry No.</b> <b>2425-3358</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	<b>NSN# 2090 KP 0052069</b>	<b>Qty. 1</b>	<b>EA</b>
<b>Item Desc.</b> I/O- IPC-C10F WAGO SPECIFICATION :- AS GIVEN						
<b>Drawing#</b> NA			<b>Parnt. Eqp.</b> ALARM MONITRING SYSTEM OF TSHD ABUL			
<b>Part#</b> 0758-0875/0000-0111			<b>Cntry of Origin</b> GERMANY			
<b>item_type</b> ELECTRICAL			<b>Manufacturer</b> --NIL--			
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> OEM COC REQUIRED ALONG WITH SUPPLY						
<b>Enquiry No.</b> <b>2425-3359</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	<b>NSN# 5510 50 0026417</b>	<b>Qty. 7</b>	<b>EA</b>
<b>Item Desc.</b> WOOD PANE KURING SIZE 12' X 12" X 8" SPECIFICATION :-						
<b>Drawing#</b> -- Nil --			<b>Parnt. Eqp.</b> -- Nil --			
<b>Part#</b> -- Nil --			<b>Cntry of Origin</b> PAKISTAN			
<b>item_type</b> --NIL--			<b>Manufacturer</b> --NIL--			
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b>						
<b>Enquiry No.</b> <b>2425-3360</b>	Date <b>11-DEC-24</b>	<b>36(A)</b>	Date of Opening <b>31-DEC-24</b>	<b>NSN# 6210 73 0049250</b>	<b>Qty. 250</b>	<b>EA</b>
<b>Item Desc.</b> LED CEILING LIGHT ROUND SHAPE, SURFACE TYPE, WARM COLOUR IP 20, CLASS II, 18 WATTS 3000 K INPUT A.C -86, 263 VOLT, 50-60 HZ INCLUDED DRIVER MAKE						
<b>Drawing#</b> PHILIPS, OSAKA OR OSRAM. SPECIFICATION :- LED CEILING LIGHT ROUND SHAPE, SURFACE TYPE, WARM COLOUR IP 20, CLASS II, 18 WATTS 3000 K INPUT A.C						
<b>Part#</b> -86, 263 VOLT, 50-60 HZ INCLUDED DRIVER MAKE PHILIPS, OSAKA OR OSRAM.			<b>Parnt. Eqp.</b> N/A			
<b>item_type</b> -- Nil --			<b>Cntry of Origin</b> N/A			
<b>Sp. Ins 4 Supp.</b> --- NIL ---			<b>Manufacturer</b> --NIL--			
<b>Remarks</b> N/A						
<b>Remarks</b> --- NIL ---						
<b>Remarks</b> SAMPLE MUST BE SUBMITTED ALONG WITH THE OFFER, OTHERWISE QUOTATION WILL NOT BE ENTERTAINED						

# KARACHI PORT TRUST

STORES DEPARTMENT - LOCAL PURCHASE Section: **MAIN LOCAL**

Enquiries Opening Date 31-DEC-24 and 31-DEC-24 Drop Time 1030 Hrs & Opening 1100 Hours

Page 10 of 10

<b>Enquiry No.</b> <u>2425-3361</u>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 5510 50 0001397	<b>Qty.</b> 30	<b>EA</b>
<b>Item Desc.</b> WOOD PARTAL SIZE 12' X 12" X 3" SPECIFICATION :-						
<b>Drawing#</b> -- Nil --			<b>Parnt. Eqp.</b> -- Nil --			
<b>Part#</b> -- Nil --			<b>Cntry of Origin</b> PAKISTAN			
<b>item_type</b> --NIL--			<b>Manufacturer</b> --NIL--			
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b>						
<b>Enquiry No.</b> <u>2425-3362</u>	<b>Date</b> 11-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 9515 50 0033276	<b>Qty.</b> 10	<b>EA</b>
<b>Item Desc.</b> C.I. MAINHOLE COVER SIZE 22 1/2" X 22 1/2" X 4" THICK WITHOUT FRAME WEIGHT 120 Kgs. EACH APPROX G.M.P. BRAND. SPECIFICATION :-						
<b>Drawing#</b> -- Nil --			<b>Parnt. Eqp.</b> -- Nil --			
<b>Part#</b> -- Nil --			<b>Cntry of Origin</b> -- Nil --			
<b>item_type</b> --NIL--			<b>Manufacturer</b> --NIL--			
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> BRAND MUST BE STATED						
<b>Enquiry No.</b> <u>2425-3364</u>	<b>Date</b> 12-DEC-24	<b>36(A)</b>	<b>Date of Opening</b> 31-DEC-24	<b>NSN#</b> 6810 50 0046213	<b>Qty.</b> 300	<b>EA</b>
<b>Item Desc.</b> INSECTICIDE OIL IN 03 LITERS PACK CAROLINE OIL SPRAY OR ANY REPUTABLE BRAND SPECIFICATION :-						
<b>Drawing#</b> -- Nil --			<b>Parnt. Eqp.</b> -- Nil --			
<b>Part#</b> -- Nil --			<b>Cntry of Origin</b> -- Nil --			
<b>item_type</b> --NIL--			<b>Manufacturer</b> --NIL--			
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> BRAND MUST BE STATED						