

TENDER BULLETIN

DATE & TIME 4/9/25 12:43 PM

INVITATION TO TENDER TO BE OPENED ON 4/23/2 10:00 AM

AND ITEM REQ BY

CONDITIONS

1. NON REGISTERED FIRMS/SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT/PAY ORDER EQUAL TO 5% TOTAL VALUE OF QUOTATION IN FAVOUR OF COMMANDER LOCAL PURCHASE DIVISION ALONGWITH THEIR BIDS.
2. FOR ANY AMPLIFIED DETAILS INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON OR THROUGH TELEPHONE. DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND 45 DAYS FOR IMPORTED ITEMS.
3. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGH769 91	LCKHB108 1182B	302070520258 0 / BEAM PR 2740X240	RACKS	30 / EACH/N UMBER			OFFICE:3RD FLOOR 83 C, PHASE2, EXT, MAIN NATIONAL HIGHWAY, DEFENCE KARACHI 021-5388726	HABIB & SONS		TECHNICAL SPECIFICATION - Profile: Step Beam Size: 118mm x 50mm Surface Finish: Ral 2004/ Powder Coated Material: SS400 strength:245mpa16mm Tensile strength:400-510mpa Locking pin: I-type x2 Load capacity/level:2000kg Lugs/nut bolt:4 Load safety factor: 01:01.5 GENERAL SPECIFICATION - Profile: Step Beam Size: 118mm x 50mm Surface Finish: Ral 2004/ Powder Coated Material: SS400 strength:245mpa16mm Tensile strength:400-510mpa Locking pin: I-type x2 Load capacity/level:2000kg Lugs/nut bolt:4 Load safety factor: 01:01.5	
2	DGH781 04	HRKT4012 - SEW/LCK GI100304 H	494070520260 4 / TRAY Size 40"x12"x1" (SET OF 09 TRAYS)	RACKS	15 / SET			OFFICE 3RD FLOOR 83-C, PHASE-II EXTENSION, MAIN NATIONAL HIGHWAY, DEFENCE, KARACHI	HABIB & SONS		TECHNICAL SPECIFICATION - Profile: Type-L, MATERIAL Galvanized, TRAY SIZE: 40" X12 THICKNESS 1.5 MM GENERAL SPECIFICATION - Profile: Type-L, MATERIAL Galvanized, TRAY SIZE: 40" X12 THICKNESS 1.5 MM	
3	DGH769 35	LCKUF901 052OM	934070520260 1 / FRAME 20' X 3.5'	UPRIGHT	5 / EACH/N UMBER			PAKISTAN	PAKISTA N		TECHNICAL SPECIFICATION - Profile type: Omega Upright size: 105mm x 90mm Surface Finish: Powder Coated Material: SS400 GENERAL SPECIFICATION - Profile type: Omega Upright size: 105mm x 90mm Surface Finish: Powder Coated Material: SS400	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabilty	Tender Remarks	TECH / GEN SPECS	Dimension
4	DGH79269	LCKUF901052OM	9340705202601 / FRAME 20' X 3.5'	UPRIGHT	10 / EACH/NUMBER			PAKISTAN	PAKISTAN		<u>TECHNICAL SPECIFICATION</u> - Profile type: Omega Upright size: 105mm x 90mm Surface Finish: Powder Coated Material: SS400 <u>GENERAL SPECIFICATION</u> - Profile type: Omega Upright size: 105mm x 90mm Surface Finish: Powder Coated Material: SS400	
5	DGH75841	LCKUF901052OM	9340705202601 / FRAME 20' X 3.5'	UPRIGHT	5 / EACH/NUMBER			PAKISTAN	PAKISTAN		<u>TECHNICAL SPECIFICATION</u> - Profile type: Omega Upright size: 105mm x 90mm Surface Finish: Powder Coated Material: SS400 <u>GENERAL SPECIFICATION</u> - Profile type: Omega Upright size: 105mm x 90mm Surface Finish: Powder Coated Material: SS400	
6	DGH79334	LCKUF901052OM	9340705202601 / FRAME 20' X 3.5'	UPRIGHT	5 / EACH/NUMBER			PAKISTAN	PAKISTAN		<u>TECHNICAL SPECIFICATION</u> - Profile type: Omega Upright size: 105mm x 90mm Surface Finish: Powder Coated Material: SS400 <u>GENERAL SPECIFICATION</u> - Profile type: Omega Upright size: 105mm x 90mm Surface Finish: Powder Coated Material: SS400	
7	DGH79336	LCKHB1081182B	3020705202580 / BEAM PR 2740X240	RACKS	22 / EACH/NUMBER			OFFICE:3RD FLOOR 83 C, PHASE2, EXT, MAIN NATIONAL HIGHWAY, DEFENCE KARACHI 021-5388726	HABIB & SONS		<u>TECHNICAL SPECIFICATION</u> - Profile: Step Beam Size: 118mm x 50mm Surface Finish: Ral 2004/ Powder Coated Material: SS400 strength:245mpa16mm Tensile strength:400-510mpa Locking pin: I-type x2 Load capacity/level:2000kg Lugs/nut bolt:4 Load safety factor: 01:01.5 <u>GENERAL SPECIFICATION</u> - Profile: Step Beam Size: 118mm x 50mm Surface Finish: Ral 2004/ Powder Coated Material: SS400 strength:245mpa16mm Tensile strength:400-510mpa Locking pin: I-type x2 Load capacity/level:2000kg Lugs/nut bolt:4 Load safety factor: 01:01.5	
8	DGH79270	LCKHB1081182B	3020705202580 / BEAM PR 2740X240	RACKS	23 / EACH/NUMBER			OFFICE:3RD FLOOR 83 C, PHASE2, EXT, MAIN NATIONAL HIGHWAY, DEFENCE KARACHI 021-	HABIB & SONS		<u>TECHNICAL SPECIFICATION</u> - Profile: Step Beam Size: 118mm x 50mm Surface Finish: Ral 2004/ Powder Coated Material: SS400	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DEMO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
								5388726			strength:245mpa16mm Tensile strength:400-510mpa Locking pin: I-type x2 Load capacity/level:2000kg Lugs/nut bolt:4 Load safety factor: 01:01.5 <u>GENERAL SPECIFICATION</u> - Profile: Step Beam Size: 118mm x 50mm Surface Finish: Ral 2004/ Powder Coated Material: SS400 strength:245mpa16mm Tensile strength:400-510mpa Locking pin: I-type x2 Load capacity/level:2000kg Lugs/nut bolt:4 Load safety factor: 01:01.5	
9	DGH79268	HRKT4012 - SEWLCK GI100304 H	494070520260 4 / TRAY Size 40"x12"x1" (SET OF 09 TRAYS)	RACKS	30 / SET			OFFICE 3RD FLOOR 83-C, PHASE-II EXTENSION, MAIN NATIONAL HIJGHWAY, DEFENCE, KARACHI	HABIB & SONS		<u>TECHNICAL SPECIFICATION</u> - Profile: Type-L, MATERIAL Galvanized, TRAY SIZE: 40" X12 THICKNESS 1.5 MM <u>GENERAL SPECIFICATION</u> - Profile: Type-L, MATERIAL Galvanized, TRAY SIZE: 40" X12 THICKNESS 1.5 MM	
10	DGH76936	HRKT4012 - SEWLCK GI100304 H	494070520260 4 / TRAY Size 40"x12"x1" (SET OF 09 TRAYS)	RACKS	15 / SET			OFFICE 3RD FLOOR 83-C, PHASE-II EXTENSION, MAIN NATIONAL HIJGHWAY, DEFENCE, KARACHI	HABIB & SONS		<u>TECHNICAL SPECIFICATION</u> - Profile: Type-L, MATERIAL Galvanized, TRAY SIZE: 40" X12 THICKNESS 1.5 MM <u>GENERAL SPECIFICATION</u> - Profile: Type-L, MATERIAL Galvanized, TRAY SIZE: 40" X12 THICKNESS 1.5 MM	
11	DGH75842	HRKT4012 - SEWLCK GI100304 H	494070520260 4 / TRAY Size 40"x12"x1" (SET OF 09 TRAYS)	RACKS	15 / SET			OFFICE 3RD FLOOR 83-C, PHASE-II EXTENSION, MAIN NATIONAL HIJGHWAY, DEFENCE, KARACHI	HABIB & SONS		<u>TECHNICAL SPECIFICATION</u> - Profile: Type-L, MATERIAL Galvanized, TRAY SIZE: 40" X12 THICKNESS 1.5 MM <u>GENERAL SPECIFICATION</u> - Profile: Type-L, MATERIAL Galvanized, TRAY SIZE: 40" X12 THICKNESS 1.5 MM	
12	DGH79335	HRKT4012 - SEWLCK GI100304 H	494070520260 4 / TRAY Size 40"x12"x1" (SET OF 09 TRAYS)	RACKS	30 / SET			OFFICE 3RD FLOOR 83-C, PHASE-II EXTENSION, MAIN NATIONAL HIJGHWAY, DEFENCE, KARACHI	HABIB & SONS		<u>TECHNICAL SPECIFICATION</u> - Profile: Type-L, MATERIAL Galvanized, TRAY SIZE: 40" X12 THICKNESS 1.5 MM <u>GENERAL SPECIFICATION</u> - Profile: Type-L, MATERIAL Galvanized, TRAY SIZE: 40" X12 THICKNESS 1.5 MM	
13	DGH79391	HRKT4012 - SEWLCK GI100304	494070520260 4 / TRAY Size 40"x12"x1" (SET OF 09 TRAYS)	RACKS	30 / SET			OFFICE 3RD FLOOR 83-C, PHASE-II EXTENSION, MAIN NATIONAL HIJGHWAY, DEFENCE, KARACHI	HABIB & SONS		<u>TECHNICAL SPECIFICATION</u> - Profile: Type-L, MATERIAL Galvanized, TRAY SIZE: 40" X12 THICKNESS 1.5 MM <u>GENERAL SPECIFICATION</u> - Profile: Type-L, MATERIAL Galvanized, TRAY SIZE: 40" X12 THICKNESS 1.5 MM	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availablity	Tender Remarks	TECH / GEN SPECS	Dimension
		H	TRAYS)					KARACHI			SPECIFICATION - Profile: Type-L, MATERIAL Galvanized, TRAY SIZE: 40" X12 THICKNESS 1.5 MM	
14	DGH79271	LNKRN201510	3020PK5202651 / PINS	RACK	500 / UNIT			3RD FLOOR 83C,PHASE 2, EXTENSION,MAIN NATIONAL HIGHWADEFENCE KARACHIY.,021538726		HABIB & SONS	TECHNICAL SPECIFICATION - YEILD STRENGTH:245MPA16MM MATERIAL:SS400 TENSILE STRENGTH:400-510MPA THICKNESS:1.3MM SURFACE FINISH:GALVANIZED/POWDER COATED HEXAGONE NUT AND BOLT:M10*80*2 GENERAL SPECIFICATION - YEILD STRENGTH:245MPA16MM MATERIAL:SS400 TENSILE STRENGTH:400-510MPA THICKNESS:1.3MM SURFACE FINISH:GALVANIZED/POWDER COATED HEXAGONE NUT AND BOLT:M10*80*2	
15	DGH78103	LCKUF901052OM	9340705202601 / FRAME 20' X 3.5'	UPRIGHT	5 / EACH/NUMBER			PAKISTAN		PAKISTAN	TECHNICAL SPECIFICATION - Profile type: Omega Upright size: 105mm x 90mm Surface Finish: Powder Coated Material: SS400 GENERAL SPECIFICATION - Profile type: Omega Upright size: 105mm x 90mm Surface Finish: Powder Coated Material: SS400	
16	DGE79616	N/A	9330705181279 / PLASTIC SHEET	GENERAL ITEM	29 / ROLL			LOCAL MARKET		GENERAL ITEM	TECHNICAL SPECIFICATION - PLASTIC SHEET TRANSPARENT Size: 1.8 Meter wide, 20 Meter Roll thickness: 01 mm GENERAL SPECIFICATION - PLASTIC SHEET TRANSPARENT Size: 1.8 Meter wide, 20 Meter Roll thickness: 01 mm	
17	DGP78230	NIL	7030705198726 / IVORY CARD (OFF WHITE) 350GSM +-5% 22X28	STATIONERY ITEM	1 / PACKET	STATIONERY ITEM	NIL	LOCAL MARKET		INDONESIA/ CHINA	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
18	DGP79906		7535705133021 / LAPTOP COMPUTER (AS PER NHQ APPROVED	COMPUTER	1 / EACH/NUMBER	fa1082wm		PK		VIDE NHQ LETTER ST-S/3200/81	TECHNICAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			MODEL HP/DELL/LENOVO)						98 DT 23/07/08		(MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL @ HD/HD GRAPHICS/6gb nvidia graphic card 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION). <u>GENERAL SPECIFICATION -</u> HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL@ CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL @ HD/HD GRAPHICS/6gb nvidia graphic card 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	
19	DGP796 74	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	2 / EACH/N UMBER	HP Scanner 20G05A/P ro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		<u>TECHNICAL SPECIFICATION -</u> SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 <u>GENERAL SPECIFICATION -</u> SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR ADN MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabilty	Tender Remarks	TECH / GEN SPECS	Dimension
											LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
20	DGE79812		0422705158411 / PVC MAT (SHEET LENGTH 18.5 M, WIDTH 1.5 M, THICKNESS 1.5 MM)	SELF	1500 / SQ FEET			M/S ANWAR PLASTICS, SADDAR KARACHI & M/S BUKHARI PLASTICS MA JINNAH ROAD KARACHI, MOBILENO:021-2764323,0300-2456426.	M/S ANWAR PLASTICS, SADDAR KARACHI		<u>TECHNICAL SPECIFICATION -</u> SHEET LENGTH= 18.5 M, WIDTH= 1.5 m, THICKNESS= 1.5 MM <u>GENERAL SPECIFICATION -</u> SHEET LENGTH= 18.5 M, WIDTH= 1.5 m, THICKNESS= 1.5 MM	
21	DGP79673	4003DN	7435705138632 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/M404DN/ hp laser jetm402N	COMPUTER	2 / EACH/NUMBER	NO DATA AVAILABLE		PK		PAKISTAN	<u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
22	DGP79712	4003DN	7435705138632 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/M404DN/ hp laser jetm402N	COMPUTER	11 / EACH/NUMBER	NO DATA AVAILABLE		PK		PAKISTAN	<u>TECHNICAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both <u>GENERAL SPECIFICATION -</u> Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
23	DGP79678	KD55X7000F/UHD 4K Smart TV AU7000	7730705214892 / SMART LED TV 55"	F-22P SIMULATOR	2 / EACH/NUMBER	LE55K6600UG/KD55X7000F/UHD 4K Smart TV	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111	SONY		<u>TECHNICAL SPECIFICATION - a.</u> Item : Smart LED b. Company Name: Haier/SONY c. Model No : LE55K6600UG/KD55X7000F/UHD 4K Smart TV AU7000 d. Size : 55 x	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
						AU7000					inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9 GENERAL SPECIFICATION - a. Item : Smart LED b. Company Name: Haier/SONY c. Model No : LE55K6600UG/KD55X70000F/UHD 4K Smart TV AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9	
24	DGE76374	3M 8822	4240TY5202538 / 3M DISPOSABLE RESPIRATOR COMFORT SERIES(3M 8822)	SAFETY 8320 PAKISTAN	90 / EACH/NUMBER	8320		3M	3M		TECHNICAL SPECIFICATION - EN149.200+A1.2009 FFF2 NRD DUST MIST GENERAL SPECIFICATION - EN149.200+A1.2009 FFF2 NRD DUST MIST	
25	DGB76248	IC3553, BS3594PT 1	0276789106635 / WRENCH PIPE CAPACITY 1/8" TO 1" LG OVERALL 10"		1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
26	DGE75043	NO DATA AVAILABLE	0461590006480 / PAINT ROLLER 7 INCH,C/W SHEEP SKIN COVER AND HANDLE STEEL FRAME, WOODEN HANDLE	BLST PAINT UNDER WATER HULL	253 / EACH/NUMBER						TECHNICAL SPECIFICATION - a. Item Name : Paint Roller 7" b. Roller Size : 7 inches c. Roller Cover : Cover with Polyamide d. Frame : Chrome Steel e. Handle : PVC/ Wooden Handle for maximum grip GENERAL SPECIFICATION - a. Item Name : Paint Roller 7" b. Roller Size : 7 inches c. Roller Cover : Cover with Polyamide d. Frame : Chrome Steel e. Handle : PVC/ Wooden Handle for maximum grip	
27	DGB76250		0274709104931 / FILE ENGINEER ROUND S-CUT SMOOTH 6.00 IN		1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
28	DGB76244	9104961	0274599104961 / FILE ENGINEER		1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			THREE SQUARE D-CUT BASTARD 8.00IN								AVAILABLE	
29	DGB762 49	1B1783	027559910551 4 / PLIERS NOSE FLATE 06"SINGLE JOINT,TO SPEC.BS 3087 TABLE 6	GENERAL USE (BR 320 D/76)	2 / EACH/NUMBER						TECHNICAL SPECIFICATION - BS 3087 GENERAL SPECIFICATION - BS 3087	
30	DGB762 47	SPEC. BS3066 FOR GENERAL FEATURES	027359910420 4 / CHISEL COLD HAND FLAT NICKLE STEEL O/A LG 5IN W/O/CUT 5/8"		1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
31	DGB762 61		026559000013 4 / NAIL-STEEL-FINE-CUT-3INCH		1 / KILOGRAMME						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
32	DGB762 54		027378942627 6 / BLADE HAND HACKSAW NOMINAL LG 10IN TEETH 18IN		3 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
33	DGB762 59	0257-13023	025770419501 0 / NUT PLAIN HEXAGON BRASS BSW THD-SZ 0.500 IN HEIGHT0.437 IN		4 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
34	DGB762 58		025770419501 3 / NUT PLAIN HEX BSW BRASS THD 0.250 O/A LG 0.200 (FULL BEARING)	0.250",O/A HEIGHT: 0.200",STYLE: FULL BEA.	4 / DOZEN						TECHNICAL SPECIFICATION - MATERIAL GRADE: MILD STEEL INNER DIA: 6.5MM OUTER DIA: 11MM WIDTH: 7MM BR 320-D/69 GENERAL SPECIFICATION - MATERIAL GRADE: MILD STEEL INNER DIA: 6.5MM OUTER DIA: 11MM WIDTH: 7MM BR 320-D/69	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
35	DGB765 55	BS 3628 & K0851 & DEFSTAN 47-11	025470420308 8 / CLAMP HOSE TERRY BRAND SZ 2.750 TO 3.500"WD . 505"XTHK 0.038"		83 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
36	DGB766 31	16Q5076	025379441975 5 / HYDROMETE R	TESTER BATTERY P/NO. (016Q5076)	10 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
37	DGB765 56		026259000627 4 / RAT GUARD DIAMETER OF ROPE 5-6 1/2 INCH		12 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
38	DGP796 77	G2102560 EU	361070509130 4 / SHREDDING MACHINE, GBC DUO (SHERED MASTER)		1 / EACH/N UMBER						TECHNICAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWDXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs. GENERAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWDXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											staples, paper clips, credit cards and CDs.	
39	DGB778 11	NOR-3	511076501637 6 / BLADE JIG SAW THICKNESS 3 MM24 TEETH STEEL	JIG SAW	41 / EACH/N UMBER						TECHNICAL SPECIFICATION - a. Specification Nor-3 Blade Jig Saw Thickness 3mm & 24 Teeth Steel used for cutting of wood and GRP material b. Material grade High carbon steel c. Accepted Criteria Concerned rep. to check physically d. Thickness 3mm e. OEM/ Country of Origin: England/ Germany f. Length 3 ½ inch GENERAL SPECIFICATION - a. Specification Nor-3 Blade Jig Saw Thickness 3mm & 24 Teeth Steel used for cutting of wood and GRP material b. Material grade High carbon steel c. Accepted Criteria Concerned rep. to check physically d. Thickness 3mm e. OEM/ Country of Origin: England/ Germany f. Length 3 ½ inch	
40	DGB782 95	NO DATA AVAILABL E	026350000127 6 / TURN BUCKLE HOOK & EYE		2 / EACH/N UMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - Complete Dimensions: Length- 295 mm (11.61 Inches) Thread-12.7 mm (0.5 Inch) Material grade: forged galvanized steel Testing/acceptance criteria: 1000lbs make, model, brand: Aashi Enterprises Suite # 48, 3rd, Floor Moosa Market / Shah rah Liaquat Karachi-74000. PH- +92-21-32427508 +92-21-32465654 Fax- +92-21-32432083 E-mail: ashenterprises.gsel@gmail.co ma shenterprises@hotmail. com GENERAL SPECIFICATION - Complete Dimensions: Length- 295 mm (11.61 Inches) Thread-12.7 mm (0.5 Inch) Material grade: forged galvanized steel Testing/acceptance criteria: 1000lbs make, model, brand: Aashi Enterprises Suite # 48, 3rd, Floor Moosa Market / Shah rah Liaquat Karachi-74000. PH- +92-21-32427508 +92-21-32465654 Fax- +92-21-32432083 E-mail:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											ashienterprises.gsel@gmail.co ma shienterprises@hotmail.com	
41	DGP799 10	SONY/SA MSUNG/L G/TCL 20, 21,18, 32 INCH	773070505918 2 / LED 32 INCH		1 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
42	DGE796 09	NO DATA AVAILABL E	802000682649 1 / PAINT ROLLER		40 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
43	DGE796 14	4800	831099139716 0 / GLASS SEWING THREAD 03 STRAND WEIGHT PER REEL 0.5 KG (UK MADE)	E&H VOL BELLOWS	4 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
44	DGT797 35	NO DATA AVAILABL E	010050000003 0 / PLY WOOD NATURAL TEAK FINISH BOTH SIDE (NOT ARTIFICIAL) GRADE-1, 9PLY L=8' W= 4' TH=16mm ±2	2.44X1. 22MTRX19. 05MM) SPECE/BS656 6 OF1985	320 / SQ FEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - bs 1088 part-1&II density of timber(teak) as per international standard. thickness of face back venier should be 0.6 mm(min)GENERAL SPECIFICATION - bs 1088 part-1&II density of timber(teak)as per international standard. thickness of face back venier should be 0.6 mm (min)	
45	DGT797 91	NO DATA AVAILABL E	010050000003 0 / PLY WOOD NATURAL TEAK FINISH BOTH SIDE (NOT ARTIFICIAL) GRADE-1, 9PLY L=8' W= 4' TH=16mm ±2	2.44X1. 22MTRX19. 05MM) SPECE/BS656 6 OF1985	320 / SQ FEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - bs 1088 part-1&II density of timber(teak) as per international standard. thickness of face back venier should be 0.6 mm(min)GENERAL SPECIFICATION - bs 1088 part-1&II density of timber(teak)as per international standard. thickness of face back venier should be 0.6 mm (min)	
46	DGT797 38	NO DATA AVAILABL E	010050000003 0 / PLY WOOD NATURAL TEAK FINISH	2.44X1. 22MTRX19. 05MM) SPECE/BS656	320 / SQ FEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - bs 1088 part-1&II density of timber(teak) as per international standard. thickness of face back venier should	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			BOTH SIDE (NOT ARTIFICIAL) GRADE-1, 9PLY L=8' W=4' TH=16mm ±2	6 OF 1985							be 0.6 mm(min)GENERAL SPECIFICATION - bs 1088 part-1&II density of timber(teak)as per international standard. thickness of face back venier should be 0.6 mm (min)	
47	DGT65832	NO DATA AVAILABLE	0100500000015 / PLY WOOD GRADE-1, 5 PLY		608 / SQ FEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SIZE LENGTH=8 FEET, WIDTH=4 FEET, THICKNESS=06 MM(±1MM) SPECIFICATION; 1. MOISTURE CONTENT: BS EN 322 : 1993 2. BONDING QUALITY: BS 314-1 : 2004 AND BS EN 314-2 : 1993 3. GLUE: BS 1203 : 1979 4. PRESERVATION: BS 4072 : 1999 5. PHYSICAL EVOLUTION: BS 6566-6 : 1985 6. DENSITY: BS EN 323 : 1993 GENERAL SPECIFICATION - SIZE LENGTH=8 FEET, WIDTH=4 FEET, THICKNESS=06 MM(±1MM) SPECIFICATION; 1. MOISTURE CONTENT: BS EN 322 : 1993 2. BONDING QUALITY: BS 314-1 : 2004 AND BS EN 314-2 : 1993 3. GLUE: BS 1203 : 1979 4. PRESERVATION: BS 4072 : 1999 5. PHYSICAL EVOLUTION: BS 6566-6 : 1985 6. DENSITY: BS EN 323 : 1993	
48	DGP76105	20DSA	6910705040956 / TELEVISION COLOURED 20" ORION MODEL 20DSA (LOCAL ASSEMBLED)		1 / SET						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
49	DGP78400		7490705041308 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/NUMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA eSTUDIO GENERAL TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By-Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA eSTUDIO	
50	DGP78336		749070504130 8 / PLAIN PAPER COPIER STANDARDIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/NUMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By-Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA eSTUDIO GENERAL TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By-Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%). COMPANY NAME: TOSHIBA eSTUDIO	
51	DGP79875	NO DATA AVAILABLE	743570511487 0 / PERSONAL COMPUTER CORE I7 (AS PER NHQ APPROVED SPEC)	SELF	1 / SET						TECHNICAL SPECIFICATION - specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above), 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabilty	Tender Remarks	TECH / GEN SPECS	Dimension
											Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel ® HD Graphics 750, (Minimum 2 GB shared/ dedicated GraphIC CARD) <u>GENERAL SPECIFICATION -</u> specification of pc: HP/DELL CORE i7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel ® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above), 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel ® HD Graphics 750, (Minimum 2 GB shared/ dedicated GraphIC CARD)	
52	DGE798 01		711070511488 8 / master AURA LOW BACK REVOLVING CHAIR	MASTER OFFICE CHAIR	7 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION -</u> Specification Of Item: (1) Lockable revolving and tilting mechanism. (2) Lockable at three different positions. (3) Extra torsion adjustment control. (4) Sleek and Stylish PP Arm set. (5) Adjustable Seat Height, gas lift and swivel. (6) 5 x prong pressure die-cast Aluminum/Nylon with reinforced fiberglass base for added seating support. (7) Twin wheel Castors, which meet requirement of BIFMA and DIN Standards. (8) High frequency compression process on	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											multi-layer veneer shell, automatically designed for posture care. (9) Guaranteed pure excel foam of highest density. (10) Scotch guard protected fabric. (11) Customization of arm set, base upholstery should be offered. b. OEM/COUNTRY OF ORIGIN/MANUFACTURE: DETAIL OF OEM IS AS UNDER: (1) M/S MASTER PAKISTAN (TECHNICAL COLLABORATION WITH BAYER, GERMANY) (2) BRANCH OFFICE: ARAM BAGH FURNITURE MARKET KARACHI (3) EMAIL: SALE@MASTERHOUSE.COM.PK (4) PHONE: +923009223440, +923212625240 <u>GENERAL SPECIFICATION</u> - Specification Of Item: (1) Lockable revolving and tilting mechanism. (2) Lockable at three different positions. (3) Extra torsion adjustment control. (4) Sleek and Stylish PP Arm set. (5) Adjustable Seat Height, gas lift and swivel. (6) 5 x prong pressure die-cast Aluminum/Nylon with reinforced fiberglass base for added seating support. (7) Twin wheel Castors, which meet requirement of BIFMA and DIN Standards. (8) High frequency compression process on multi-layer veneer shell, automatically designed for posture care. (9) Guaranteed pure excel foam of highest density. (10) Scotch guard protected fabric. (11) Customization of arm set, base upholstery should be offered. b. OEM/COUNTRY OF ORIGIN/MANUFACTURE: DETAIL OF OEM IS AS UNDER: (1) M/S MASTER PAKISTAN (TECHNICAL COLLABORATION WITH BAYER, GERMANY) (2) BRANCH OFFICE: ARAM BAGH FURNITURE MARKET KARACHI (3) EMAIL:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SALE@MASTERHOUSE.COM.PK (4) PHONE: +923009223440, +923212625240	
53	DGP77349	NO DATA AVAILABLE	0050500000096 / PAPER-DRAWING-AMMONIA SENSITIZED SZ:1.016MX18.288M GSM75+-5%		10 / ROLL	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
54	DGP79750	NO DATA AVAILABLE	0050500000117 / PAPER PRINTING WHITE 58GSM +5% SIZEA2 420MMX594MM.		30 / REAM	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10. GENERAL SPECIFICATION - NO DATA AVAILABLE SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10.	
55	DGE75047	NO DATA AVAILABLE	0559500000442 / MILINEX POLYSTER FILM TYPE TH 0.01 WD 12 INCH	FOR 3 PHASE PUMP MOTOR	16 / KILOGRAMME	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
56	DGE79607		9330PK5124256 / PLASTIC COVER TRANSPARENT FOR MODLES OF 18' (SEE COMD F8)	N	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
57	DGP79796	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - NO DATA AVAILABLE SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 8 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED	
58	DGP797 22	CORE I5	702570524609 1 / PERSONAL		1 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			COMPUTER (CORE: I5)								HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
59	DGP79876	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
60	DGP79747	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
61	DGE798 02	havana	711070524754 1 / master havana high back chair		2 / EACH/N UMBER	NIL					<u>TECHNICAL SPECIFICATION -</u> BACK: 24" ARM: 27 SEAT: 21.5" HEIGHT: 20" BACK HEIGHT: 47" A. CHROME BASE B. CHROME ARMSGENERAL SPECIFICATION - BACK: 24" ARM: 27 SEAT: 21.5" HEIGHT: 20" BACK HEIGHT: 47" A. CHROME BASE B. CHROME ARMS	
62	DGE799 59	havana	711070524754 1 / master havana high back chair		3 / EACH/N UMBER	NIL					<u>TECHNICAL SPECIFICATION -</u> BACK: 24" ARM: 27 SEAT: 21.5" HEIGHT: 20" BACK HEIGHT: 47" A. CHROME BASE B. CHROME ARMSGENERAL SPECIFICATION - BACK: 24" ARM: 27 SEAT: 21.5" HEIGHT: 20" BACK HEIGHT: 47" A. CHROME BASE B. CHROME ARMS	
63	DGE793 50	pice kits 06 Line item 003	847078533287 7 / Platoon load carrying equipment		5 / KIT	nil					<u>TECHNICAL SPECIFICATION - Kit</u> consist of 06 items (each) below 1. Ruck Sack 2. Small Pack 3. Water Bottle Cover 4. First Aid Med Kit	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			(plce) kits (consist of 06 x items)								Pouch 5. Light Weight Combat Helmet 6. Water Bottle <u>GENERAL SPECIFICATION</u> - Kit consist of 06 items (each) below 1. Ruck Sack 2. Small Pack 3. Water Bottle Cover 4. First Aid Med Kit Pouch 5. Light Weight Combat Helmet 6. Water Bottle	
64	DGP79675	06170311	702278524103 2 / thin client		2 / EACH/N UMBER	fd0nct52003					<u>TECHNICAL SPECIFICATION</u> - Processor Intel Baytrail J1800 x86 2.41GHz Dual Core Memory DDR3: 2G Storage 16GB SSD Network port 10/100/1000 Ethernet (RJ-45) USB port One USB 3.0 standard port, Five USB 2.0 standard ports: • USB keyboard • USB mouse • Devices with USB ports, such as USB storage devices and USB printers Display adapter 32bits true color The maximum resolution support: • VGA: 1920x1200@60Hz • DVI: 1920x1200@60Hz Audio port Output: 3.5 mm small port Input: 3.5 mm small port Accessories Power line, Power adapter(12V/3A) DVI-I to VGA Stand and Mounting Option accessories DVI-I to DVI-D+VGA cable dvi-d to vga <u>GENERAL SPECIFICATION</u> - Processor Intel Baytrail J1800 x86 2.41GHz Dual Core Memory DDR3: 2G Storage 16GB SSD Network port 10/100/1000 Ethernet (RJ-45) USB port One USB 3.0 standard port, Five USB 2.0 standard ports: • USB keyboard • USB mouse • Devices with USB ports, such as USB storage devices and USB printers Display adapter 32bits true color The maximum resolution support: • VGA: 1920x1200@60Hz • DVI: 1920x1200@60Hz Audio port Output: 3.5 mm small port Input: 3.5 mm small port Accessories Power line, Power adapter(12V/3A) DVI-I to VGA	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Stand and Mounting Option accessories DVI-I to DVI-D+VGA cable dvi-d to vga	
65	DGE79621	large 94.2 ltrs 300 plus	8115705259597 / coleman ice boxes or EQUIVALENT (LARGE) 94.2 LTRS 300 (PLUS)		6 / EACH/NUMBER						TECHNICAL SPECIFICATION - large handle with wheels, both sides handles 94.6 ltrs size (length 35" WIDTH 17" HEIGHT 17" WALL THICKNESS 3 CM) GENERAL SPECIFICATION - large handle with wheels, both sides handles 94.6 ltrs size (length 35" WIDTH 17" HEIGHT 17" WALL THICKNESS 3 CM)	

MEMORANDUM HOW THE TOTAL OF A CHEQUE IS MADE UP (CHEQUE SLIP)

Auth Sec III Para 80 Sub Para (iii) Office Manual Part-III

779

Pakistan Military Accountst Department

Office of the CNA Karachi No & Date Of cheque _____ Serial No Of Cheque slip _____

In Payment Of bill No:- 1 dt 13/01/2025

300000.00

Bank A/c No PK17HABB0004540013100701

300000.00

In Words Rs THREE HUNDRED THOUSAND

For C N A

(Signature of Offr Signing the cheque)

Initial

Supdt Audit Sec

Initial

Officer Ol/C Audit Sec

HBL 'A' BLOCK BRANCH PAK SECRETARIAT, ISLAMABAD ISLAMABAD

P.P.R.A

PPRA 1st Floor FBC Building, Near State Bank Sector G-5/2, Islamabad

LP Division

2. LAO (LAO (NAVY) NSD KARACHI)

To

Copy To