

TENDER BULLETIN

DATE & TIME 5/14/25 2:45 PM

INVITATION TO TENDER TO BE OPENED ON 5/28/2 10:00 AM

AND ITEM REQ BY

CONDITIONS

1. NON REGISTERED FIRMS/SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT/PAY ORDER EQUAL TO 5% TOTAL VALUE OF QUOTATION IN FAVOUR OF COMMANDER LOCAL PURCHASE DIVISION ALONGWITH THEIR BIDS.
2. FOR ANY AMPLIFIED DETAILS INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON OR THROUGH TELEPHONE. DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND 45 DAYS FOR IMPORTED ITEMS.
3. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGP810 07	260 GSM-+5% 22X28	589571520222 8 / MULTI COLOUR CARD SHEET SEPARATORS 260GSM 22X28	FOR PRINTING STY ITEM	7 / PACKET			M/S STACKO COMPANY. KARACHI	LOCAL		TECHNICAL SPECIFICATION - b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATORS 260 GSM-+5% 22X28" GENERAL SPECIFICATION - b. Multi colour card sheets (separators) i.e. white, yellow, blue and pink colour card sheets c. Weight of single sheet 260 ± 5 d. Size 22 x 28 inches e. 100 sheets per packet SEPARATORS 260 GSM-+5% 22X28"	
2	DGP775 77		005150000086 7 / FORM F (SG)26 GUARD		200 / CASE						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
3	DGP810 78		046150000845 4 / TARGET PAPER WHITE-26X50		1450 / SHEET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
4	DGP810 02		046150461012 0 / TARGET- PAPER 25YD RANGE 6 1/4" X6"		2000 / EACH/NUMBER						TECHNICAL SPECIFICATION - GSM 6 1/4"X6" GENERAL SPECIFICATION - GSM 6 1/4"X6"	
5	DGP784 95		046159463844 1 / TARGETS PISTOL GREY 10 YD		900 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
6	DGP81050		046159463844 2 / TARGET PAPER LIGHT GREEN FOR REVOLVER 20YDS		2100 / EACH/N UMBER						TECHNICAL SPECIFICATION - If spec of item not showing full contact to it department Size: "25 x 35" Color: Light Green Material: Paper Sport Type: Pistol shooting GENERAL SPECIFICATION - If spec of item not showing full contact to it department Size: "25 x 35" Color: Green Material: Paper Sport Type: Pistol shooting	Light
7	DGP81003		046159463844 2 / TARGET PAPER LIGHT GREEN FOR REVOLVER 20YDS		2000 / EACH/N UMBER						TECHNICAL SPECIFICATION - If spec of item not showing full contact to it department Size: "25 x 35" Color: Light Green Material: Paper Sport Type: Pistol shooting GENERAL SPECIFICATION - If spec of item not showing full contact to it department Size: "25 x 35" Color: Green Material: Paper Sport Type: Pistol shooting	Light
8	DGP79549	NO DATA AVAILABLE	046159463844 3 / TARGET PAPER GREY- 50YDS		1950 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
9	DGP81004	NO DATA AVAILABLE	046159463844 3 / TARGET PAPER GREY- 50YDS		2100 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
10	DGP80834		046150000845 0 / TARGETS PAPER BLACK 85 GSM+- 5% SIZE 26"x50"		3795 / SHEET						TECHNICAL SPECIFICATION - SIZE: LENGTH: 50 INCH WIDTH: 26 INCH WEIGHT: GSM 85 + 5% PAPER COLOUR: BLACK PACKING: 1000 SHEET PER REAM GENERAL SPECIFICATION - SIZE: LENGTH: 50 INCH WIDTH: 26 INCH WEIGHT: GSM 85 + 5% PAPER COLOUR: BLACK PACKING: 1000 SHEET PER REAM	
11	DGP80871		057559002492 2 / TP ROLL 2 PLY COMPLETE WITH ONE	TELEPRINTER T1000 S/V	400 / ROLL						TECHNICAL SPECIFICATION - TECHNICAL DATA OF TP ROLL 2 PLY 1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			TIME CARBON PAPER COMPLETE								<p>HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM \pm 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: ONE LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM \pm 5%. 7. BRAND OF CARBON PAPER: KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 35 METER \pm 01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD.</p> <p><u>GENERAL SPECIFICATION - TECHNICAL DATA OF TP ROLL 2 PLY 1.</u></p> <p>PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM \pm 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>ON OTHER COPY. 5. NO. OF CARBON PAPER: ONE LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM \pm 5%. 7. BRAND OF CARBON PAPER:KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 35 METER \pm01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD.</p>	
12	DGP809 92		057559002492 2 / TP ROLL 2 PLY COMPLETE WITH ONE TIME CARBON PAPER COMPLETE	TELEPRINTER T1000 S/V	368 / ROLL						<p>TECHNICAL SPECIFICATION - TECHNICAL DATA OF TP ROLL 2 PLY 1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM \pm 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: ONE LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM \pm 5%. 7. BRAND OF CARBON PAPER:KCR OR EQUIVALENT BRAND. 8.</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 35 METER ±01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD.</p> <p><u>GENERAL SPECIFICATION - TECHNICAL</u></p> <p>DATA OF TP ROLL 2 PLY 1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM ± 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: ONE LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM ± 5%. 7. BRAND OF CARBON PAPER: KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 35 METER ±01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL:</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD.	
13	DGP77332		046259943239 5 / PAPER WRAPING WATER PROOF WD. 36"LG.100YD PER ROL 2PLY INTO 1		420 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
14	DGP81159		361070500569 8 / IVORY CARD GSM 200 + 5% PACKET OF 100 SHEETS B-02 500X707MM		100 / PACKET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
15	DGP80632		753070500718 2 / WHITE OFFSET PAPER SIZE 50.8CMX76.2CM GSM 62+5%, 62-5%		12 / REAM						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
16	DGP81567		753070504530 4 / REAL ART PAPER 20" X30" GSM 90.		5 / REAM						TECHNICAL SPECIFICATION - Denomination: Ream Size: 20 x 30 ± 5 inches weight 90 gsm GENERAL SPECIFICATION - Denomination: Ream Size: 20 x 30 ± 5 inches weight 90 gsm	
17	DGP81572	NIL	753070510203 9 / PINK	GENERAL USE	67 / REAM						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			CARBON FREE PAPER SIZE 17X24 INCH GSM 50								SPECIFICATION - NO DATA AVAILABLE	
18	DGP78513	NO DATA AVAILABLE	0461500000118 / TARGET PAPER		1000 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
19	DGP80833	NO DATA AVAILABLE	0461500000118 / TARGET PAPER		1025 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
20	DGP77330	NO DATA AVAILABLE	0461500000026 / BUTTER-PAPER		80 / SHEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
21	DGP80958	NO DATA AVAILABLE	0051500000687 / FORM F (NS)68 FILE COVER		10400 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - 1. GSM OF CARD 300±5% 2. FILE COVER SIZE LENGTH: 355MM (MIN) WIDTH: 235MM (MIN) HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FALPER FOLD 355 MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD, CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C. I. LENGTH: 355MM (MIN) II. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO.EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTING 7. PACKING I. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. II. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG, THEN FURTHER PACKED IN CARD BOARD BOX. AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD. GENERAL SPECIFICATION - 1. GSM OF CARD 300±5% 2. FILE COVER SIZE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											LENGTH: 355MM (MIN) WIDTH: 235MM (MIN) HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FALPER FOLD 355 MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD, CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C. I. LENGTH: 355MM (MIN) II. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO. EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTING 7. PACKING I. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. II. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG, THEN FURTHER PACKED IN CARD BOARD BOX. AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD.	
22	DGPB1143	NO DATA AVAILAB E	0051500000509 / FORM F (MD)54 X RAY COVER SIZE 15" X 18"		4000 / EACH/NUMBER	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION -</u> SIZE : width: 15" length: 18" COLOR ; BROWN PRINTING INK ; BLACK ON FRONT SIDE GSM ;275 ± 5 % Item Specification :F(MD)-54 COVER FOR X-RAY FILMS <u>GENERAL SPECIFICATION -</u> SIZE : width: 15" length: 18" COLOR ; BROWN PRINTING INK ; BLACK ON FRONT SIDE GSM ;275 ± 5 % Item Specification :F(MD)-54 COVER FOR X-RAY FILMS	
23	DGPB1045	NO DATA AVAILAB E	9310705078897 / WOOD FREE PRINTING PAPER WHITE.	FOR PNCPP	20 / REAM						<u>TECHNICAL SPECIFICATION -</u> packing detail: EACH REAM CONTAINS 500 SHEETS size sheet: (25.5"x36") weight of PAPER= gsm 75±5% <u>GENERAL SPECIFICATION -</u> packing detail: EACH REAM CONTAINS 500 SHEETS size sheet: (25.5"x36") weight of PAPER= gsm 75±5%	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
24	DGP70879		693073100060 9 / TRG AIDS DECK SEAMANSHIP KIT		40 / KIT						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
25	DGP80609		753070500717 1 / WHITE OFFSET PAPER SIZE 58.42CMX91.44CM		24 / REAM						TECHNICAL SPECIFICATION - GM 80 (+-) 10 gm GENERAL SPECIFICATION - GM 80 (+-) 10 gm	
26	DGP80996		753070500717 2 / PAPER WHITE PRINTING GSM 56+5% REAM OF500SHEETS 00X707MM,B-02		200 / REAM						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
27	DGP81343		753070500717 3 / PAPER WHITE OFFSET BRIGHT GSM 84+5% 500SHEET A-04 594X841MM		1 / REAM						TECHNICAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM \pm 5% Paper in White color Sheet GENERAL SPECIFICATION - LENGTH 19.5" WIDTH 27.83" 62 GSM \pm 5% Paper in White color Sheet	
28	DGP80691		751070504923 0 / PAPER OFFSET GSM80 \pm 5 % SIZE 30X40 INCHES ,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE		1 / REAM						TECHNICAL SPECIFICATION - PAPER OFFSET GSM80 \pm 5 % SIZE 30X40 INCHES ,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE GENERAL SPECIFICATION - PAPER OFFSET GSM80 \pm 5 % SIZE 30X40 INCHES ,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
29	DGP81016		751070504923 1 / PAPER OFFSET 80 GSM \pm 5 % SIZE 20X36		4 / REAM						TECHNICAL SPECIFICATION - PAPER OFFSET 80 GSM \pm 5 % SIZE 20X36 INCHES ,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			INCHES ,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE								SPECIFICATION - PAPER OFFSET 80 GSM± 5 % SIZE 20X36 INCHES , VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
30	DGP806 29		751070504923 2 / PAPER OFFSET SIZE 36 1/2 X 33 1/2 INCHS GSM 80 ± 5%,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE		1 / REAM						TECHNICAL SPECIFICATION - PAPER OFFSET SIZE 36 1/2 X 33 1/2 INCHS GSM 80 ± 5%,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE GENERAL SPECIFICATION - PAPER OFFSET SIZE 36 1/2 X 33 1/2 INCHS GSM 80 ± 5%,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
31	DGP806 57		751070504923 4 / PAPER OFFSET 80 GSM± 5 % SIZE 36X46 INCHES ,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE		1 / REAM						TECHNICAL SPECIFICATION - PAPER OFFSET 80 GSM± 5 % SIZE 36X46 INCHES ,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE GENERAL SPECIFICATION - PAPER OFFSET 80 GSM± 5 % SIZE 36X46 INCHES , VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
32	DGP781 26		751070505981 6 / PEACOCK BLUE OFFSET INK		5 / KILOGRAMME						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
33	DGP710 35		751070503499 7 / Paper Xerographic (offset) GSM 80+5% Size: 1016MM X 9150MM	PLAIN PRINTER 2510	15 / ROLL						TECHNICAL SPECIFICATION - Size: 1016MM X 9150MM GSM 80+5% GENERAL SPECIFICATION - Size: 1016MM X 9150MM GSM 80+5%	
34	DGP806 12		751070504225 6 / PLAIN PAPER (OFFSET) VRG SHEET 80 GSM ± 5%	STATIONERY NA10S	2 / REAM						TECHNICAL SPECIFICATION - PLAIN PAPER(OFFSET) VRG SHEET 80 GSM ± 5% SIZE 914MMX1018MM OR 36X40 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER)	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SIZE 914MMX1016MM OR 36X40 INCHES,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE								WOOD FREE GENERAL SPECIFICATION - PLAIN PAPER (OFFSET) VRG SHEET 80 GSM \pm 5% SIZE 914MMX1016MM OR 36X40 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
35	DGP80617		7510705042259 / PLAIN PAPER (OFF SET)VRG SHEET 80GSM \pm 5% SIZE 610X914MM OR 24X36 INCHES,VRG, COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	STATIONERY NA10S	2 / REAM						TECHNICAL SPECIFICATION - PLAIN PAPER (OFF SET)VRG SHEET 80GSM \pm 5% SIZE 610X914MM OR 24X36 INCHES, VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE GENERAL SPECIFICATION - PLAIN PAPER (OFF SET)VRG SHEET 80GSM \pm 5% SIZE 610X914MM OR 24X36 INCHES,VRG,COLOR WHITE (PRODUCTS PULP AND PAPER) WOOD FREE	
36	DGP81024	NO DATA AVAILAB L E	0050500000117 / PAPER PRINTING WHITE 56GSM +5% SIZEA2 420MMX594M M.		200 / REAM	NO DATA AVAILAB L E					TECHNICAL SPECIFICATION - SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10.GENERAL SPECIFICATION - SPECIFICATION: 500 SHEETS IN EACH REAM, SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10.	
37	DGP80511	NO DATA AVAILAB L E	0050500000160 / REGISTER RULED WHITE 02-QR		1225 / EACH/NUMBER	NO DATA AVAILAB L E					TECHNICAL SPECIFICATION - GSM 70 \pm 5% 192 PAGES, SIZE: A-4 210X297MM, 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 2.5 \pm 0.5MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS. <u>GENERAL SPECIFICATION</u> - GSM 70±5% 192 PAGES, SIZE: A-4 210X297MM, 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 2.5± 0.5 MM THICK CARD BOARD HARD & FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.	
38	DGP80953	NO DATA AVAILABLE	0050500000160 / REGISTER RULED WHITE 02-QR		1125 / EACH/NUMBER	NO DATA AVAILABLE					<p>TECHNICAL SPECIFICATION - GSM 70±5% 192 PAGES, SIZE: A-4 210X297MM, 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 2.5± 0.5MM THICK CARD BOARD HARD & FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BE BOUND. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS. GENERAL SPECIFICATION - GSM 70±5% 192 PAGES, SIZE: A-4 210X297MM, 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 2.5± 0.5 MM THICK CARD BOARD HARD &</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.</p> <p>TECHNICAL SPECIFICATION - GSM 70±5% 192 PAGES, SIZE: A-4 210X297MM, 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 2.5± 0.5MM THICK CARD BOARD HARD & FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10.</p>	
39	DGP80654	NO DATA AVAILABLE	0050500000160 / REGISTER RULED WHITE 02-QR		1100 / EACH/NUMBER	NO DATA AVAILABLE						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS. GENERAL SPECIFICATION - GSM 70±5% 192 PAGES, SIZE: A-4 210X297MM, 1. PN CREST AS PER DRAWIND TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 2.5± 0.5 MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.</p>	
40	DGP80841	NO DATA AVAILAB E	0050500000160 / REGISTER RULED WHITE 02-QR		1205 / EACH/N UMBER	NO DATA AVAILAB LE					<p>TECHNICAL SPECIFICATION - GSM 70±5% 192 PAGES, SIZE: A-4 210X297MM, 1. PN CREST AS PER DRAWIND TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>381C TO BE USED. 4. 2.5± 0.5MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS. GENERAL SPECIFICATION - GSM 70±5% 192 PAGES, SIZE: A-4 210X297MM, 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO. 105 OF BS-381C TO BE USED. 4. 2.5± 0.5 MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
41	DGP80509	NO DATA AVAILABLE	0050500000162 / REGISTER RULED WHITE 04-QR		869 / EACH/NUMBER	NO DATA AVAILABLE					<p>HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.</p> <p>TECHNICAL SPECIFICATION - GSM 70±5% 384 PAGES, SIZE: A-4 210X297MM 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 3.5± 0.5MM THICK CARD BOARD HARD & FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BE BOUND. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS. GENERAL SPECIFICATION - GSM 70±5% 384 PAGES, SIZE: A-4 210X297MM 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 3.5± 0.5 MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.	
42	DGP80677	NO DATA AVAILAB E	005050000016 2 / REGISTER RULED WHITE 04-QR		686 / EACH/N UMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - GSM 70±5% 384 PAGES, SIZE: A-4 210X297MM 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS- 381C TO BE USED. 4. 3.5± 0.5MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 &	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS. <u>GENERAL SPECIFICATION</u> - GSM 70±5% 384 PAGES, SIZE: A-4 210X297MM 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 3.5± 0.5 MM THICK CARD BOARD HARD & FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.	
43	DGP80955	NO DATA AVAILAB LE	005050000016 2 / REGISTER RULED WHITE 04-QR		609 / EACH/N UMBER	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION</u> - GSM 70±5% 384 PAGES, SIZE: A-4 210X297MM 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 3.5± 0.5MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD. WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS. <u>GENERAL SPECIFICATION</u> - GSM 70±5% 384 PAGES, SIZE: A-4 210X297MM 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 3.5± 0.5 MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD. WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.	
44	DGP80842	NO DATA AVAILABLE	0050500000162 / REGISTER RULED WHITE 04-QR		645 / EACH/NUMBER	NO DATA AVAILABLE					<p>TECHNICAL SPECIFICATION - GSM 70±5% 384 PAGES, SIZE: A-4 210X297MM 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 3.5± 0.5MM THICK CARD BOARD HARD & FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BE BINDER. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS. <u>GENERAL SPECIFICATION -</u> GSM 70±5% 384 PAGES, SIZE: A-4 210X297MM 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 3.5±0.5 MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.	
45	DGP81227	NO DATA AVAILAB E	005050000021 3 / PAPER PRINTING COMPUTER WHITE 1 PLY 9	ON BOTH SIDES, 60GSM±5% SIZE241X305M M(MIN)	53905 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM (MIN) WEIGHT: 50 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM (MIN) WEIGHT: 50 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX	
46	DGP80866	NO DATA AVAILAB E	005050000021 3 / PAPER PRINTING COMPUTER WHITE 1 PLY 9	ON BOTH SIDES, 60GSM±5% SIZE241X305M M(MIN)	14240 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM (MIN) WEIGHT: 50 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM (MIN) WEIGHT: 50 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX	
47	DGP80893	NO DATA AVAILAB E	005050000021 4 / Paper		7150 / SHEET	NO DATA AVAILAB					TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		E	Printing Computer NCR Paper 2 PLY			LE					INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON	
48	DGP80894	NO DATA AVAILABLE	0050500000215 / PAPER PRINTING COMPUTER WHITE NCR PAPER 3PLY FAN FOLDED SPOCKET	FAN FOLDED SPOCKET ON BOTH SIDES	2500 / SHEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX	
49	DGP80895	NO DATA AVAILABLE	0050500000217 / PAPER PRINTING COMPUTER WHITE FANFOLSPOR C381X280MM1 PLY(F8)		16000 / SHEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 60 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 60 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX	
50	DGP80892	NO DATA AVAILABLE	0050500000225 / ROUGH PAD (100 PAGE) SIZE A-5 148MM 210MM PAPER GSM 50+-5%		464 / PAD	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
51	DGP59853	CF237A	7430715224630 / HP 37A BLACK ORIGINAL LEASER JET TONNER CARTAGE	HP LASER JET PRINTER M608	24 / EACH/NUMBER	M608	NA	HP LASER JET	HP LASER JET		TECHNICAL SPECIFICATION - NAGENERAL SPECIFICATION - NA	
52	DGP82188	ZEBRA105SL203	7025785141279 / BAR CODE PRINTER	ILS SYSTEM	1 / EACH/NUMBER	NO DATA AVAILABLE		CH	ZEBRA, CHINA		TECHNICAL SPECIFICATION - OEM/SOURCE OF AVAILABILITY: ZEBRA, CHINA GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			(ZEBRA)								SPECIFICATION - OEM/SOURCE OF AVAILABILITY: ZEBRA, CHINA.	
53	DGP823 57	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	2 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR, BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME, ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME, ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
54	DGP820 19	NIL	743570514000 6 / MULTIMEDIA PROJECTOR (4000 LUMENS)	MULTIMEDIA PROJECTOR	1 / EACH/NUMBER	PANASONIC PT-VW360 (4000 LUMENS PROJECTOR) OR ABOVE		PK	PAKISTAN		TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
55	DGP815 83	GSM50	621070516319 2 / Light green carbon free paper size 17x24 inches, 50 ± 5 GSM	GENERAL USE	67 / REAM			M/S STACKO CO.	M/S STACKO CO.		TECHNICAL SPECIFICATION - SIZE : 17"x24" GSM52 NON CARBON REQUIRED (NCR) EACH REAM CONTAIN 500 SHEETS. GENERAL SPECIFICATION - SIZE : 17"x24" GSM52 NON CARBON REQUIRED (NCR) EACH REAM CONTAIN 500 SHEETS.	
56	DGP823 56	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP	COMPUTER	9 / EACH/NUMBER	NO DATA AVAILABLE		PK	PAKISTAN		TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB, 1200	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE								x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
57	DGP810 99		361070504530 3 / POSITIVE PLATE ROLAND OFFSET size: 925X740X0. 3MM(BRND FUJI)		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - SIZE: 925X740X0.3MM(BRND FUJI) GENERAL SPECIFICATION - SIZE: 925X740X0.3MM(BRND FUJI)	
58	DGP811 00		361070500962 4 / LEDGER PAPER		50 / REAM						TECHNICAL SPECIFICATION - WEIGHT OF LADGER PAPER: 55 ± 5% GSM SIZE: 43.18 X 68 .58 CM/(17 X 27 INCHES) PAPER COLOR: LIGHT GREEN (as per sample) EACH REAM CONTAINS : 500 SHEETS AS PER SAMPLE PAPER PROVIDED BY PNCPP PAPER WILL BE ACCEPTED AFTER END USER REMARKS /ACCEPTANCE GENERAL SPECIFICATION - WEIGHT OF LADGER PAPER: 55 ± 5% GSM SIZE: 43.18 X 68 .58 CM/(17 X 27 INCHES) PAPER COLOR: LIGHT GREEN (as per sample) EACH REAM CONTAINS : 500 SHEETS AS PER SAMPLE PAPER PROVIDED BY PNCPP PAPER WILL BE ACCEPTED AFTER END USER REMARKS /ACCEPTANCE	
59	DGP811 58		361070500569 7 / CARD ALABASTER GSM 290 +-5% SIZE 22X28 PKT 100 SHEETS		100 / PACKE T						TECHNICAL SPECIFICATION - weight of alabaster card: (290 +_ 5%) size: (22" x 28") each packet contains 100 sheets as per sample provided by pncpp card will accepted after test printing GENERAL SPECIFICATION - weight of alabaster card: (290 +_ 5%) size: (22" x 28") each packet contains 100 sheets as per sample provided by pncpp card	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											will accepted after test printing	
60	DGP811 01		361070500723 7 / PAGE CORD TWIN COMPOSING		20 / KILOGR AMME						TECHNICAL SPECIFICATION - 1. Dimension/ Size etc: 100 meter (approximately) long roll of flexible plastic cord which is used to tie the bundle of papers, set of forms, books and miscellaneous stationery items. 2. Acceptance Criteria Acceptable as sample of Page Cord provided by PNCPP 3. Mode of inspection Joint inspection GENERAL SPECIFICATION - 1. Dimension/ Size etc: 100 meter (approximately) long roll of flexible plastic cord which is used to tie the bundle of papers, set of forms, books and miscellaneous stationery items. 2. Acceptance Criteria Acceptable as sample of Page Cord provided by PNCPP 3. Mode of inspection Joint inspection	
61	DGP811 57		753070504576 7 / TRACING PAPER SIZE A-4 GSM 85+- 5% (250 SHEETS PER PACKET)		12 / PACKE T						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
62	DGP815 76	NIL	753070510203 7 / WHITE CARBON FREE PAPER SIZE 17X24 INCH GSM 50	GENERAL USE	67 / REAM						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
63	DGP815 82	NIL	753070510203 8 / YELLOW CARBON FREE PAPER SIZE 17X24 INCH GSM 50	GENERAL USE	67 / REAM						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
64	DGP795 89	NO DATA AVAILABL E	046150000011 8 / TARGET PAPER		2000 / EACH/N UMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
65	DGP81107	NO DATA AVAILABLE	0481500000118 / TARGET PAPER		1000 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE.GENERAL SPECIFICATION - NO DATA AVAILABLE	
66	DGP81396	NO DATA AVAILABLE	0051500000687 / FORM F (NS)68 FILE COVER		7350 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - 1. GSM OF CARD 300±5% 2. FILE COVER SIZE LENGTH: 355MM (MIN) WIDTH: 235MM (MIN) HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FALPER FOLD 355 MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD, CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C. I. LENGTH: 355MM (MIN) II. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO.EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTING 7. PACKING I. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. II. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG, THEN FURTHER PACKED IN CARD BOARD BOX, AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD.GENERAL SPECIFICATION - 1. GSM OF CARD 300±5% 2. FILE COVER SIZE LENGTH: 355MM (MIN) WIDTH: 235MM (MIN) HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FALPER FOLD 355 MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD, CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C. I. LENGTH: 355MM (MIN) II. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											CARD 10 MICRON (MIN) 6. 06 NO. EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTING 7. PACKING I. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. II. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG, THEN FURTHER PACKED IN CARD BOARD BOX. AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD.	
67	DGP81248	NO DATA AVAILABLE	931070507889 7 / WOOD FREE PRINTING PAPER WHITE,	FOR PNCPP	20 / REAM						<p><u>TECHNICAL SPECIFICATION</u> - packing detail: EACH REAM CONTAINS 500 SHEETS size sheet: (25.5"x36") weight of PAPER= gsm 75±5% <u>GENERAL SPECIFICATION</u> - packing detail: EACH REAM CONTAINS 500 SHEETS size sheet: (25.5"x36") weight of PAPER= gsm 75±5%</p>	
68	DGP81098		751070500716 9 / uv flexo ink (yellow colour)		5 / POUND						<p><u>TECHNICAL SPECIFICATION</u> - MANUFACTURED/ SOURCE: 1. TOYO INK CO, JAPAN/ EUROPE. 2. DAIHAN INK, KOREA. 3. PEONY PRINTING INK, CHINA. PROPERTIES/CHARACTERISTICS: 1. UV OFFSET INK IS USED IN OFFSET PRINTING MACHINES I.E. STERAFLEX INK. 2. USED IN HIGH SPEED FLEXO PRESS MACHINES WITH GOOD FLOW PROPERTIES. 3. BRINGS SPEED, EFFICIENCY AND ECONOMY TO FLEXO PRINTING OPERATIONS. 4. STERO FLEX INK MATERIAL ALLOWS FLEXO PRINTERS TO ENHANCE CAPABILITIES OF HIGH RESOLUTION ANILOX AND COLOR INTENSITY. 5. EXCELLENT PRINTABILITY, FAST CURING, GOOD GLOSS, HIGH COLOR STRENGTH, VISCOSITY PROPERTIES FIT TO FLEXO PRINTING AND LOW ODOUR.</p>	

Designed & Developed By MTC

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabilty	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>DENOMINATION : PACKING TO BE PROVIDED IN LOWEST DENOMINATION OF KGS AS INK GETS DRIED UPON ONCE PACKING IS OPENED. CONDITION BY PN CENTRAL PRINTING PRESS: 1. PREFERABLY, UV FLEXO / STERAFLEX INK OF TOYO INK CO TO BE PURCHASED FOR BETTER RESULTS. 2. INK WILL BE ACCEPTED AFTER USING IN OFFSET PRINTING PRESS MACHINES AT PNCPP.</p> <p><u>GENERAL SPECIFICATION -</u></p> <p>MANUFACTURED/ SOURCE: 1. TOYO INK CO, JAPAN/ EUROPE. 2. DAIHAN INK, KOREA. 3. PEONY PRINTING INK, CHINA.</p> <p>PROPERTIES/CHARACTERISTICS:</p> <p>1. UV OFFSET INK IS USED IN OFFSET PRINTING MACHINES I.E. STERAFLEX INK. 2. USED IN HIGH SPEED FLEXO PRESS MACHINES WITH GOOD FLOW PROPERTIES. 3. BRINGS SPEED, EFFICIENCY AND ECONOMY TO FLEXO PRINTING OPERATIONS. 4. STERO FLEX INK MATERIAL ALLOWS FLEXO PRINTERS TO ENHANCE CAPABILITIES OF HIGH RESOLUTION ANILOX AND COLOR INTENSITY. 5. EXCELLENT PRINTABILITY, FAST CURING, GOOD GLOSS, HIGH COLOR STRENGTH, VISCOSITY</p> <p>PROPERTIES FIT TO FLEXO PRINTING AND LOW ODOUR.</p> <p>DENOMINATION : PACKING TO BE PROVIDED IN LOWEST DENOMINATION OF KGS AS INK GETS DRIED UPON ONCE PACKING IS OPENED. CONDITION BY PN CENTRAL PRINTING PRESS: 1. PREFERABLY, UV FLEXO / STERAFLEX INK OF TOYO</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											INK CO TO BE PURCHASED FOR BETTER RESULTS. 2. INK WILL BE ACCEPTED AFTER USING IN OFFSET PRINTING PRESS MACHINES AT PNCPP.	
69	DGP81096	NO DATA AVAILABLE	005050000009 6 / PAPER-DRAWING-AMMONIA SENSITIZED SZ:1.016MX18. 288M GSM75+-5%		20 / ROLL	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
70	DGP81331	NO DATA AVAILABLE	005050000009 7 / PAPER DUPLICATING 70%MECH NATURAL COLOUR		340 / REAM	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: 70% MECH NATURAL COLOUR GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON GENERAL SPECIFICATION - Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: 70% MECH NATURAL COLOUR GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
71	DGP81414	NO DATA AVAILABLE	005050000009 7 / PAPER DUPLICATING 70%MECH NATURAL COLOUR		361 / REAM	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: 70% MECH NATURAL COLOUR GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON GENERAL SPECIFICATION - Length: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: 70% MECH NATURAL COLOUR GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
72	DGP81106	NO DATA AVAILABLE	005050000011 4 / PAPER, TYPING, LARGE, GSM40±5%, WHITE,		85 / REAM	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			REAMOF500S HEET, SIZEA-04 210X297MM.									
73	DGP810 33	NO DATA AVAILABL E	005050000011 7 / PAPER PRINTING WHITE 56GSM +5% SIZEA2 420MMX594M M.		142 / REAM	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10. GENERAL SPECIFICATION - SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10.	
74	DGP812 36	NO DATA AVAILABL E	005050000021 4 / Paper Printing Computer NCR Paper 2 PLY		44750 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON	
75	DGP812 90	NO DATA AVAILABL E	005050000021 4 / Paper Printing Computer NCR Paper 2 PLY		44950 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON	
76	DGP814 26	NO DATA AVAILABL E	005050000021 4 / Paper Printing Computer NCR Paper 2 PLY		43755 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON	
77	DGP814 30	NO DATA AVAILABL E	005050000021 5 / PAPER PRINTING COMPUTER WHITE NCR PAPER 3PLY	FAN FOLDED SPOCKET ON BOTH SIDES	41250 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			FAN FOLDED SPOCKE								SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX	
78	DGP812 47	NO DATA AVAILAB E	005050000021 5 / PAPER PRINTING COMPUTER WHITE NCR PAPER 3PLY FAN FOLDED SPOCKE	FAN FOLDED SPOCKET ON BOTH SIDES	43453 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX <u>GENERAL</u> SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX	
79	DGP812 94	NO DATA AVAILAB E	005050000021 6 / PAPER PRINTING COMPUTER WHITE 9X12		33000 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX <u>GENERAL SPECIFICATION</u> - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX	
80	DGP810 93	NO DATA AVAILAB E	005050000021 6 / PAPER PRINTING COMPUTER WHITE 9X12		6243 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX <u>GENERAL SPECIFICATION</u> - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX	
81	DGP814 23	NO DATA AVAILAB E	005050000021 6 / PAPER PRINTING COMPUTER WHITE 9X12		33000 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX <u>GENERAL SPECIFICATION</u> - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 500 SHEETS IN EACH BOX	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
82	DGP81222	NO DATA AVAILAB E	0050500000217 / PAPER PRINTING COMPUTER WHITE FANFOLSPOR C381X280MM1 PLY(F8)		10000 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 80 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 60 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX	
83	DGP81295	NO DATA AVAILAB E	0050500000218 / PAPER PRINTING COMPUTER WHITE SIZE381X280M MNCRPAPER2 PLY(F8)		41250 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 1000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 1000 SHEETS IN EACH BOX	
84	DGP81249	NO DATA AVAILAB E	0050500000218 / PAPER PRINTING COMPUTER WHITE SIZE381X280M MNCRPAPER2 PLY(F8)		41250 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 1000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 1000 SHEETS IN EACH BOX	
85	DGP81095	NO DATA AVAILAB E	0050500000218 / PAPER PRINTING COMPUTER WHITE SIZE381X280M MNCRPAPER2 PLY(F8)		3000 / SHEET	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 1000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 381 MM WIDTH: 280 MM WEIGHT: 52 GSM + 5% PACKING: 1000 SHEETS IN EACH BOX	
86	DGP81309	NO DATA AVAILAB E	0050500000223 / PAPER DUPLICATING COLOUR WHITE		340 / REAM	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON GENERAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON	
87	DGP81416	NO DATA AVAILABLE	0050500000223 / PAPER DUPLICATING COLOUR WHITE		299 / REAM	NO DATA AVAILABLE					<p>TECHNICAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON</p> <p>GENERAL SPECIFICATION - LENGTH: 11.69 INCH WIDTH: 8.27 INCH (A-4) PAPER COLOUR: WHITE GSM: 75 + 5% PACKING: 500 SHEET EACH REAM AND 06 REAM IN EACH CARTON</p>	
88	DCC77773		8405703389303 / MTD DRESS WHITE 80/20 WAIST-38 COLLAR-16.5		180 / EACH/NUMBER						<p>TECHNICAL SPECIFICATION - MTD DRESS WHITE 80/20 WAIST-38 COLLAR-16.5</p> <p>GENERAL SPECIFICATION - MTD DRESS WHITE 80/20 WAIST-38 COLLAR-16.5</p>	THE ITEM IS PROCURED AS PER TENDER SAMPLE.
89	DCP81431		6532500200621 / GOWN OPERATING		62 / EACH/NUMBER						<p>TECHNICAL SPECIFICATION - length 41" sleeve 23" shoulder 24" chest 50" colour green cloth 100% cotton</p> <p>GENERAL SPECIFICATION - length 41" sleeve 23" shoulder 24" chest 50" colour green cloth 100% cotton</p>	
90	DGP80651	Q1414B	9310705292390 / chart / PLOTTER PAPER SIZE: 40" / 42" X 18 TO 25 M, GSM 120 to 150 ± 5%		10 / ROLL	nil					<p>TECHNICAL SPECIFICATION - SIZE: 40" / 42" X 18 TO 25 M, GSM 120 TO 150 ± 5%</p> <p>GENERAL SPECIFICATION - SIZE: 40" / 42" X 18 TO 25 M, GSM 120 TO 150 ± 5%</p>	
91	DCC77776		8405703392587 / MTD DRESS WHITE WAIST 42 COLLAR 17.5		180 / PAIR						<p>TECHNICAL SPECIFICATION - MTD DRESS WHITE WAIST 42 COLLAR 17.5</p> <p>GENERAL SPECIFICATION - MTD DRESS WHITE WAIST 42 COLLAR 17.5</p>	THE ITEM IS PROCURED AS PER TENDER SAMPLE.
92	DCC77768		8405703389300 / MTD DRESS WHITE		180 / EACH/NUMBER						<p>TECHNICAL SPECIFICATION - MTD DRESS WHITE 80/20 WAIST-32 COLLAR-15</p> <p>GENERAL</p>	THE ITEM IS PROCURED AS PER TENDER SAMPLE.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			80/20 WAIST-32 COLLAR-15								SPECIFICATION - MTD DRESS WHITE 80/20 WAIST-32 COLLAR-15	D AS PER TENDER SAMPLE.
93	DCC777 69		840570338930 1 / MTD DRESS WHITE 80/20 WAIST-34 COLLAR-15.5		180 / EACH/NUMBER					--	TECHNICAL SPECIFICATION - MTD DRESS WHITE 80/20 WAIST-34 COLLAR-15.5 GENERAL SPECIFICATION - MTD DRESS WHITE 80/20 WAIST-34 COLLAR-15.5	THE ITEM IS PROCURED AS PER TENDER SAMPLE.
94	DCC777 71		840570338930 2 / MTD DRESS WHITE 80/20 WAIST-36 COLLAR-16		180 / EACH/NUMBER					--	TECHNICAL SPECIFICATION - MTD DRESS WHITE 80/20 WAIST-36 COLLAR-16 GENERAL SPECIFICATION - MTD DRESS WHITE 80/20 WAIST-36 COLLAR-16	THE ITEM IS PROCURED AS PER TENDER SAMPLE.
95	DCC777 74		840570338930 4 / MTD DRESS WHITE 80/20 WAIST-40 COLLAR-17		180 / EACH/NUMBER					--	TECHNICAL SPECIFICATION - MTD DRESS WHITE 80/20 WAIST-40 COLLAR-17 GENERAL SPECIFICATION - MTD DRESS WHITE 80/20 WAIST-40 COLLAR-17	THE ITEM IS PROCURED AS PER TENDER SAMPLE.
96	DCC777 77		840570339258 8 / MTD DRESS WHITE 80/20 WAIST 44 COLLAR 18		180 / PAIR					--	TECHNICAL SPECIFICATION - MTD DRESS WHITE 80/20 WAIST 44 COLLAR 18 GENERAL SPECIFICATION - MTD DRESS WHITE 80/20 WAIST 44 COLLAR 18	THE ITEM IS PROCURED AS PER TENDER SAMPLE.
97	DGP825 55	E-STUDIO355/E-STUDIO357/ E-STUDIO3528A (35CPM), E-STUDIO, E-3508A	361070514044 9 / PLAIN PAPER COPIER TOSHIBA E-STUDIO 355 /357 HEAVY DUTY/CANNO N 2535	PLAIN PAPER COPIER	1 / EACH/NUMBER	E-STUDIO355/E-STUDIO357/ e-studio3528a (35cpm)		TOSHIBA SINGAPUR PTE LTD		TOSHIBA JAPAN	TECHNICAL SPECIFICATION - AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPERGENERAL SPECIFICATION -AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER	
98	DGP824 90	RJ45-Cat6	705071528943 0 / RJ-45 Connectors Cat 6 UTP		250 / EACH/NUMBER	RJ45-Cat6					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
99	DGP82558	40S5400/ MAXVSMD 40INCH/40 N5000/equ avelant	599979522644 1 / LED TV DISPLAY 40 INCH	MAXV SMD	2 / EACH/N UMBER	40S5400		M/S TAIKO UK	M/S TAIKO UK		TECHNICAL SPECIFICATION - MAKE: TCL GENERAL SPECIFICATION - MAKE: TCL	
100	DGP82488	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	2 / EACH/N UMBER	NO DATA AVAILAB LE		PK	PAKISTA N		TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
101	DGP82555	E- STUDIO35 5/E- STUDIO35 7/ E- STUDIO35 28A (35CPM), E-STUDIO E-3508A	361070514044 9 / PLAIN PAPER COPIER TOSHIBA E-STUDIO 355 /357 HEAVY DUTY/CANNO N 2535	PLAIN PAPER COPIER	1 / EACH/N UMBER	E- STUDIO3 55/E- STUDIO3 57/ e- studio352 8a (35cpm)		PK	PAKISTA N		TECHNICAL SPECIFICATION - AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER GENERAL SPECIFICATION -AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER	
102	DGP82485	E2722H/M 27FW	743570521488 5 / LCD MONITOR 27 inch	Instructor Console	1 / EACH/N UMBER	E2417H (24") /e2722h/F 22P MCR Simulator	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111	DELL		TECHNICAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION- 1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											LACK LIGHT ANTI-GLARE INPU27 T -1 VGA & 2 HDMI WEIGHT -3.68 KGS (UNPACKED)GENERAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA & 2 HDMI WEIGHT -3.68 KGS (UNPACKED)	
103	DGP828 64	KD55X7000F/UHD 4K Smart TV AU7000	773070521489 2 / SMART LED TV 55"	F-22P SIMULATOR	3 / EACH/NUMBER	LE55K6600UG/KD55X7000F/UHD 4K Smart TV AU7000	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E., Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111		SONY	TECHNICAL SPECIFICATION - a. Item : Smart LED b. Company Name: Haier/SONY c. Model No : LE55K6600UG/KD55X7000F/UHD 4K Smart TV AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9GENERAL SPECIFICATION - a. Item : Smart LED b. Company Name: Haier/SONY c. Model No : LE55K6600UG/KD55X7000F/UHD 4K Smart TV AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9	
104	DGP825 56		361070511791 2 / SHREDDING MACHINE (HEAVY DUTY)	SHREDDER MACHINE	1 / EACH/NUMBER	ST-12C/ST-12CD					TECHNICAL SPECIFICATION - ST-12C/ST-12CDGENERAL SPECIFICATION - ST-12C/ST-12CD	
105	DGP824 89	CP1515N/HP COLOR LASER 150A PRINTER 4ZB94A	361070506112 0 / HP COLOR LASER JET CP1515N PRINTER	SELF/ANY COMPUTER OR LAPTOP	1 / EACH/NUMBER	CP1515N/HP COLOR LASER 150A PRINTER 4ZB94A					TECHNICAL SPECIFICATION - SPECIFICATION: (A)TYPE:COLOR. (B)PRINT TECHNOLOGY:COLOR LASER. (C)PROCESSOR SPEED: 450 MHZ. (D)STANDARD RAM:96 MB. (E)MAX RAM:352 MB. (F) RESOLUTION:600X600 dpi. (G) PRINT SPEED COLOR:8ppm. (H) PRINT SPEED B/W:12 PPM. PRICE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											<p>OFLASER JET CP1515 RS:46,490/-.</p> <p>GENERAL SPECIFICATION -</p> <p>SPECIFICATION: (A)TYPE:COLOR. (B)PRINT TECHNOLOGY:COLOR LASER. (C)PROCESSOR SPEED: 450 MHZ. (D)STANDARD RAM:96 MB. (E)MAX RAM:352 MB. (F) RESOLUTION:600X600 dpi. (G) PRINT SPEED COLOR:8ppm. (H) PRINT SPEED B/W:12 PPM. PRICE OFLASER JET CP1515 RS:46,490/-.</p>	
106	DGP825 57	G2102560 EU	361070509130 4 / SHREDDING MACHINE, GBC DUO (SHERED MASTER)		1 / EACH/NUMBER						<p>TECHNICAL SPECIFICATION -</p> <p>TECHNICAL</p> <p>SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.</p> <p>GENERAL SPECIFICATION -</p> <p>TECHNICAL</p> <p>SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.</p>	
107	DGP823 01		743570512702 9 / ODF(12-PORT)WITH COUPLER ALONGWITH	STANDALONG COMPONENT	1 / EACH/NUMBER						<p>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</p> <p>GENERAL SPECIFICATION - NO DATA AVAILABLE</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			ACCESSORIES AND INSTALLATION									
108	DGP82866	H42D6FG	773070529296 8 / LED tv 42 Inches		3 / EACH/NUMBER	H42D6FG					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
109	DGP82515	CORE i5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE i5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 Year or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification, e. PC without modification/ upgradation.	
110	DGP82266	NIL	5930735277330 / LAPTOP CORE i7 11th Generation		1 / EACH/NUMBER	NIL					<p><u>TECHNICAL SPECIFICATION - 1.</u> CPU Technology= Intel @ Core i7 (10th Generation or Above) (Minimum 2.8 GHZ upto 4.7 GHZ) 2. System Memory= 8 GB RAM DDR4 3. Hard Disk= 1 TB SATA 4. Optical Disk Drive= DVD RW 5. LED= MINIMUM 15.6" FHD 6. LAN= BUILT IN 7. Warranty= 01 Year OEM COC 8. Operating System= Windows 10 Or Above (Licensed) 9. Graphics= Intel FHD Graphics Built-In 10. Carrying Bag= Yes 11. Web Cam= Yes</p> <p><u>GENERAL SPECIFICATION - 1.</u> CPU Technology= Intel @ Core i7 (10th Generation or Above) (Minimum 2.8 GHZ upto 4.7 GHZ) 2. System Memory= 8 GB RAM DDR4 3. Hard Disk= 1 TB SATA 4. Optical Disk Drive= DVD RW 5. LED= MINIMUM 15.6" FHD 6. LAN= BUILT IN 7. Warranty= 01 Year OEM COC 8. Operating System= Windows 10 Or Above (Licensed) 9. Graphics= Intel FHD Graphics Built-In 10. Carrying Bag= Yes 11. Web Cam= Yes</p>	
111	DGP82559	M454DW.	7435705169982 / HP LASER		2 / EACH/NUMBER	M454DW		HEWLETT-PACKARD COMPANY DBA HP.DIV	USA		<u>TECHNICAL SPECIFICATION - TYPE= COLOR, PRINT</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			PRO 400 COLOR PRINTER M451NW/M454 DW		UMBER			INTERNATIONAL USA			TECHNOLOGY =COLOR LASER, SPEED= 600MHZ, RAM=128MB, RESOLUTION=600X600dpi, PRINT SPEED COLOE=21PPM, PRINT SPEED B/W=21PP, PAPER SIZE=LETER , LEGAL , PAPER TRAYS= 02, CONNECTIVITY= USB/ETHERNET <u>GENERAL</u> SPECIFICATION - TYPE= COLOR, PRINT TECHNOLOGY =COLOR LASER, SPEED= 600MHZ, RAM=128MB, RESOLUTION=600X600dpi, PRINT SPEED COLOE=21PPM, PRINT SPEED B/W=21PP, PAPER SIZE=LETER , LEGAL , PAPER TRAYS= 02, CONNECTIVITY= USB/ETHERNET	

MEMORANDUM HOW THE TOTAL OF A CHEQUE IS MADE UP (CHEQUE SLIP)

Auth Sec III Para 80 Sub Para (iii) Office Manual Part-III

1276

Pakistan Military Accountst Department

Office of the CNA Karachi No & Date Of cheque _____ Serial No Of Cheque slip _____

In Payment Of bill No:- 2 dt 07/03/2025

180000.00

Bank A/c No PK17HABB0004540013100701

180000.00

In Words Rs ONE HUNDRED EIGHTY THOUSAND

For C N A

(Signature of Offr Signing the cheque)

Initial

Supdt Audit Sec

Initial

Officer O/C Audit Sec

HBL 'A' BLOCK BRANCH PAK SECRETARIAT, ISLAMABAD ISLAMABAD

To P.P.R.A

PPRA 1st Floor FBC Building, Near State Bank Sector G-5/2, Islamabad

Copy To LP Division

2. LAO (LAO (NAVY) NSD KARACHI)