

TENDER BULLETIN

DATE & TIME 4/16/25 11:27 AM

INVITATION TO TENDER TO BE OPENED ON 4/30/2 10:00 AM

AND ITEM REQ BY

CONDITIONS

1. NON REGISTERED FIRMS/SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT/PAY ORDER EQUAL TO 5% TOTAL VALUE OF QUOTATION IN FAVOUR OF COMMANDER LOCAL PURCHASE DIVISION ALONG WITH THEIR BIDS
2. FOR ANY AMPLIFIED DETAILS INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON OR THROUGH TELEPHONE. DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND 45 DAYS FOR IMPORTED ITEMS.
3. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabilty	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGB748 13	0140	403079615389 7 / SPLIT THIMBLES (316 STAINLESS STEEL) 10MM	TAL SHIP SAILING RIG	14 / EACH/N UMBER			BASELINE MARINE PRODUCTS LTD UNIT 10 APPLE INDUSTRIAL ESTATE WHITTLE AVENUE SEGENSWORTH WEST HAMPSHIRE PO15 5SX UK E MAIL: BASELINE.MARINE@BTINTERNET.COM WEB:WWW.BASELINEHARDWARE.CO.UK	UK		TECHNICAL SPECIFICATION - SOURCE OF AVAILABILITY : BASELINE MARINE PRODUCTS LTD UNIT 10 APPLE INDUSTRIAL ESTATE WHITTLE AVENUE SEGENSWORTH WEST HAMPSHIRE PO15 5SX UK E MAIL: BASELINE.MARINE@BTINTERNET.COM WEB:WWW.BASELINEHARDWARE.CO.UK TEL: +44(0)1489 576349 FAX: +44(0) 1489578835. GENERAL SPECIFICATION - SOURCE OF AVAILABILITY : BASELINE MARINE PRODUCTS LTD UNIT 10 APPLE INDUSTRIAL ESTATE WHITTLE AVENUE SEGENSWORTH WEST HAMPSHIRE PO15 5SX UK E MAIL: BASELINE.MARINE@BTINTERNET.COM WEB:WWW.BASELINEHARDWARE.CO.UK TEL: +44(0)1489 576349 FAX: +44(0) 1489578835	
2	DGE771 09	NIL	847070519710 5 / BALLISTIC HELMET	NA	40 / EACH/N UMBER	NA	NA	PN ASD	PAKISTANI		TECHNICAL SPECIFICATION - NAGENERAL SPECIFICATION : NA	
3	DGE748 56	100-65F	7020090300899 7 / CLEANING LINT FREE CLOTH (GUC ITEM)	CLEANING CLOTH	470 / EACH/N UMBER	NO DATA AVAILAB LE		UK	MEMO HCG/MS D/03/338 DT 2/7/08		TECHNICAL SPECIFICATION - Material: 100% polyester made with continuous filament yarn for lowest possible particle generation. Type: Knitted Pattern: Line structure Weight: (250-270) GSM (Calculated	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											with the help of GSM cutting and measuring scale). Colour: White. Blue Absorption: 354.7 g/sqm in water Rate of Absorbency: below 1 second Lint Free: less than 30 counts of 25 micrometres particles (Galbo test method). Cutting: Laser cut sealed edges (+/- 3mm accuracy). <u>GENERAL SPECIFICATION:-</u> Material: 100% polyester made with continuous filament yarn for lowest possible particle generation. Type: Knitted Pattern: Line structure Weight: (250-270) GSM (Calculated with the help of GSM cutting and measuring scale). Colour: White. Blue Absorption: 354.7 g/sqm in water Rate of Absorbency: below 1 second Lint Free: less than 30 counts of 25 micron above particles (Galbo test method). Cutting: Laser cut sealed edges (+/- 3mm accuracy).	
4	DGE71439	100-65F	T020993008997 / CLEANING LINT FREE CLOTH (GUC ITEM)	CLEANING CLOTH	105 EACH/NUMBER	NO DATA AVAILABLE		UK		MEMO HCG/MS D/03/336 DT 2/7/08	<u>TECHNICAL SPECIFICATION:-</u> Material: 100% polyester made with continuous filament yarn for lowest possible particle generation. Type: Knitted Pattern: Line structure Weight: (250-270) GSM (Calculated with the help of GSM cutting and measuring scale). Colour: White. Blue Absorption: 354.7 g/sqm in water Rate of Absorbency: below 1 second Lint Free: less than 30 counts of 25 micron above particles (Galbo test method). Cutting: Laser cut sealed edges (+/- 3mm accuracy). <u>GENERAL SPECIFICATION:-</u> Material: 100% polyester made with continuous filament yarn for lowest possible particle generation. Type: Knitted Pattern: Line structure Weight: (250-270) GSM (Calculated with the help of GSM cutting and measuring scale). Colour: White. Blue Absorption: 354.7 g/sqm in	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											water Rate of Absorbency: below 1 second Lint Free: less than 30 counts of 25 micron above particles (Gelbo test method). Cutting: Laser cut sealed edges (+/- 3mm accuracy)	
5	DGP73175	NIL	874070514070 1 / DUPLICATING MACHINE RISO-CZ-180	MACHINE	1 / EACH/NUMBER	NO DATA AVAILABLE		PK		PAKISTAN	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
6	DGE78860	GGG-H-142	841500935190 1 / HELMET SAFETY	HELMET SFTYCONSTRUCTION	20 / EACH/NUMBER			FEDERAL SPECIFICATION CAGE CODE 81348		FEDERAL SPECIFICATION CAGE CODE 81348	TECHNICAL SPECIFICATION - GARMET SIZE 6-3/4 INCHES ELECTRICAL SHOCK RESISTANCE IN VOLTS 20000. COLOUR BLUE MAIN BODY GENERAL SPECIFICATION - GARMET SIZE 6- 3/4 INCHES ELECTRICAL SHOCK RESISTANCE IN VOLTS 20000. COLOUR BLUE MAIN BODY	
7	DGE76267	P1000C	535070516064 5 / WATER PROOF PAPER 186 SIZE 1000MM	WTER PROOF PAPER	10 / SHEET			LOCAL SOURCE PRIME BUSINESS SYNDICATE SHOP#2 GROUND FLOOR ABID CHAMBER SHAHDE- LIAQUAT KARACHI (TEL: 32213069, 32624600) FAX: 32623828		PRIME BUSINESS SYNDICA TE	TECHNICAL SPECIFICATION - LOCAL SOURCE PRIME BUSINESS SYNDICATE SHOP#2 GROUND FLOOR ABID CHAMBER SHAHDE- LIAQUAT KARACHI (TEL: 32213069, 32624600) FAX: 32623828 GENERAL SPECIFICATION - LOCAL SOURCE PRIME BUSINESS SYNDICATE SHOP#2 GROUND FLOOR ABID CHAMBER SHAHDE- LIAQUAT KARACHI (TEL: 32213069, 32624600) FAX: 32623828	
8	DGE27774	TYRE 6.50-14LT	473070514189 8 / TYRE 10PLY RATING NYGEN 6.50 -14LT	MOBILE A/C PLANT	8 / EACH/NUMBER	NO DATA AVAILABLE		PK		M/S NEW SOHAIL TYRE CORPOR ATION SHOP NO. 104A BAHADUR SHAH ZAFAR MARKET MA JINNAH	TECHNICAL SPECIFICATION - Make/ Brand: Bridgestone/ Dunlop Dimensions: 195 mm/ radius 14 C Remarks: Tubeless OEM: M/S NEW SOHAIL TYRE CORPORATION SHOP NO. 104A BAHADUR SHAH ZAFAR MARKET MA JINNAH ROAD KARACHI PHON: 021- 32215062, 32216049 FAX: 021- 32211124 GENERAL SPECIFICATION - Make/ Brand: Bridgestone/ Dunlop Dimensions: 195 mm/ radius 14 C Remarks:	

S. No	LPR No	PART NO	NSN / Description	PrEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									ROAD KARACHI PHON: 021-32215062, 32216049 FAX: 021-32211124		Tubeless OEM, M/S NEW SOHAIL TYRE CORPORATION SHOP NO. 104A BAHADUR SHAH ZAFAR MARKET MA JINNAH ROAD KARACHI PHON:021-32215082,32218048 FAX:021-32211124	
9	DGE73830	GD21	8430795147631 / SAFETY SHOES		40 / PAIR	NO DATA AVAILABLE		UK	ARCO LTD P.O. BOX 21, WAVERLEY STREET, HULL HU1 2SJ. TEL: 01482 611500		TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
10	DGE76722	5557 SERIES	6850715180460 / WATER CONTACT INDICATOR tape 5 X 5 MM	ADHESIVE TYPE INDICATION TAPE	10 / EACH NUMBER	MSDS MATERIAL		3M	3M USA		TECHNICAL SPECIFICATION - color : white (top) / red (bottom) top film : polyester adhesive : acrylic backing : film/ paper laminate thickness : 10.2 mils (0.259mm) GENERAL SPECIFICATION - color : white (top) / red (bottom) top film : polyester adhesive : acrylic backing : film/ paper laminate thickness : 10.2 mils (0.259mm)	
11	DGE72232		5610992004386 / BAG SAND (LOCAL GOOD QUALITY ACCEPTABLE)	DC & FF	124 / KILOGRAMME	NO DATA AVAILABLE		UK	FLOWER ETE UK LTD THE FLOORING TECHNOLOGIES CENTRE BOOTH LANE SANDBATCH CHESHIRE CW11 3QF UK PH: +44(0)		TECHNICAL SPECIFICATION - IN DESCRIPTION LOCAL GOOD QUALITY ACCEPTABLE, ADDED VIDE FLAG OFFICER SEA TRAINING ME/251/544 DT 11 APRIL 2011.&(M) DC&FF.GENERAL SPECIFICATION - IN DESCRIPTION LOCAL GOOD QUALITY ACCEPTABLE, ADDED VIDE FLAG OFFICER SEA TRAINING ME/251/544 DT 11 APRIL 2011.&(M) DC&FF.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									1270 753000 & FAX : +44 (0)1270 753333			
12	DGE786 72	NIL	041370505997 1 / ANTI SKID DOTTED RUBBER FLOORING COLOUR BLACK 15		6 / EACH/N UMBER						TECHNICAL SPECIFICATION - ANTI SKID DOTTED RUBBER FLOORING COLOUR BLACK 15. LENGTH: 36INCH thickness 2 mm WIDTH: 14INCH GENERAL SPECIFICATION - ANTI SKID DOTTED RUBBER FLOORING COLOUR BLACK 15. LENGTH: 36INCH thickness 2 mm WIDTH 14INCH	
13	DGE724 27	NIL	041370505997 1 / ANTI SKID DOTTED RUBBER FLOORING COLOUR BLACK 15		350 / EACH/N UMBER						TECHNICAL SPECIFICATION - ANTI SKID DOTTED RUBBER FLOORING COLOUR BLACK 15. LENGTH: 36INCH thickness 2 mm WIDTH: 14INCH GENERAL SPECIFICATION - ANTI SKID DOTTED RUBBER FLOORING COLOUR BLACK 15. LENGTH: 36INCH thickness 2 mm WIDTH 14INCH	
14	DGE748 50	319- SILVER- DE	047650000003 1 / BRUSH STEEL WIRE SURFACE CLEANING SMALL		157 / EACH/N UMBER	319- SILVER- DE					TECHNICAL SPECIFICATION - 1. ITEM WEIGHT: 4.9 OUNCES 2. SIZE: LARGE : 06 INCH 3 COLOR/MATERIAL: STAINLESS STEEL 4. GRIT DESCRIPTION: FINE 5. ADDITIONAL INFO: ASIN B07RPSX8BJ 6. ITEM WEIGHT: 4.0 OUNCES 7. PRODUCT DIMENSION: L-200mm, W-25mm, T-8mm, Brush Dimension: L-75mm x W-22mm x 15mm 8. MODEL: Wooden handle, Brass/ Steel Wire Brush- 6 inches/ Can be customized as per user requirement GENERAL SPECIFICATION - 1. ITEM WEIGHT: 4.9 OUNCES 2. SIZE: LARGE : 06 INCH 3. COLOR/MATERIAL: STAINLESS STEEL 4. GRIT DESCRIPTION: FINE 5. ADDITIONAL INFO: ASIN	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											BO7RPGX5BJ 6. ITEM WEIGHT: 4.9 OUNCES 7. PRODUCT DIMENSION L-200mm, W-25mm, T-6mm, Brush Dimension: L-78mm x W-22mm x 15mm H. MODEL: Wooden handle, Brass/ Steel Wire Brush- 6 inches/ Can be customized as per user requirement	
15	DGE75791		0461504610087 / GOOGLE-GLASS		20 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
16	DGE75058	0569-15270	0559794444800 / INSULATION-SLEEVING-ELECTRICAL-9.0MM THICK & 500/3.75MM		65 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
17	DGE75491	NO DATA AVAILABLE	0476599434743 / TUFF GRADE 1" PAINT BRUSH	HANGAR DOOR	36 / EACH/NUMBER						TECHNICAL SPECIFICATION - 1. Bristle material: China bristle 2. Bristle colour: White 3. Bristle width: 25mm 4. Bristle thickness: 10mm 5. Handle material: Popular wood spec: bs2992 stock thickness:0.625 inch exposed length: 2 inch GENERAL SPECIFICATION - 1. Bristle material: China bristle 2. Bristle colour: White 3. Bristle width: 25mm 4. Bristle thickness: 10mm 5. Handle material: Popular wood spec: bs2992 stock thickness:0.625 inch exposed length: 2 inch	
18	DGE72858	NO DATA AVAILABLE	0559790200485 / INSULATION-TAPE-POLYETHYLENE TERAPHALATE (TERYLENE) W.O.75		20 / ROLL						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
19	DGE70129		0559790015026 /		1 / SHEET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SYNTHETIC- RESIN- BONDED- PAPER-SHEET								SPECIFICATION - NO DATA AVAILABLE	
20	DGE723 87	04132460 BS2860	041359923877 9 / HOSE RUBBER INTERNAL 2.00"x2.750" X60FT		10 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
21	DGE704 83	0.75X0. 007INCH- 50MTR	055979001524 4 / INSULATION- TAPE- VARNISHED WOVEN GLASS-FIBRE- (STRAIGHT CUT)		40 / ROLL						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
22	DGE755 09	NO DATA AVAILABLE	041359923878 0 / TUBING RUBBER NATURAL INTERNAL DIA 1.00" HARDNESS RATING 42-50 DEGREE WALL THICKNESS 0.313"		12 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
23	DGE762 88	NO DATA AVAILABLE	041459923091 4 / PACKING MATERIAL BRADED TYPE FOR FURNACE FUEL DIESEL OIL, LUBRICATING OIL AND LOW PRESSURE 5/8	SEA WATER PUMP	18 / METER						TECHNICAL SPECIFICATION - PACKING MATERIAL BRADED TYPE FOR FURNACE FUEL DIESEL OIL LUBRICATING OIL AND LOW PRESSURE HYDRAULIC VALVE GLANDS. COIL FORM 5/8 GENERAL SPECIFICATION - PACKING MATERIAL BRADED TYPE FOR FURNACE FUEL DIESEL OIL LUBRICATING OIL AND LOW PRESSURE HYDRAULIC VALVE GLANDS. COIL FORM 5/8	
24	DGE722 19		047650924251 3 / GLASS		6 / EACH IN						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL	

S. No	LPR No	PART NO	NSN / Description	Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SHEET PLAIN LG.214MM WD: 600MM TH. 3.00MM		UMBER						SPECIFICATION - NO DATA AVAILABLE	
25	DGE76270	NO DATA AVAILABLE	048159000088 O / CLOTH ABRASIVE 9		134 / SHEET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
26	DGE78868	DDGOS335-10RD30 DEFSTAN 03/13/1	046259125518 9 / TUBING PLASTICS POLYTHELENE LAY FLAT		10 / KILOGRAMME						TECHNICAL SPECIFICATION - defstan-03-13/1 of 1976 Thickness: 0.005" (double side) WIDTH: 24" weight of roll 48 lbs (approx 21.77 kg) length per roll: 500 ft GENERAL SPECIFICATION - defstan-03-13/1 of 1976 Thickness: 0.005" (double side) WIDTH: 24" weight of roll 48 lbs (approx 21.77 kg) length per roll: 500 ft	
27	DGE74854	04769436557 BS2902TABLE ITEM 8/5	047659943055 7 / BRUSH VARNISH TYNEX FIBER FLAT SQUARE EDGE LENGTH 2.5 INCH, THICK 0.750 INCH	DR CL PS MIN SE	216 / EACH IN UMBER						TECHNICAL SPECIFICATION - 2. Dimensions LENGTH 2.5 INCH. THICK 0.750 INCH 3. Shape SQUARE EDGE 4. Packaging Separately packed/ wrapped/ any suitable GENERAL SPECIFICATION - 2. Dimensions LENGTH 2.5 INCH. THICK 0.750 INCH 3. Shape SQUARE EDGE 4. Packaging Separately packed/ wrapped/ any suitable	
28	DGE66028	D5651-3 (4220-99-923-5557)	043359923555 7 / TROUSER DIVER'S SUIT MEDIUM (UK MADE)	FOR DIVING PURPOSE	24 / EACH IN UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
29	DGE72410	409324	043359923555 9 / TROUSER DIVERS DRESS (UK MADE)		31 / PAIR						TECHNICAL SPECIFICATION - brochure uploaded as annex GENERAL SPECIFICATION - brochure uploaded as annex	
30	DGE72470		041559923142 7 / GLASS TUBING ROUND LENGTH 20" O. DIA 5/8"		5 / EACH IN UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
31	DGE731 81	0415-2502	041550923145 0 / CORK AND RUBBER SHEET, LG 01 MTR WIDTH 01 MTR THICK 3.175MM SYNTHETIC RUBBER DEF 22		4 / SHEET						TECHNICAL SPECIFICATION - CORK AND RUBBER SHEET Item Specification: DEF-22 THIC=3. 175mm, LG=01 MTR WIDTH 01 MTR Synthetic Rubber GENERAL SPECIFICATION - CORK AND RUBBER SHEET Item Specification: DEF-22 THIC=3.175mm LG=01 MTR WIDTH 01 MTR Synthetic Rubber	
32	DGB742 77		027670910659 2 / VICE ENGINEERS WIDTH OF JAW 4.5", NOM OPENING 5- 1/2"	JAW 3-1/4" PARALLEL QUICK RELEASE	4 / EACH/N UMBER						TECHNICAL SPECIFICATION - Jaw Opening: 5.5 Inch Depth of Jaw: 3 Inch Weight with stationary base: 91.1 kg Make: Model: England GENERAL SPECIFICATION - Jaw Opening: 5.5 Inch Depth of Jaw: 3 Inch Weight with stationary base: 91.1 kg Make: Model: England	
33	DGE753 72	0413-4003	041350923891 5 / SHEET RUBBER SOLID BLACK LENGTH: 08- FOOT, WIDTH: 48-INCH THICKNESS: 0.125 INCH		15 / KILOGR AMME						TECHNICAL SPECIFICATION - Approx. wt per sq ft (Lbs) 1, Spec: BS-1154 of 1992 Compound Z70, T259 BR-320-D of 1975 GENERAL SPECIFICATION - Approx. wt per sq ft (Lbs) 1, Spec: BS-1154 of 1992 Compound Z70, T259 BR-320-D of 1975	
34	DGE763 18	0413-8553	041350923892 6 / RUBBER SHEET SOLID NATURAL LENGTH= 72" WIDTH= 43"		30 / KILOGR AMME						TECHNICAL SPECIFICATION - SPECS= BS 1154 OF 1992 LENGTH= 72" WIDTH= 48" THICKNESS=0.188" TENSILE STRENGTH= NO. OF PLIES=2, APPROX WEIGHT PER SQ FT= 1.5 LBS. COMPUY2, HARDNESS RATING= 42-50" GENERAL SPECIFICATION - SPECS= BS 1154 OF 1992 LENGTH= 72" WIDTH= 48" THICKNESS=0.188" TENSILE STRENGTH= NO. OF PLIES=2, APPROX WEIGHT PER SQ FT= 1.5 LBS. COMPUY2, HARDNESS RATING= 42-50"	
35	DGE724 58	0414-2840	041450923097 5 / GASKET COPPER &		12 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			ASBESTOS I DIA 33/64" E, DIA 7/8" THICK 3/32"								AVAILABLE	
36	DGB747 79		026750521328 2 : PIPING STEEL GALVANIZED SEAMLESS	LENGHT BULK SUPPLY EXT DIA 76.1MM(3	100 / METER						TECHNICAL SPECIFICATION - SIZES: EXT DIA 03 INCH, WALL THICKNESS: 0.144" AND NOMINAL BORE: 2.5" (AS PER BR 320 D) RUNNING LENGTH: 06 METERS STANDARD SPECIFICATION 1- BS EN 10216-2 of 2019 2. BS EN ISO 10240 Thickness of 55 um on inside and outside of pipe is recommended GENERAL SPECIFICATION - SIZES: EXT DIA 03 INCH, WALL THICKNESS: 0.144" AND NOMINAL BORE: 2.5" (AS PER BR 320 D) RUNNING LENGTH: 06 METERS STANDARD SPECIFICATION 1- BS EN 10216-2 of 2019 2. BS EN ISO 10240 Thickness of 55 um on inside and outside of pipe is recommended	
37	DGB730 82		021479013080 8 : BOLT, MACHINE, THREAD SERIES BSP HEX HD	BR 320 D/78	68 / TEN						TECHNICAL SPECIFICATION - THREAD SIZE: 1/2 INCH, NOMINAL LENGTH: 2 INCH, LENGTH OF THREAD: 1 INCH, MATERIAL SPECS PD970:2005 MATERIAL GRADE EN16(605 M36) or EN100 (945 M36), HEAT TREATMENT CONDITION: R as per BR-320D (Catalog of Naval Stores) OEM COC/MTC REQUIRED GENERAL SPECIFICATION - THREAD SIZE: 1/2 INCH, NOMINAL LENGTH: 2 INCH, LENGTH OF THREAD: 1 INCH, MATERIAL SPECS PD970: 2005 MATERIAL GRADE EN16(605 M36) or EN100 (945 M38), HEAT TREATMENT CONDITION: R as per BR-320D (Catalog of Naval Stores) OEM COC/MTC REQUIRED	
38	DGB745 95		027250272004 8 : DRILL- PARALELL- SHANK-4.2MM		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - Material: HSS, Dia: 4.2mm, OEM Hico Co5GENERAL SPECIFICATION - Material: HSS	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Dis: 4.2mm, OEM: Hico Co5	
39	DGB75958		021259571002 7 / BAR STEEL CARBON HOT ROLLED RD DIA 3-1/2" WT PER FT 32.71 LBS		6 / METER						TECHNICAL SPECIFICATION - SPECS PD970.2005, Material Grade 070M20, Running Length: 6 meter GENERAL SPECIFICATION - SPECS PD970.2005, Material Grade 070M20, Running Length: 6 meter	
40	DGE67581	811251- 0X-00	167071508108 6 / RUCK SACK / MT MILITARY TACTICAL BACKPACKS ALICE PACK ARMY SURVIVAL COMBAT		25 / EACH/NUMBER						TECHNICAL SPECIFICATION - VIDE BDE HQ SSG LETTER PN/BDE HQ SSG/GENERAL/237613 DATED 01.09.2022 GENERAL SPECIFICATION - VIDE BDE HQ SSG LETTER PN/BDE HQ SSG/GENERAL/237613 DATED 01.09.2022	
41	DGH24705		056159521833 4 / CABLE ELECT ELASTOMER C.LPH, 1CORE COND276/40 440V 165AMP	DEFSTAN STANDARD 02-526	100 / METER						TECHNICAL SPECIFICATION - DEFSTAN 02-526 OF 2008-TABLE B-2 OEM COC / authorized dealer certificate/ mill test certificate GENERAL SPECIFICATION - DEFSTAN 02- 526 OF 2008-TABLE B-2 OEM COC / authorized dealer certificate/ mill test certificate	
42	DGE72218	NO DATA AVAILABLE	047659924250 7 / SHEET GLASS ORDINARY GLAZING LG 1219MM WD 762MM TH 6.350MM		12 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
43	DGE72833	NIL	046259220240 3 / TUBING PLASTICS, POLYETHYLE NE, LAY FLAT, 0.005"TH, WD 9"		50 / KILOGRAMME						TECHNICAL SPECIFICATION - SPECIFICATION: 225MMX125MICRON, DEFSTAN03- 13 GENERAL SPECIFICATION - SPECIFICATION: 225MMX125MICRON, DEFSTAN03- 13	
44	DGE76687	530300/T 41114/RC5	422050508458 9 / KNIFE		11 / EACH/NUMBER	Crest orca,					TECHNICAL SPECIFICATION - BRAND: AQUA LUNG 7 1/2"	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD:	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		50000	DIVER'S (SEAHWK/ AQUA LUNG KNIFE) WITH LEG CLASP BLADE LENGTH APPROX. 180MM/ SEAHWK/ AQUA LUNG KNIFE		NUMBER	black					POLISHED BLADE WITH 6" SCALE AND SERRATED SAW EDGE. HANDLE: BLACK CONTOURED RUBBER HANDLE. GENERAL SPECIFICATION - BRAND: AQUA LUNG 7 1/2" POLISHED BLADE WITH 6" SCALE AND SERRATED SAW EDGE. HANDLE: BLACK CONTOURED RUBBER HANDLE.	
45	DGE758 52	9-27054	4220PK508036 0 / LIGHT CHEMILUMINE SCENT RED FOR UNDER WATER. 12HR		360 / EACH/NUMBER	Cyalume Chem light					TECHNICAL SPECIFICATION - US MADE ipc is enclosed. GENERAL SPECIFICATION - US MADE ipc is enclosed.	
46	DGB746 06		512000293031 4 / SCREWDRIVER FLAT TIP BLADE LG 10.00" TIP WD 0.250"		1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE. GENERAL SPECIFICATION - NO DATA AVAILABLE.	
47	DGB746 10		521000234674 5 / TAPE MEAS		2 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE. GENERAL SPECIFICATION - NO DATA AVAILABLE.	
48	DGB839 11	ANT COUPLIN G-	472070505711 2 / FIRE HOSE SIZE 2-1/2" X100 FEET DURLANE 500 LIGHT ALLOY INST-	FOR FIRE FIGHTING	3 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE. GENERAL SPECIFICATION - NO DATA AVAILABLE.	
49	DGE721 76		534070504243 0 / RUBBER STRIP THICK 19MM WIDTH 48.5MM LENGTH 50 MTR.	USED IN DOOR PACKING	515 / METER						TECHNICAL SPECIFICATION - a. Thickness 19 mm b. Width 48.5 mm c. Length 50 mm d. Material Neoprene (1st priority) EPDM (2nd priority). GENERAL SPECIFICATION - a. Thickness 19 mm b. Width 48.5 mm c. Length 50 mm d. Material Neoprene (1st priority) EPDM (2nd priority).	

S. No	LPR No	PART NO	NSN / Description	PrEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
50	DGE722 45	NO DATA AVAILABLE	562050504233 5 / TILES CERAMIC GLAZED COLOUR WHITE (SIZE LG 9" x WD 4.5" x TH 3/8")	DECK COVERING	2800 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
51	DGE722 64	MIL-P-15280	564000237482 8 / INSULATION SLEEVING THERMAL		300 / EACH/NUMBER						TECHNICAL SPECIFICATION - MIL-P-15280 SLEEVE SIZES: LENGTH: 72-INCHES NOMINAL, INNER DIA: 3.500 INCHES NOMINAL, INSULATION THICKNESS: 0.750 INCHES NOMINAL, COLOR: BLACK, DESIGN FORM: FULL ROUND, SUPPLEMENTARY FEATURES: EXPANDED UNICELLULAR PLASTIC FOAM GENERAL SPECIFICATION - MIL-P-15280 SLEEVE SIZES: LENGTH: 72-INCHES NOMINAL, INNER DIA: 3.500 INCHES NOMINAL, INSULATION THICKNESS: 0.750 INCHES NOMINAL, COLOR: BLACK, DESIGN FORM: FULL ROUND, SUPPLEMENTARY FEATURES: EXPANDED UNICELLULAR PLASTIC FOAM	
52	DGE722 65	000W280	599999784543 2 / BRAID BANDAGE (WIRE MESH KNITTED)	GLASS WOOL (DC BOX)	4 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
53	DGE723 52	1756854	597000184200 2 / TAPE INSULATION		105 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
54	DGE723 95	NO DATA AVAILABLE	597070504730 4 / Nylon Transparent Tape (1 inch size)		69 / ROLL						TECHNICAL SPECIFICATION - manufacturer with following details: a. Manufacturer Name: Gold Star (GS) b. Item Name: Nylon Transparent Tape c. Size: 1 inch d. Price: Rs 55/- GENERAL SPECIFICATION - SAME ITEM IS ALSO AVAILABLE FROM LOCAL market GENERAL SPECIFICATION - manufacturer with	

S No	LPR No	PART NO	NSN / Description	PrEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											following details: a. Manufacturer Name: Gold Star (GS) b. Item Name: Nylon Transparent Tape c. Size: 1 inch d. Price: Rs 55/- SAME ITEM IS ALSO AVAILABLE FROM LOCAL market	
55	DGE763 27	0413-2184	597099023086 4 / TAP INSULATION ELECT. ADHESIVE PLASTIC RED W1	FOR RED PHASE	100 / EACH/NUMBER						TECHNICAL SPECIFICATION - Brand: OSAKA, NEETO c. Packing details: 10-12 in each packing GENERAL SPECIFICATION - Brand: OSAKA, NEETO c. Packing details: 10-12 in each packing	
56	DGE763 30	RT876-3/4 0	5970UK507293 5 / TUBING (HEAT SHRINK SLEEVE) FOR HARNESS EQUIPMENT		10 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
57	DGE766 75	NIL	653070505934 7 / OVER BED TABLES STEEL HEIGHT ADJUSTABLE 27" TO 38" S/FRAM.	MEDICAL PURPOSE	60 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
58	DGE720 66	AS PER STOCK SAMPLE	597070504085 5 / INSULATION SLEEVING ELECTRICAL PLASTIC I/D 15 MM TH 1 MM	DIGENRATER STATER	105 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
59	DGE724 65	NO DATA AVAILABLE	041475000021 0 / INSULATING RUBBER GLOVES 309MS	MSI	5 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
60	DGE748 69	NO DATA AVAILABLE	041375000045 5 / HOSE RUBBER 70X30X1000M	DIESEL ENGINE 485	3 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			M									
61	DGE75272	NO DATA AVAILABLE	041350000013 3 / EAR DEFENDER		202 / PAIR	PELTOR H10A/OPTIME 105					TECHNICAL SPECIFICATION: acceptance on delivery or at the time of inspection may be obtained Technical data provided in EN 352-2. Reduces noise levels by ~ 20-30 dB. a. Ear defender medium size (Pic of packing and ear defenders are enclosed) b. Make: PELTOR Model: pletor h10a/OPTIME 105 3M Ear Defender Bilsom Viking Medium Size (HAC Hardwar & Industrial Safety Equip) GENERAL SPECIFICATION: acceptance on delivery or at the time of inspection may be obtained Technical data provided in EN 352-2. Reduces noise levels by ~ 20-30 dB. a. Ear defender medium size (Pic of packing and ear defenders are enclosed) b. Make: PELTOR Model: pletor h10a/OPTIME 105 3M Ear Defender Bilsom Viking Medium Size (HAC Hardwar & Industrial Safety Equip)	
62	DGE72162	NO DATA AVAILABLE	041350000013 3 / EAR DEFENDER		872 / PAIR	PELTOR H10A/OPTIME 105					TECHNICAL SPECIFICATION: acceptance on delivery or at the time of inspection may be obtained Technical data provided in EN 352-2. Reduces noise levels by ~ 20-30 dB. a. Ear defender medium size (Pic of packing and ear defenders are enclosed) b. Make: PELTOR Model: pletor h10a/OPTIME 105 3M Ear Defender Bilsom Viking Medium Size (HAC Hardwar & Industrial Safety Equip) GENERAL SPECIFICATION: acceptance on delivery or at the time of inspection may be obtained Technical data provided in EN 352-2. Reduces noise levels by ~ 20-30 dB. a. Ear defender medium size (Pic of packing and ear defenders are enclosed) b. Make: PELTOR Model: pletor h10a/OPTIME 105 3M Ear Defender Bilsom Viking Medium Size	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											(HAC Hardwar & Industrial Safety Equip)	
63	DGE721 84	NO DATA AVAILABLE	047450000030 7 / FENDER COIR ROUND		21 / EACH IN UMBER	800MM 24" ROUND COIR BOAT FENDER					TECHNICAL SPECIFICATION - CONSTRUCTION-MADE FROM COIR FIBROUS MATERIAL FROM OUTER COAT OF COCONUT. MATERIAL-NATURAL COIR ROPE. LOOK-ROUND OF OBLONG SHAPE.BIODEGRADABLE- YES. WILL DECOMPOSE AND CAN BE DISPOSED OFF NORMALLY. PERFORMANCE IN WATER- NATURALLY WATER PROOF AND RESISTANCE TO SALT WATER DEGRADATION.STORAGE-WET AND DRY.GENERAL SPECIFICATION- CONSTRUCTION-MADE FROM COIR FIBROUS MATERIAL FROM OUTER COAT OF COCONUT. MATERIAL-NATURAL COIR ROPE. LOOK-ROUND OF OBLONG SHAPE.BIODEGRADABLE- YES. WILL DECOMPOSE AND CAN BE DISPOSED OFF NORMALLY. PERFORMANCE IN WATER- NATURALLY WATER PROOF AND RESISTANCE TO SALT WATER DEGRADATION.STORAGE-WET AND DRY	
64	DGE702 77	NO DATA AVAILABLE	046150000015 8 / MOP WHITE POLOSHING QUALITY FINE 10"		27 / EACH IN UMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - DIAMETER= 10 INCH THICKNESS= 1.5 INCH CLOTH LAYERS = 100 IN NO CLOTH MATERIAL= COTTON CLOTHGENERAL SPECIFICATION - DIAMETER= 10 INCH THICKNESS= 1.5 INCH CLOTH LAYERS = 100 IN NO CLOTH MATERIAL= COTTON CLOTH	
65	DGE755 28	NO DATA AVAILABLE	042250000002 7 / IMPROVED VERSION PVC TILES MAROON SIZE 300X300X3MM		200 / EACH IN UMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	PiEquipment	QTY / DENO	Model	SR NO OF PR	MAN/JF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
66	DGE72153	475080 CR LATEST VERSION	047279000013 77 SPINNAKAR 470 NORTH SAIL MODEL V-2	470 SAILING BOAT	4 / EACH IN UMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
67	DGE78493	OUTER FLY & FOLD MADE OF COTT/COTTON	834070508791 6 / TENT MARQUEE UNIVERSAL G 515Z27X19.6FT) FOLD&FLY TWO (J/GREEN)	GENERAL PURPOSE	2 / EACH IN UMBER						TECHNICAL SPECIFICATION - 1. 600 gsm (+/- 5%) 100 % COTTON CANVAS 2. WATER AND ROT RESISTANT FABRIC IN LIVE GREEN. 3. GROUND SHEET AND MUD FLAP 180 GSM (+/- 5%) 4. ACCESSORIES 5. COMPLETE WITH METAL PLATES OF POWDER COATED STEEL PIPES IRON PES GROUND PINS AND GUY ROPES 6. DIMENSION: LENGTH X WIDTH OUTER TENT (OPTION 1) USABLE AREA 5.8X8.2 MTRS CENTER HEIGHT 3.65 M WALL HEIGHT 1.63 (OPTION 2) 1. USABLE AREA 5.5 X8 MTRS CENTER HEIGHT 3.65 M WALL HEIGHT 1.63 GENERAL SPECIFICATION - 1. 600 gsm (+/- 5%) 100 % COTTON CANVAS 2. WATER AND ROT RESISTANT FABRIC IN LIVE GREEN. 3. GROUND SHEET AND MUD FLAP 180 GSM (+/- 5%) 4. ACCESSORIES 5. COMPLETE WITH METAL PLATES OF POWDER COATED STEEL PIPES IRON PES GROUND PINS AND GUY ROPES 6. DIMENSION: LENGTH X WIDTH OUTER TENT (OPTION 1) USABLE AREA 5.8X8.2 MTRS CENTER HEIGHT 3.65 M WALL HEIGHT 1.63 (OPTION 2) 1. USABLE AREA 5.5 X8 MTRS CENTER HEIGHT 3.65 M WALL HEIGHT 1.63	
68	DGP77868	NO DATA AVAILABLE	005150000050 9 / FORM F (MD) 54 X RAY COVER SIZE 15" X 18"		1500 / EACH IN UMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SIZE : width: 15" length: 18" COLOR : BROWN PRINTING INK : BLACK ON FRONT SIDE GSM 275 ± 5 % Item Specification : F(MD) 54 COVER	

S. No.	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											FOR X-RAY FILMS GENERAL SPECIFICATION - SIZE width: 15" length: 18" COLOR : BROWN PRINTING INK : BLACK ON FRONT SIDE GSM : 275 ± 5 % Item Specification : F(MD)-54 COVER FOR X-RAY FILMS	
69	DGE779 03	32B1206	813599220336 3 / TUBING PLASTIC POLYETHYLENE TYPE -1 LAY FLAT WD. 36 THICKNESS 0.010 INCH		30 / KILOGRAMME						TECHNICAL SPECIFICATION - AS AS PER BR-320D LENGTH PER ROLE=250 FEET WEIGHT PER ROLE=72 LBS 2 DEF STAN 93-116 ISSUE 2 OF 2007 normal roll (no need of packing) locally available GENERAL SPECIFICATION AS AS PER BR-320D LENGTH PER ROLE=250 FEET WEIGHT PER ROLE=72 LBS 2 DEF STAN 93-116 ISSUE 2 OF 2007 normal roll (no need of packing) locally available	
70	DGE725 55	NO DATA AVAILABLE	834070501408 4 / TENT FOR CPCS AND SAILORS WT 120 LBS		3 / EACH IN LUMBER						TECHNICAL SPECIFICATION - cins observation and annex b is enclosed as document a. Tent for CPOs and Sailors WT: 120 LBS along with complete accessories. B. Details: specifications/Technical data/ Testing acceptance criteria be mentioned: Tent Proof: made out of 450/G M2 cotton canvas which is rot proof, water proof, vat dyed canvas. Tent wall: Made out of 400/G M2 cotton canvas which is rot proof and water proof. Inner Lining: Made out of 400/G M2 cotton canvas which is rot proof and water proof. Complete packing of tent along with accessories c. CoC: CoC is also required/compliance by seller. GENERAL SPECIFICATION - cins observation and annex b is enclosed as document a. Tent for CPOs and Sailors WT: 120 LBS along with complete accessories. B. Details: specifications/Technical data/ Testing acceptance criteria be mentioned: Tent Proof: made out of 450/G M2	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / QENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											cotton canvas which is rot proof, water proof, vat dyed canvas. Tent wall: Made out of 400G M2 cotton canvas which is rot proof and water proof. Inner Lining: Made out of 400G M2 cotton canvas which is rot proof and water proof. Complete packing of tent along with accessories c. CoC: CoC is also required/compliance by seller.	
71	DGE71816	NO DATA AVAILABLE	009159129245 5 / MATTING FLOOR COIR WIDTH 36"		277 / METER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - a. Per role length: 50 mtr b. Width: 36" (03 feet) c. Weight per square meter: 1.050 Kgs (1050 grams) GENERAL SPECIFICATION - a. Per role length: 50 mtr b. Width: 36" (03 feet) c. Weight per square meter: 1.050 Kgs (1050 grams)	
72	DGE73957	SIZE-MERIOUS FREE SIZES	840570504642 3 / AIRCRAFT-MARSHALLER S GLOVES BRIGHTS ORANGE WASHABLE-MATERIAL	TO USED BY PERSONNEL DEPLOYED	4 / PAIR						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
73	DGE72294	400782, 400783, 400784	8435PK508745 0 / BOOTEE (SOCKS FOR DIVERS) WITH ZIP (03 SIZES: MEDIUM, LARGE, XL)	DIVING	4 / PAIR						TECHNICAL SPECIFICATION: BOOTIES (sock for diver) BRAND: DELTA WET BOOTS (1)MEDIUM 10% (2)LARGE 40% (3)EXTA LARGE 50% 400782: SIZE MEDIUM 40/41 400783: SIZE LARGE 42/43 400784: SIZE XL 44/45 Tech Specs/Features: (1). Manufactured from 5.0mm Neoprene Titanium lined for extra warmth and comfort. (2). Rugged anti-slip rubber sole. (3). Heavy duty durable side zip. (4). Velcro Zip lock. (5). Additional heel and toe protection. (6). Sole thickness: 0.8mm: GENERAL SPECIFICATION - BOOTIES (sock for diver) BRAND: DELTA WET BOOTS (1)MEDIUM 10% (2)LARGE 40% (3)EXTA LARGE 50%	

S. No	LPR No	PART NO	NSN / Description	P-Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											400782: SIZE MEDIUM 40/41 400783: SIZE LARGE 42/43 400784: SIZE XL 44/45 Tech Specs/Features : (1). Manufactured from 5.0mm Neoprene Titanium lined for extra warmth and comfort. (2). Rugged anti-slip rubber sole. (3). Heavy duty durable side zip. (4). Velcro Zip lock. (5). Additional heel and toe protection. (6). Sole thickness: 0.8 mm.	
74	DGE72193	NO DATA AVAILABLE	047650000005 8 / GLOVES LEATHER RIGHT HAND		296 / EACH NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - a. Item Name : Gloves Leather b. Palm : 1.2-1.5 mm thick, high quality leather c. Back : 0.8-1.2 mm thick d. Lining : Moisture-wicking materials like cotton, polyester e. Size : Various Sizes fit to different hand (i.e S, M, L) f. Length : 10-12 inches g. Weight : 150 - 300 gram (per pair) h. Color : Various color like black, brown, yellow j. Cow Leather : Cow Leather General Spec: The Gloves themselves should Hand not impose a risk or cause of injury. Δ The pH level of the gloves should be as close as possible to neutral. Δ Leather gloves should have a pH value between 3.5 and 9.5. Δ The highest permitted value for chromium is 3mg/kg. Δ Details of any substance used in the glove that known to cause allergies should be specified. GENERAL SPECIFICATION - a. Item Name : Gloves Leather b. Palm : 1.2-1.5 mm thick, high quality leather c. Back : 0.8-1.2 mm thick d. Lining : Moisture-wicking materials like cotton, polyester e. Size : Various Sizes fit to different hand (i.e S, M, L) f. Length : 10-12 inches g. Weight : 150 - 300 gram (per pair) h. Color : Various color like black, brown, yellow j. Cow Leather : Cow Leather General Spec: The Gloves	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											themselves should Hand not impose a risk or cause of injury. 4 The pH level of the gloves should be as close as possible to neutral. 4 Leather gloves should have a pH value between 3.5 and 9.5. 4 The highest permitted value for chromium is 3mg/kg. 4 Details of any substance used in the glove that known to cause allergies should be specified.	
75	DGE76874		721070503053 7 / WATER COOLER PLASTIC 5 LTR (BRAND REHBAR/INDUSTRY/JOY	WATER CONTAINER	10 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
76	DGE78753		711070511488 6 / master ALRA LOW BACK REVOLVING CHAIR	MASTER OFFICE CHAIR	5 / EACH/NUMBER						TECHNICAL SPECIFICATION - Specification Of Item: (1) Lockable revolving and tilting mechanism. (2) Lockable at three different positions. (3) Extra torsion adjustment control. (4) Sleek and Stylish PP Arm set. (5) Adjustable Seat Height, gas lift and swivel. (6) 5 x prong pressure die-cast Aluminum/Nylon with reinforced fiberglass base for added seating support. (7) Twin wheel Castors, which meet requirement of BIFMA and DIN Standards. (8) High frequency compression process on multi-layer veneer shell, automatically designed for posture care. (9) Guaranteed pure excel foam of highest density. (10) Scotch guard protected fabric. (11) Customization of arm set, base upholstery should be offered. b. OEM/COUNTRY OF ORIGIN:MANUFACTURE. DETAIL OF OEM IS AS UNDER. (1) M/S MASTER PAKISTAN (TECHNICAL COLLABORATION WITH BAYER, GERMANY) (2) BRANCH OFFICE. ARAM BAGH FURNITURE MARKET KARACHI (3) EMAIL:	

S. No.	LPR No	PART NO	NSN / Description	PrEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SALE@MASTERHOUSE.COM.PK (4) PHONE: +923009223440 +923212625240 GENERAL SPECIFICATION - Specification Of Item: (1) Lockable revolving and tilting mechanism. (2) Lockable at three different positions. (3) Extra torsion adjustment control. (4) Sleek and Stylish PP Arm set. (5) Adjustable Seat Height, gas lift and swivel. (6) 5 x prong pressure die-cast Aluminum/Nylon with reinforced fiberglass base for added seating support. (7) Twin wheel Castors, which meet requirement of BIFMA and DIN Standards. (8) High frequency compression process on multi-layer veneer shell, automatically designed for posture care. (9) Guaranteed pure excel foam of highest density. (10) Scotch guard protected fabric. (11) Customization of arm set, base upholstery should be offered. b. GEM/COUNTRY OF ORIGIN/MANUFACTURE. DETAIL OF OEM IS AS UNDER: (1) M/S MASTER PAKISTAN (TECHNICAL COLLABORATION WITH BAYER, GERMANY) (2) BRANCH OFFICE: ARAM BAGH FURNITURE MARKET KARACHI (3) EMAIL: SALE@MASTERHOUSE.COM.PK (4) PHONE: +923009223440, +923212625240	
77	DGE72836	NO DATA AVAILABLE	046154600468 5 / PAPER ABRASIVE 9" X11" WATERPROOF MATERIAL EMERY GRADE P-120D		116 / SHEET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
78	DGE75499		047654600478 6 / GLOVES		35 / EACH/IN						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			LEATHER LEFT HAND LTR NO E-14927/A/645 DT 28092000		UMBER						SPECIFICATION - NO DATA AVAILABLE	
79	DGE72512	3822-025-00051	802017101264 4 / SOFT BRUSH		15 / EACH UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
80	DGE73190	NO DATA AVAILABLE	834570511938 2 / VELVET - GREEN W=54" L=25 Yard Min	PRESENTATION VIP ITEM	40 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
81	DGE76368		8306PK512425 6 / PLASTIC COVER TRANSPARENT FOR MODLES OF 18" (SEE COMD FB)	N	4 / EACH UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
82	DGE70470	1-401-47845	830599123222 3 / COTTON CLOTH		85 / KILOGRAMME	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
83	DGE72182	CTLBS12202003	534073526740 9 / BASE 4" (1220 X 200 X 3MM)		384 / FOOT RUN	BASE 4" CTLBS12202003					TECHNICAL SPECIFICATION - PROFILE: CHANNEL SECTION: 1220 X 200 X 3MM MATERIAL: HR GRADE: Q-235 SURFACE FINISH: POWDER COATED 60 MICRONS GENERAL SPECIFICATION - PROFILE: CHANNEL SECTION: 1220 X 200 X 3MM MATERIAL: HR GRADE: Q-235 SURFACE FINISH: POWDER COATED 60 MICRONS	
84	DCG79468		841050058005 3 / DRESS NO-3 LARGE FOR FEMALE MEDICAL ASSISTANT		100 / PAIR						TECHNICAL SPECIFICATION - DRESS NO-3 LARGE FOR FEMALE MEDICAL ASSISTANT GENERAL SPECIFICATION - DRESS NO-3 LARGE FOR FEMALE MEDICAL ASSISTANT	the item is procured against tender sample, as per specification
85	DGE72195	CTLCS15011018	534073520741 2 / CROSS		138 / EACH N	CROSS CTLCS15					TECHNICAL SPECIFICATION - PROFILE: SQUARE SECTION: 1500	

S No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			(1500 X 1100 X 1.5MM)		UMBER	044010					X 1100 X 1.5MM MATERIAL: HR GRADE: Q-235 SURFACE FINISH: POWDER COATED 60 MICRONS GENERAL SPECIFICATION - PROFILE: SQUARE SECTION: 1500 X 1100 X 1.5MM MATERIAL: HR GRADE: Q-235 SURFACE FINISH: POWDER COATED 60 MICRONS	
85	DCC794 68		841050058005 1 / DRESS NO-3 MEDIUM FOR FEMALE MEDICAL ASSISTANT		100 / PAIR						TECHNICAL SPECIFICATION - DRESS NO-3 MEDIUM FOR FEMALE MEDICAL ASSISTANT GENERAL SPECIFICATION - DRESS NO-3 MEDIUM FOR FEMALE MEDICAL ASSISTANT	the item is procured against tender sample, as per specification
87	DCC794 69		841050058005 4 / DRESS NO-3 EX-LARGE FOR FEMALE MEDICAL ASSISTANT		100 / PAIR						TECHNICAL SPECIFICATION - DRESS NO-3 EX-LARGE FOR FEMALE MEDICAL ASSISTANT GENERAL SPECIFICATION - DRESS NO-3 EX-LARGE FOR FEMALE MEDICAL ASSISTANT	the item is procured against tender sample, as per specification
88	DCC793 63		841050058005 2 / DRESS NO-3 SMALL FOR FEMALE MEDICAL ASSISTANT		100 / PAIR						TECHNICAL SPECIFICATION - DRESS NO-3 SMALL FOR FEMALE MEDICAL ASSISTANT GENERAL SPECIFICATION - DRESS NO-3 SMALL FOR FEMALE MEDICAL ASSISTANT	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
89	DGP806 56		7026709067148 1 / TONNER FOR LASER JET III		3 / EACH/NUMBER						TECHNICAL SPECIFICATION - 1. HP 147A Black Original Laser Jet Toner Cartridge (P/N W1470A) for HP Laser Jet Enterprise M611 Printer 2. Average cartridge yield 10,500 pages 3. Dimensions (l x w x d) 380 x 180 x 270 mm 4. Weight 2.1 KG 5. UPC Code 194441304871 GENERAL SPECIFICATION - 1. HP 147A Black Original Laser Jet Toner Cartridge (P/N W1470A) for HP Laser Jet Enterprise M611 Printer 2. Average cartridge yield 10,500 pages 3.	

S. No	LPR No	PART NO	NSN Description	PI/Equipment	QTY / DENO	Model	SR NO QF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Dimensions (l x w x d) 380 x 180 x 270 mm 4. Weight 2.1 KG 5. UPC Code 194441304671	
90	BCP77002		8532500315003 / PATIENT SUIT SKY BLUE SIZE LARGE		200 / PAIR						TECHNICAL SPECIFICATION - shirt/sleeve 23" length 31" chest 48" shoulder 20" trouser : length 38" inside 26" bottom 16" hip 56" colour blue CLOTH 80/20 COTTON 80 % POLYSTER 20 % GENERAL SPECIFICATION - shirt/sleeve 23" length 31" chest 48" shoulder 20" trouser : length 38" inside 26" bottom 16" hip 56" colour blue CLOTH 80/20 COTTON 80 % POLYSTER 20 %	
91	DCD79473		8455501800751 / SSG(N) INSIGNIA FOR OFFICER AND CPO-SAILORS GOLD PLATED		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - Material Description Yellow Brass Material Grade Cz 107 (BSI No) C28800 (UNS No) Material Composition - Insignia and Miniature Brass Copper 85 ± 5% 5. b. Zinc 35 ± 5% The complete insignias shall be Gold Plated and finally Lacquered with two coats of air drying lacquer to protect the finish from tarnish. GENERAL SPECIFICATION - Material Description Yellow Brass Material Grade Cz 107 (BSI No) C28800 (UNS No) Material Composition - Insignia and Miniature Brass Copper 85 ± 5% 5. b. Zinc 35 ± 5% The complete insignias shall be Gold Plated and finally Lacquered with two coats of air drying lacquer to protect the finish from tarnish.	ITEM REQUIRED AS PER TENDER SAMPLE
92	DCD79472		8455501300437 / PAK MARINE INSIGNIA CPOs / SAILORS		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - PAK MARINE INSIGNIA CPOs / SAILORS GENERAL SPECIFICATION - PAK MARINE INSIGNIA CPOs / SAILORS	Item required as per tender sample
93	DGE72226		8305991292367 / CLOTH CURTAINS PLASTIC FOR	SPECIAL CLOTH DESIGN	100 / METER						TECHNICAL SPECIFICATION - LENGTH 2 meters x WIDTH 1.37 meters x THICK 0.02 meters standard packing updated vide	

S No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			BATHROOM (LENGTH 2 meters x WIDTH 1.37 meters x THICK 0.02 meters)								PN/COMAUXMIN 9/PNS MOAWIN/03/10085093 dated 13 aug 21 <u>GENERAL SPECIFICATION -</u> LENGTH 2 meters x WIDTH 1.37 meters x THICK 0.02 meters standard packing updated vide PN/COMAUXMIN 9/PNS MOAWIN/03/10085093 dated 13 aug 21	
94	DGE76139	4800	831099130718 0 / GLASS SEWING THREAD 03 STRAND WEIGHT PER REEL 0.5 KG (UK MADE)	E&H VOL BELLOW	4 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
95	DGE73650	NO DATA AVAILABLE	841570508793 1 / CLOTH CURTAIN MATERIAL FIRE RETARDANT		100 / METER						<u>TECHNICAL SPECIFICATION -</u> Material: 100% Polyester, Inherently Flame Retardant Polyester Fiber Weight: 270 gm/sq m +/-5% Width: 58 Inches +/- 2% Warp Count: 150 Denier Flame Retardant Polyester Filament Yarn. Weft Count: Ne 30/3 Ply- Polyester Spun Yarn +/- Ne3 Color: Light Brown with Box Pattern Fire Retardant STD: Item is to be tested Fire Retardancy as per BS 5867. Test is to be conducted through the SGS Laboratories through its Foreign Source. Fire Retardancy test as Type-B of BS-5867 Part-2 Length of Roll: 30 Mtr Clock Curtain material: (twill fabric) <u>GENERAL SPECIFICATION -</u> Material: 100% Polyester, Inherently Flame Retardant Polyester Fiber Weight: 270 gm/sq m +/-5% Width: 58 Inches +/- 2% Warp Count: 150 Denier Flame Retardant Polyester Filament Yarn. Weft Count: Ne 30/3 Ply- Polyester Spun Yarn +/- Ne3 Color: Light Brown with Box Pattern Fire Retardant STD: Item is to be tested Fire Retardancy as per BS	

S. No	LPR No	PART NO	NSN / Description	P. Equipment	QTY / DEMO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											5867. Test is to be conducted through M/s SGS Laboratories through its Foreign Source. Fire Retardancy test as Type-B of BS-5867 Part-2 Length of Roll: 30 Mtr. Clock Curtain material: (twill fabric 2/1)	
96	DGT77977	NO DATA AVAILABLE	010050000001 5 / PLY WOOD GD 1, 11 PLY (CORE AND INNER PLIES OF ROPEAR AND BOTH FACE AND BACK VENEER OF) TYPE OF BOND INT. TREATED WITH PRESERVATIVE Q.		3207 SQ FEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION:- SIZE: LENGTH= 8 FEET WIDTH=4 FEET TH=22 MM Specification 1. Moisture Content BS EN 322 : 1993 2. Bonding Quality BS 314-1 : 2004 and BS EN 314-2 : 1993 3. Glue BS 1203 : 1979 4. Preservation BS 4072 : 1999 5. Physical evaluation BS 6566-6 : 1985 6. Density BS EN 323 : 1993 GENERAL SPECIFICATION:- SIZE: LENGTH= 8 FEET WIDTH=4 FEET TH=22 MM Specification 1. Moisture Content BS EN 322 : 1993 2. Bonding Quality BS 314-1 : 2004 and BS EN 314-2 : 1993 3. Glue BS 1203 : 1979 4. Preservation BS 4072 : 1999 5. Physical evaluation BS 6566-6 : 1985 6. Density BS EN 323 : 1993	
97	DGE76798	NO DATA AVAILABLE	047650000006 1 / GLOVES LEATHER FOR WELDING. treated with preservative. standard quality		63 / PAIR	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - 1. DESCRIPTION GOAT SKIN CUT AND HEAT RESISTANT WELDING GLOVES 2. MATERIAL GOAT SKIN LEATHER LINED WITH KEVLAR AND GLASS FILAMENT 3. MODEL XPRO GOAT SKIN CUT AND HEAT RESISTANT WELDING GLOVES 4. SPECIFICATION PREMIUM GOAT GRAIN LEATHER WELDING GLOVE WITH BLACK COW SPLIT LEATHER GAUNTLET AND INSIDE LINED WITH 100% KEVLAR/ GLASS FILAMENT (ANSI CUT LEVEL A5) AND SET-IN KEYSTONE THUMB FOR GREATER COMFORT ELASTICIZED BACKS FOR A SNUG FIT. 5. APPLICATION METAL CONSTRUCTION ETC 6.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											AVAILABLE SIZES XS TO 3 XL detail: 1. PRODUCT CLASSIFICATION: Welding gloves 2. COMPOSITION: COW LEATHER, FLEECE LINING 3. COLOUR: Yellow 4. SIZE : 16" 5. PACKAGING : 1 dozen pair per polybag brochure uploaded as annex GENERAL SPECIFICATION:- 1. DESCRIPTION GOAT SKIN CUT AND HEAT RESISTANT WELDING GLOVES 2. MATERIAL GOAT SKIN LEATHER LINED WITH KEVLAR AND GLASS FILAMENT 3. MODEL XPRO GOAT SKIN CUT AND HEAT RESISTANT WELDING GLOVES 4. SPECIFICATION PREMIUM GOAT GRAIN LEATHER WELDING GLOVE WITH BLACK COW SPLIT LEATHER GAUNTLET AND INSIDE LINED WITH 100% KEVLAR/ GLASS FILAMENT (ANSI CUT LEVEL A5) AND SET IN KEYSTONE THUMB FOR GREATER COMFORT. ELASTICIZED BACKS FOR A SNUG FIT. 5. APPLICATION METAL CONSTRUCTION ETC 8. AVAILABLE SIZES XS TO 3 XL detail: 1. PRODUCT CLASSIFICATION: Welding gloves 2. COMPOSITION: COW LEATHER, FLEECE LINING 3. COLOUR: Yellow 4. SIZE : 16" 5. PACKAGING : 1 dozen pair per polybag brochure uploaded as annex	
98	DGE762 88	BELFONT TRUWOOD TEAK	933090224009 7 / PLASTIC SHEET, LAMINATED, DECORATIVE (SIZE:8'X 4' X 1MM SHADE TRU TEAK WOOD) (GRADE		6 / SHEET						TECHNICAL SPECIFICATION:- SIZE:8'X 4' X 1/25" resistant tested to be 476pt 1class 1GENERAL SPECIFICATION:- SIZE:8'X 4' X 1/25" resistant tested to be 476pt 1class 1.	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			DESIGNATION (STAN)									
99	DGP723 81		934073100099 6 / 2 Rolls Fiber Glass Fabric Fiberglass Cloth Length 82 Feet Width 2 inch		4 / METER						TECHNICAL SPECIFICATION - 2 Rolls Fiber Glass Fabric Fiberglass Cloth Length 82 Feet Width 2 inch. Package included 02 x Fiberglass. Dimensions: 7.44 x 5.91 x 3.54 (inches) Item weight: 1.16 pounds. IPC ENCLOSED. Item will be accepted based on physical inspection. GENERAL SPECIFICATION - 2 Rolls Fiber Glass Fabric Fiberglass Cloth. Length 82 Feet Width 2 inch. Package included 02 x Fiberglass. Dimensions: 7.44 x 5.91 x 3.54 (inches) Item weight: 1.16 pounds. IPC ENCLOSED. Item will be accepted based on physical inspection.	
100	DGP805 17		749070504130 8 / PLAIN PAPER COPIER STANDARDIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH IN NUMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-100%). COMPANY NAME: TOSHIBA e STUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Mul ple Copying 1-999 & Zoom 25%-100%). COMPANY NAME: TOSHIBA e STUDIO	
101	DGP802 85		749070504130 8 / PLAIN PAPER COPIER	OFFICE MACHINE	2 / EACH IN NUMBER	CPM 25				delivery in isamated	TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A----- (25 Copies Per Minute, Built-in GDI	

S. No	LPR No	PART NO	NSN / Description	Pt Equipment	QTY / DENO	Model	SR NO OF PR	MANUF. ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			STANDARDIZED MEDIUM DUTY								Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By: Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%, COMPANY NAME: TOSHIBA e-STUDIO GENERAL SPECIFICATION: TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By: Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%), COMPANY NAME: TOSHIBA e-STUDIO	
102	DGE774 25	641578100337 8 / HELMET CRASH VIP ESCORT RIDER W/SUN VISER, NYL/BELT FOAM COAT	8 / EACH NUMBER			R353 rapid single mono					TECHNICAL SPECIFICATION: colour: gloss white (2) Serial No. 1003378 size: xxl carton no. 102-57 W/Sun Viser, Size 23.23"-23.62" NYL/Belt Foam (56-60 cm) GENERAL SPECIFICATION: colour: gloss white (2) Serial No. 1003378 size: xxl carton no. 102-57 W/Sun Viser, Size 23.23"-23.62" NYL/Belt Foam (56-60 cm)	
103	DGPB03 74	NO DATA AVAILABLE 743570511487 0 / PERSONAL COMPUTER CORE I7 (AS PER NHO APPROVED SPEC)	SELF		2 / SET						TECHNICAL SPECIFICATION: specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT, 1. CPU Technology: Intel® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above), 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (82 x 4GB OR 02X08 g/m RAM ddr3/ddr4), 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above), 11. Graphics:	

S. No	LPR No	PART NO	NSN / Description	PiEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Intel ® HD Graphics 750. (Minimum 2 GB shared/ dedicated Graphic CARD)/GENERAL SPECIFICATION- specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel ® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above). 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 16.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel ® HD Graphics 750. (Minimum 2 GB shared/ dedicated Graphic CARD)	
104	DGP785 01	NO DATA AVAILABL E	743570511487 0 / PERSONAL COMPUTER CORE I7 (AS PER NHO APPROVED SPEC)	SELF	1 / SET						TECHNICAL SPECIFICATION - specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel ® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above). 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 16.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel ® HD Graphics 750. (Minimum 2 GB shared/ dedicated Graphic CARD)/GENERAL SPECIFICATION- specification of pc: HP/DELL CORE	

S. No	LPR No	PART NO	NSN / Description	PrEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											I7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above). 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel® HD Graphics 750. (Minimum 2 GB shared/ dedicated GRAPHIC CARD)	
105	DGPR0010	NO DATA AVAILABLE	7435705114870 / PERSONAL COMPUTER CORE I7 (AS PER NHD APPROVED SPEC)	SELF	2 / SET						TECHNICAL SPECIFICATION: specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above). 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel® HD Graphics 750. (Minimum 2 GB shared/ dedicated GRAPHIC CARD) GENERAL SPECIFICATION: specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel® Core i7 (8th/9th/10th/11th/12th Generation or	

S. No	LPR No	PART NO	NSN / Description	Pi Equipment	QTY / DENO	Model	SR NO OF PR	MANUP ADO	Availability	Tender Remarks	TECH / GEN. SPECS	Dimension
-------	--------	---------	-------------------	--------------	------------	-------	-------------	-----------	--------------	----------------	-------------------	-----------

106	DGP80275	NO DATA AVAILABLE	7435705114870 / PERSONAL COMPUTER CORE i7 (AS PER NHO APPROVED SPEC)	SELF	2 / SET						above) (Minimum 2.4 & 4.7 GHz or above). 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel ® HD Graphics 750, (Minimum 2 GB shared/ dedicated GRAPHIC CARD). TECHNICAL SPECIFICATION - specification of pc: HP/DELL CORE i7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel ® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above). 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel ® HD Graphics 750, (Minimum 2 GB shared/ dedicated GRAPHIC CARD). GENERAL SPECIFICATION - specification of pc: HP/DELL CORE i7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel ® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above). 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard	
-----	----------	-------------------	--	------	---------	--	--	--	--	--	--	--

S No.	LPR No	PART NO	NSN / Description	P:Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel ® HD Graphics 750, (Minimum 2 GB shared/ dedicated GRAPHIC CARD)	
107	DGP80499	NO DATA AVAILABLE	7435705114870 / PERSONAL COMPUTER CORE I7 (AS PER NHO APPROVED SPEC)	SELF	2 / SET						TECHNICAL SPECIFICATION - specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT; 1. CPU Technology: Intel ® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above). 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel ® HD Graphics 750, (Minimum 2 GB shared/ dedicated GRAPHIC CARD) GENERAL SPECIFICATION - specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT; 1. CPU Technology: Intel ® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above). 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version Window-10 or above). 11. Graphics: Intel® HD Graphics 750. (Minimum 2 GB shared/ dedicated GRAPHIC CARD)	
108	DGE78335		046154004515 / PAPER ABRASIVE 9" X11" WATERPROOF MATERIAL EMERY GRADE P-400C		96 / SHEET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
109	DGB75230	NO DATA AVAILABLE	5120731000593 / WRENCH PIPE CHAIN CAPICTY BINCH		6 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
110	DGP80518	NO DATA AVAILABLE	7730705126494 / LED TV 32"	LCD TV 32"	1 / EACH/NUMBER	KD-32W8000s6200					TECHNICAL SPECIFICATION - SCREEN SIZE 32 INCH HDMI: 02 INPUTS USB: 01 PORTS RESOLUTION: 1366X768 Input: 220V AC GENERAL SPECIFICATION - SCREEN SIZE: 32 INCH HDMI: 02 INPUTS USB: 01 PORTS RESOLUTION: 1366X768 Input: 220V AC	
111	DGE76369		033GPK5124258 / PLASTIC COVER TRANSPARENT FOR MODULES OF 12" (SEE COMD FB)		1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
112	DGD26118	NO DATA AVAILABLE	0032500000133 / Fork Table Medium Common S/Steel		150 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - PN Crest engraved on spoon Stainless Steel M/Grade SS 316 (Food Grade) Stainless Steel M/Grade SS-316 (Food Grade) & PN Crest. GENERAL SPECIFICATION - PN Crest engraved on spoon Stainless	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF. ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Steel M/Grade SS 316 (Food Grade) Stainless Steel M/Grade SS-316 (Food Grade) & PN Crest	
113	DGP804 26	HP COLOR LASERJET PRO M454DN (W1Y44A)	5730ZQ524676 9 / COLOUR PRINTER		1 / EACH/N UMBER	HP COLOR LASERJE T PRO M454DN (W1Y44A)					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
114	DCD806 22		844050400188 3 / CAP PEAK WHITE FOR CPOS/POS SIZE (588 3) MM		300 / EACH/N UMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	ITEM REQUIERO AS PER SPECIFICA TION
115	DGP805 05	N-5300/5 SERIES	599970524687 9 / LED TV SAMSUNG MODEL N- 5300/5 SERIES		1 / EACH/N UMBER	N-5300/5 SERIES					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
116	DGP802 75	N-5300/5 SERIES	599970524687 9 / LED TV SAMSUNG MODEL N- 5300/5 SERIES		1 / EACH/N UMBER	N-5300/5 SERIES					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
117	DGM772 97		793070533116 4 / TRIPLE MOP BUCKET		3 / EACH/N UMBER	N/A					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
118	DCD806 16		844050400188 6 / CAP PEAK WHITE FOR CPOS/POS SIZE (800) MM		200 / EACH/N UMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	Item required as per specification
119	DGP803 72	CORE i5	702570524008 1 / PERSONAL COMPUTER (CORE i5)		3 / SET	CORE i5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB	

S. No	LPR No.	PART NO.	NSN / Description	P-Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or (above), intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU	
120	DGP799 62	CORE I5	702570524809 1 / PERSONAL COMPUTER		2 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	Pr/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			(CORE I5)								Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. , System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED</u> HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. , System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous	

S. No	LPR No	PART NO	NSN / Description	P-Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
121	DGP79668	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE I5)		2 / SET	CORE I5 12 GEN				delivery in Islamabad	requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). Intel® Graphic Card (Min 2GB shared/ dedicated). 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend). 3. Hard Disk= 1TB SATA/SSD. 4. Keyboard= USB (3rd Optical). 5. Mouse= USB (Optical LED). 6. LED= 18.5" (Min) or higher (same brand). 7. LAN= Yes (Built in 10/100/1000). 8. Warranty= Minimum 01 YEAR or as provided by OEM. 9. Operating System= Windows 10 Professional or Above Key Sticker only. 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). Intel® Graphic Card (Min 2GB shared/ dedicated). 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend). 3. Hard Disk= 1TB	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation.	
122	DGP800 93	CORE I5	702570524009 1 / PERSONAL COMPUTER (CORE I5)		4 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 8 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 8 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/S60, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgrade. TECHNICAL SPECIFICATION:- SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 8 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/S60, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous	
123	DGP802 28	CORE I5	702570524809 1 / PERSONAL COMPUTER (CORE I5)		2 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	Pr Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgrade. GENERAL SPECIFICATION:- SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 6 MB, 4 Core or above). Intel® Graphic Card (Min 2GB shared/ dedicated). 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend). 3. Hard Disk= 1TB SATA/SSD. 4. Keyboard= USB (3rd Optical). 5. Mouse= USB (Optical LED). 6. LED= 18.5" (Min) or higher (same brand). 7. LAN= Yes (Built in 10/100/1000). 8. Warranty= Minimum 01 YEAR or as provided by OEM. 9. Operating System= Windows 10 Professional or Above Key Sticker only. 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgrade. TECHNICAL SPECIFICATION:- SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 6 MB, 4 Core or above). Intel® Graphic Card (Min 2GB shared/ dedicated). 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend). 3. Hard Disk= 1TB	
134	DGP80291	CORE I5	70257052/8009 1. PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU	
125	DGP796 41	CORE I5	702570524609 1 / PERSONAL COMPUTER		2 / SET	CORE I5 12 GEN						

S. No.	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			(CORE i5)								Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION- SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO):</u> 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
126	DGP80015	CORE i5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE i5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). Intel ® Graphic Card (Min 2GB shared/ dedicated). 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend). 3. Hard Disk= 1TB SATA/SSD. 4. Keyboard= USB (3d Optical). 5. Mouse= USB (Optical LED). 6. LED= 18.5" (Min) or higher (same brand). 7. LAN= Yes (Built in, 10/100/1000). 8. Warranty= Minimum 01 YEAR or as provided by OEM. 9. Operating System= Windows 10 Professional or Above Key Sticker only. 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). Intel ® Graphic Card (Min 2GB shared/ dedicated). 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend). 3. Hard Disk= 1TB	

S. No	LPR No	PART NO	NSN / Description	PrEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 16.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation.	
127	DGP20518	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 16.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU	

S. No.	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 8 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3rd Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgrade.	
128	DGP802 68	ET 16 PLUS	749078532706 5 / SMART SCANNER (CZUR ET16 PLUS BOOK & DOCUMENT SCANNER)		3 / EACH / N UMBER	ET 16 PLUS					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
129	DGP802 74	UA55NU7100R	582020524676 7 / SAMSUNG UHD TV 55" 7 SERIES NU7100		1 / EACH / N UMBER	UA55NU7 100R (7 SERIES NU7100)					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
130	DGP804 23	H42D6FG	773070529206 8 / LED tv 42 Inches		1 / EACH / N UMBER	H42D6FG					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
131	DGD808 23		844050400168 2 / CAP PEAK WHITE FOR CPOS-POS SIZE (658.8) MM		300 / EACH / N UMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	ITEM REQUIRD AS PER SPECIFICA TION

S. No	LPR No	PART NO	NSN / Description	PrEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
132	DCD80619		844050400188 4 / CAP PEAK WHITE FOR CPOS/POS SIZE (577.8) MM		300 / EACH/NUMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	ITEM REQUIERO AS PER SPECIFICA TION
133	DGE72639	1499814	424079526545 8 / ROPE MOORING ORANGE D=8MM STRAND =3X MFB -33 1KN ORINGE PP MBL=3 .3T TRIPLY		30 / METER	N/A					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
134	DGP80277	KD-55X7000F	698078523765 9 / LCD SONY 55 INCH (55")		2 / EACH/NUMBER	SONY					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
135	DGH77288		398070533118 3 / MULTI- PURPOSE TROLLEY		6 / EACH/NUMBER	N/A					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
136	DCD80618		844050400188 5 / CAP PEAK WHITE FOR CPOS/POS SIZE (590.5) MM		300 / EACH/NUMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	ITEM REQUIERO AS PER SPECIFICA TION
137	DGE76274	SA9-27020	620001196013 6 / LIGHT CHEMLUMINE SCENT 6INCH YELLOW	REPLENISHM ENT LIGHT	266 / EACH/NUMBER			CYALUME TECHNOLOGIES SA 295 R MAYOR DE MONTRICHER AIX EN PROVENCE FRANCE AIX EN PROVENCE CEDEX 04 42 37 17 80 04 42 37 17 09 XFARCY@CYALUME. COM WWW.CYALUME.COM	CYALUM E TECHNO LOGIES		TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
138	DGP80519	UE43NU7020	702570513168 2 / 43" LED TV OR EQUIVALENT.	LED TV 36	1 / EACH/NUMBER	UE43NU7020W		PK		PAKISTA N	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			(SONY BRAVIA/TCL/ SAMSUNG/ LG)									
130	DGP727 07	CS-WDC09-655-SAA/CMW 9U	712570514141 8 / 9U WALL MOUNT 19" CABINET	NET WORKING	1 / EACH/NUMBER	NO DATA AVAILABLE		CH	M/S RAISECO M SUITE NO.401A PANJURA MA CENTRE 2 RAJA GHAZAN FAR ALL ROAD SADDAR KARACHI PHON NO. 021-35661550		TECHNICAL SPECIFICATION - CONTECH BRAND GENERAL SPECIFICATION - CONTECH BRAND	
140	DGP604 21	E- STUDIO35 5/E- STUDIO35 7/ E- STUDIO35 28A (35CPM), E-STUDIO E-3508A	361070514044 9 / PLAIN PAPER COPIER TOSHIBA E-STUDIO 355 /357 HEAVY DUTY/CANNO N 2535	PLAIN PAPER COPIER	1 / EACH/NUMBER	E- STUDIO35 5/E- STUDIO35 7/ E- studio352 8a (35cpm)		TOSHIBA SINGAPUR PTE LTD	TOSHIBA JAPAN		TECHNICAL SPECIFICATION - AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 ASR CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER GENERAL SPECIFICATION - AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 ASR CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER	
141	DGP805 02	HP Scanner 20G05A/1,2 747A	746070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	2 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIO ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34538933 FAX NO 021-34538441	HP		TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 800DPI COLOR AND MONOCHROME ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL, 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
142	DGP802 83	HP Scanner 20G05A/L2 747A	749070521648 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	2 / EACH/N UMBER	HP Scanner 20G05A/P ro 2500 F1/PRO 2600 F1	NIL	MS ORA TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR, BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI, TELEPHONE NO 021-34535933 FAX NO 021-34536441	HP		TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
143	DGP804 09	HP Scanner 20G05A/L2 747A	749070521648 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	2 / EACH/N UMBER	HP Scanner 20G05A/P ro 2500 F1/PRO 2600 F1	NIL	MS ORA TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR, BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI, TELEPHONE NO 021-34535933 FAX NO 021-34536441	HP		TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	

S. No	LPR No	PART NO	NSN / Description	PrEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
144	DGE70135	4-0076-9700	424001527401 B / SAFETY GLASSES, REVISION SAWFLY	DHP	50 / EACH/NUMBER			NAM: REVISION EYEWEAR LTD. CTR: UNITED STATES TEL: 802-999-4031 FAX: 802-879-7224 WWW: HTTP://WWW.REVISIONEYEWEAR.COM	HASTINGS FIBER GLASS PRODUCTS		TECHNICAL SPECIFICATION - NAM: REVISION EYEWEAR LTD. CTR: UNITED STATES TEL: 802-999-4031 FAX: 802-879-7224 WWW: HTTP://WWW.REVISIONEYEWEAR.COM GENERAL SPECIFICATION - NAM: REVISION EYEWEAR LTD. CTR: UNITED STATES TEL: 802-999-4031 FAX: 802-879-7224 WWW: HTTP://WWW.REVISIONEYEWEAR.COM	
145	DGP80209		773076520700 B / LED TV 65"	4K UHD TV LEDTV JAPAN	1 / EACH/NUMBER	65X9000 H	NIL	SONY HQ COMPLEX MINATE TOKYO JAPAN WWW.SONY.NET	SONY JAPAN		TECHNICAL SPECIFICATION - A. PANEL SIZE: 65 INCH B. PANEL TYPE: VA LED C. PANEL RESOLUTION: 3820 X 2160 - 4K D. PANEL REFRESH RATE: 120HZ E. HDR 10 SUPPORT: YES F. DOLBY VISION SUPPORT: YES G. WEIGHT (WITH STAND): 23.2KGS H. HDMI PORTS: 4 J. USB PORTS: 2 K. BLUETOOTH: YES L. WI-FI: YES M. ETHERNET: YES N. SPEAKERS: 20W (FULL RANGE (BASS REFLEX) X 2, TWEETER X 2) P. BUILT-IN STORAGE: 1 GENERAL SPECIFICATION - A. PANEL SIZE: 65 INCH B. PANEL TYPE: VA LED C. PANEL RESOLUTION: 3820 X 2160 - 4K D. PANEL REFRESH RATE: 120HZ E. HDR 10 SUPPORT: YES F. DOLBY VISION SUPPORT: YES G. WEIGHT (WITH STAND): 23.2KGS H. HDMI PORTS: 4 J. USB PORTS: 2 K. BLUETOOTH: YES L. WI-FI: YES M. ETHERNET: YES N. SPEAKERS: 20W (FULL RANGE (BASS REFLEX) X 2, TWEETER X 2) P. BUILT-IN STORAGE: 1	
146	DGP80202	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET	COMPUTER	9 / EACH/NUMBER	NO DATA AVAILABLE		PK	PAKISTAN		TECHNICAL SPECIFICATION - Laser, 285 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w). Pages per month 25000 pages. Paper Type A4/A5/B5/Legal/Envelope. Connectivity Parallel and USB Port	

S. No.	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N								Both GENERAL SPECIFICATION:- Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both	
147	DGP804 98	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N	COMPUTER	1 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION:- Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION:- Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both	
148	DGP801 18	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N	COMPUTER	3 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	delivery in Islamabad TECHNICAL SPECIFICATION:- Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION:- Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both	
149	DGP805 95	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET	COMPUTER	1 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION:- Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN. SPECS	Dimension
			Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N								Both GENERAL SPECIFICATION - Laser, 200 MHz, RAM 16 MB / 1200 x 12 dpi, 12 ppm/print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both	
150	DGH743 40	MDI BIN 245	712570513367 6 / PLASTIC BIN BLUE (COVER) SIZE 290 X 270 X 172	PLASTIC BIN	900 / EACH/NUMBER	NO DATA AVAILABLE		PK		HABIB & SONS	TECHNICAL SPECIFICATION - 1. MDI BIN 245 1 SIZE 290 x 270 x 172 2 MATERIAL Polypropylene RG 568 MO 3 COLOR Red, Blue & Yellow 4 CAPACITY 30 Kgs GENERAL SPECIFICATION - 1. MDI BIN 245 1 SIZE 290 x 270 x 172 2 MATERIAL Polypropylene RG 568 MO 3 COLOR Red, Blue & Yellow 4 CAPACITY 30 Kgs	
151	DGP804 21	E-STUDIO355/E-STUDIO357/E-STUDIO3528A (35CPM), E-STUDIO E-3508A	361070514044 9 / PLAIN PAPER COPIER TOSHIBA E-STUDIO 355 /357 HEAVY DUTY/CANNO N 2535	PLAIN PAPER COPIER	1 / EACH/NUMBER	E-STUDIO355/E-STUDIO357/E-STUDIO3528a (35cpm)		PK		PAKISTAN	TECHNICAL SPECIFICATION - AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 ASR/CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER GENERAL SPECIFICATION -AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 ASR/CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER	
152	DGE723 33		167671513426 6 / OXYGEN FREE FLY HELMETS (WHITE)	PARACHUTE	10 / EACH/NUMBER	NO DATA AVAILABLE		US		BATLIC PACIFIC PARACHUTE DIVISION 10 ANSON ROAD INTERNATIONAL PLAZA SE	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	

S. No	LPR No	PART NO	NSN / Description	P-Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									079903 SINGAPORE			
153	DGP802 87	E2722H/M 27FW	743570521488 5 / LCD MONITOR 27 inch	Instructor Console	1 / EACH/NUMBER	E2417H (24") 2722H/F 22P MCR Simulator	NOT KNOWN	PLOT NO C-4/A, S.I.T.E. Karachi, Pakistan. Tel: +92(21)32571111-2 Fax: +92(21)32553111	DELL	delivery in Islamabad	TECHNICAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA 82 HDMI WEIGHT -3.68 KGS (UNPACKED) GENERAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA 82 HDMI WEIGHT -3.68 KGS (UNPACKED)	
154	DGP806 64	LE55K6600F/UHD 4K Smart TV AU7000	773070521469 2 / SMART LED TV 55"	F-22P SIMULATOR	2 / EACH/NUMBER	LE55K6600UG/KD55X7000F/UHD 4K Smart TV AU7000	NOT KNOWN	PLOT NO C-4/A, S.I.T.E. Karachi, Pakistan. Tel: +92(21)32571111-2 Fax: +92(21)32553111	SONY		TECHNICAL SPECIFICATION - a. Item: Smart LED b. Company Name: Haier/SONY c. Model No: LE55K6600UG/KD55X7000F/UHD 4K Smart TV AU7000 d. Size: 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio: 16:9 GENERAL SPECIFICATION - a. Item: Smart LED b. Company Name: Haier/SONY c. Model No: LE55K6600UG/KD55X7000F/UHD 4K Smart TV AU7000 d. Size: 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio: 16:9	
155	DGP802 42		598078517443 LG 1080P	LG 1080P	1 /	TCL 42	NOT	LG CHINA	CHINA		TECHNICAL SPECIFICATION -	

S. No	LPR No	PART NO	NSN / Description	PI Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	84	LG31FR / 42 LQ50	8 / TV LCD TV 42	HDTV	EACH / NUMBER	LG50	KNOWN				INPUT SUPPLY AC100-240V -50/60HZ 2.3A GENERAL SPECIFICATION - INPUT SUPPLY AC100-240V -50/60HZ 2.3A	
156	DGE763 21	04138568	041359924350 3 / FIBER SHEET VULCANISED LG 54" WD 42" THICKNESS 0.031"	FOR AIR COMPRESSOR	50 / KLOGRAMME						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
157	DGE763 23	NIL	041370505097 1 / ANTI SKID DOTTED RUBBER FLOORING COLOUR BLACK 15		60 / EACH / NUMBER						TECHNICAL SPECIFICATION - ANTI SKID DOTTED RUBBER FLOORING COLOUR BLACK 15. LENGTH: 36 INCH thickness 2 mm WIDTH: 14 INCH GENERAL SPECIFICATION - ANTI SKID DOTTED RUBBER FLOORING COLOUR BLACK 15. LENGTH: 36 INCH thickness 2 mm WIDTH: 14 INCH	
158	DGE745 69		041455000437 2 / SHEET ASBESTOS COMPRESSED I.E. (4927/880 DT, 200592)		1000 / KLOGRAMME						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
159	DGE763 16	04138532 80410_92 3_8899 BS1154	041359923889 9 / RUBBER SHEET SOLID NATURAL RUBBER LG 72" CLR OFF WHITE TH 0.500" WD 48" APP WT 4LBS PER SQ FT. BS 1154 COMPOUND 42. HARDNESS RATING 42-50. TENSILE STRENGTH: 2500 PSI		800 / KLOGRAMME						TECHNICAL SPECIFICATION - RUBBER SHEET SOLID NATURAL RUBBER LG 72" CLR OFF WHITE TH 0.500" WD 48" APP WT 4LBS PER SQ FT. BS 1154 COMPOUND 42. HARDNESS RATING 42-50. TENSILE STRENGTH: 2500 PSI packing requirement: standard packing Updated vide PNCOMAU/KMN 9/PNS MOA/WIN/03/10085084 dated 13 aug 21 GENERAL SPECIFICATION - RUBBER SHEET SOLID NATURAL RUBBER LG 72" CLR OFF WHITE TH 0.500" WD 48" APP WT 4LBS PER SQ FT. BS 1154 COMPOUND 42. HARDNESS RATING 42-50.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											TENSILE STRENGTH : 2500 PSI packing requirement: standard packing Updated vide PN/COMAUXMIN 91PN6 MOAWIN/03/10085084 dated 13 aug 21	
160	DGE780 59	BS 2848	055979444489 9 / INSULAT SLEEVE ELEC VARNISHED GLASS FIBRE ID 4MM, TH 0.5 MM	GENERAL ELECTIC USE	10 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
161	DGE722 96	BS 2848	055979444489 9 / INSULAT SLEEVE ELEC VARNISHED GLASS FIBRE ID 4MM, TH 0.5 MM	GENERAL ELECTIC USE	560 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
162	DGE775 67	0414-7803	041459023090 5 / PACKING MATERIAL COTTON YARN FOR FRESH WATER PUMPS 1/2" SQ	FIVE /3 SERVICE PUMP NO.3	10 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
163	DGE750 66	NO DATA AVAILABL E	027570910581 8 / SCRAPER WOOD 05X2- 1/2IN		2 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
164	DGE763 17	NIL	041359023892 3 / RUBBER SHEET SOLID NATURAL (CLOTH INSERT)		130 / KILOGR AMINE						TECHNICAL SPECIFICATION - SPECIFICATION OF ITEM AS PER NMCRL: 1. STRENGTHENING FEATURE= INSERT, 2. STRENGTHENING FEATURE MATERIAL= FABRIC OR FLAX, 3. NONMETALLIC HARDNESS RATING= 42.0 MINIMUM INTERNATIONAL RUBBER HARDNESS DEGREE SCALE AND 50.0 MAXIMUM INTERNATIONAL RUBBER HARDNESS DEGREE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabil ty	Tender Remarks	TECH / GEN SPECS	Dimension
-------	--------	---------	-------------------	-------------	------------	-------	-------------	-----------	--------------	----------------	------------------	-----------

											SCALE. 4. MINIMUM TENSILE STRENGTH= 2500 POUNDS PER SQUARE INCH. 5. WIDTH= 43. INCHES NOMINAL. 6. THICKNESS= 0.031-INCHES NOMINAL. 7. LENGTH= 72-INCHES 8. MATERIAL= RUBBER NATURAL. GENERAL SPECIFICATION - SPECIFICATION OF ITEM AS PER NMCRL: 1. STRENGTHENING FEATURE= INSERT. 2. STRENGTHENING FEATURE MATERIAL= FABRIC OR FLAX. 3. NONMETALLIC HARDNESS RATING= 42.0 MINIMUM INTERNATIONAL RUBBER HARDNESS DEGREE SCALE AND 50.0 MAXIMUM INTERNATIONAL RUBBER HARDNESS DEGREE SCALE. 4. MINIMUM TENSILE STRENGTH= 2500 POUNDS PER SQUARE INCH. 5. WIDTH= 43. INCHES NOMINAL. 6. THICKNESS= 0.031-INCHES NOMINAL. 7. LENGTH= 72-INCHES 8. MATERIAL= RUBBER NATURAL. TECHNICAL SPECIFICATION - BS 1154 OF 1992 COMPOUND Y2 COMPOUND CLASSIFICATION Y-50 Cloth insert, also known as rubber insertion. Thick: 0.063 inch, width: 43 inch. No of PLY: 01 Approx. wt per sq ft: 1/5 Lbs, tensile strength 17Mpa, Hardness: 50+5-4. Spec: BS 1154 GENERAL SPECIFICATION - BS 1154 OF 1992 COMPOUND Y2 COMPOUND CLASSIFICATION Y-50 Cloth insert, also known as rubber insertion. Thick: 0.063 inch, width: 43 inch. No of PLY: 01 Approx. wt per sq ft: 1/5 Lbs, tensile strength 17Mpa, Hardness: 50+5-4. Spec: BS 1154	
185	DGE767 99	NIL	041359923892 4 / RUBBER SHEET SOLID NATURAL		100 / KILOGRAMME						TECHNICAL SPECIFICATION - BS 1154 OF 1992 COMPOUND Y2 COMPOUND CLASSIFICATION Y-50 Cloth insert, also known as rubber insertion. Thick: 0.063 inch, width: 43 inch. No of PLY: 01 Approx. wt per sq ft: 1/5 Lbs, tensile strength 17Mpa, Hardness: 50+5-4. Spec: BS 1154	
186	DGE763 22		041359924350 5 / FIBER SHEET		5 / KILOGRAMME						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA	

S. No	CPR No	PART NO	NSN / Description	P/Equipment	QTY / DEMO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			VULCANISED, LG.56" WD 42" THICKNESS 0.125"								AVAILABLE	
167	DGE758 31	NO DATA AVAILABLE	0451599108160 / TABLE-CLOTH- WOOLEN GREEN, 100% WOOL, WIDTH 5FT-LETTER NO E- 1/4027/1498 DT 07 NOV 95		100 / YARD						TECHNICAL SPECIFICATION - am Specification TABLE CLOTH WOOLEN MATERIAL: 100%WOOL- DIMENSIONS:WIDTH-5FT, LENGTH- AS PER WOS, COLOUR: GREEN, PRICE 300/-PER YARD GENERAL SPECIFICATION - am Specification TABLE CLOTH WOOLEN MATERIAL: 100%WOOL- DIMENSIONS:WIDTH-5FT, LENGTH- AS PER WOS, COLOUR: GREEN, PRICE 300/-PER YARD	
168	DGE766 99	NO DATA AVAILABLE	0415599231411 / PERPEX-SHEET, TRANSPAREN 7.6MM 4FT X 5FT		10 / SHEET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
169	DGT761 33	NIL	0100501000117 / PLY WOOD MARINE SHESHAM GRADE-I		64 / SQ FEET						TECHNICAL SPECIFICATION - SPECIFICATION: 1. PLY WOOD MARINE ALL SHESHAM DURABILITY REQUIRED STANDARD GD-I (CORE INNER & OUTER PLYS OF SHESHAM WOOD) 5 PLY, TYPE OF BOND WBP CLASS-II BS EN 314-2 TREATED WITH PRESERVATIVE AS PER SPECS. 2. BS 1068 PART 1 & 2, 3. DENSITY OF TEMBER (SHESHAM) AS PER INTERNATIONAL STANDARD. 4. SIZES: LENGTH: 8 FEET, WIDTH: 4 FEET, THICKNESS: 3/8 INCH, THICKNESS OF VEENER (FACE&BACK): 06MM (MIN). GENERAL SPECIFICATION - SPECIFICATION: 1. PLY WOOD MARINE ALL SHESHAM DURABILITY REQUIRED STANDARD GD-I (CORE INNER & OUTER PLYS OF SHESHAM	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / QENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											WOOD: 5 PLY. TYPE OF BOND: WBP CLASS-II BS EN 314-2. TREATED WITH PRESERVATIVE AS PER SPECS. 2. BS 1088 PART 1 & 2. 3. DENSITY OF TEMBER (SHEESHAM) AS PER INTERNATIONAL STANDARD. 4. SIZES: LENGTH: 8 FEET. WIDTH: 4 FEET. THICKNESS: 3/8 INCH. THICKNESS OF VENEER (FACE&BACK) 00MM (MIN).	
170	DGB745 94		027250272005 4 / DRILL- TWIST- PARALLEL- SHANK S2 5 00MM		20 / EACH/N UMBER	COS					TECHNICAL SPECIFICATION - DRILL BIT SIZE: DIA 5 MM MATERIAL: HSS GENERAL SPECIFICATION - DRILL BIT SIZE: DIA 5 MM MATERIAL: HSS	
171	DGB740 62		027179910177 5 / TAP THREAD CUTTING CS BSF T/S20, 0TP10.375X1 250XD.294X2 937"		5 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
172	DGB757 83		026559423352 4 / NAIL- STEEL-FINE- FLAT-1.50 INCH		4 / KILOGM AMME						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
173	DGE769 38	NO DATA AVAILABL E	026254000295 5 / HASPS- AND- STAPLES- SIZE-4.00- INCH		4 / EACH/N UMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
174	DGE772 95	947- 430220	H94709000058 2 / RUBBER STRIP	GENERAL PURPOSE	10 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
175	DGE766 95	NO DATA AVAILABL E	033054000449 4 / HEAVING LINE 06MM 150MM 468MS	MSI	300 / METER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPB No	PART NO	NSI Description	Pr Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
176	DGE70282	NO DATA AVAILABLE	047259523774 4 / Life Bouy Ring (Orange) with SOLAS Reflective Tape	FOR SHIPS/BOATS	8 / EACH IN UMBER						TECHNICAL SPECIFICATION - DGS-DNC 10/566 K-7355 EX597 2.5 Kg SOLAS Life Bouy Ring with Reflective Tape. 30" Diameter External dia 74.5 CM - Internal dia 44.5 CM Thickness 11.5CM Buoyancy Rating: 181N. GENERAL SPECIFICATION - DGS-DNC 10/566 K-7355 EX597 2.5 Kg SOLAS Life Bouy Ring with Reflective Tape. 30" Diameter External dia 74.5 CM - Internal dia 44.5 CM Thickness 11.5 CM Buoyancy Rating: 181N.	
177	DGE68514	NO DATA AVAILABLE	047259523774 4 / Life Bouy Ring (Orange) with SOLAS Reflective Tape	FOR SHIPS/BOATS	5 / EACH IN UMBER						TECHNICAL SPECIFICATION - DGS-DNC 10/566 K-7355 EX597 2.5 Kg SOLAS Life Bouy Ring with Reflective Tape. 30" Diameter External dia 74.5 CM - Internal dia 44.5 CM Thickness 11.5CM Buoyancy Rating: 181N. GENERAL SPECIFICATION - DGS-DNC 10/566 K-7355 EX597 2.5 Kg SOLAS Life Bouy Ring with Reflective Tape. 30" Diameter External dia 74.5 CM - Internal dia 44.5 CM Thickness 11.5 CM Buoyancy Rating: 181N.	
178	DGE71177		047450474001 9 / TENT MK 4 COMPLETE WITH ACCESSORIES W/ID JHALER WT. 180 LBS	CAPACITY 5 MAN INNER PLY 5 OZ+9 OZ UPPER	25 / EACH IN UMBER						TECHNICAL SPECIFICATION - Length: 5.00 Meter Width: 5.00 Meter Central Height: 3.50 Meter Flies: 02 Folds: 02 Wall Height: 1.80 Meter Tent Roof & Tent Wall: Made out of 400 gsm/m2 cotton canvas which is rot proof, waterproof and fireproof (Dyed Canvas) Inner Lining: Made out of 150 gsm/m2 cotton canvas which is rot proof, waterproof and fireproof (Dyed Canvas) All accessories are required with Tent Iron Poles (01 x Centre & 02 x Side) Iron Hammer (05 kg) Iron Stick for walls Iron pins Iron pegs Repair Kit P.E Ground Sheet of 180-200 Gsm Mtl Test Certificate / Lab Report ISO 9001, ISO 14001 OUTER/UPPER FLY CANVAS 100%	

S. No	LPR No	PART NO	NSN / Description	Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / OEN SPECS	Dimension
											COTTON ROTPROOF & WATER PROOF. LIST OF ACCESSORIES: IRON PIG X 22 ROPE X 22 BAMBOO (STAND POLE) X 03. GENERAL SPECIFICATION - Length: 5.00 Meter Width: 5.00 Meter Central Height: 3.50 Meter Floor: 02 Folds: 02 Wall Height: 1.80 Meter Tent Roof & Tent Wall: Made out of 400 gm/m2 cotton canvas which is rot proof, waterproof and fireproof (Dyed Canvas) Inner Lining: Made out of 150 gm/m2 cotton canvas which is rot proof, waterproof and fireproof (Dyed Canvas) All accessories are required with Tent Iron Poles (01 x Centre & 02 x Side) Iron Hammer (05 kg) Iron Stick for walls Iron pins Iron pegs Repair Kit P. E Ground Sheet of 180-200 Gsm Mill Test Certificate / Lab Report ISO 9001, ISO 14001 OUTER/UPPERFLY CANVAS: 100% COTTON ROTPROOF & WATER PROOF. LIST OF ACCESSORIES: IRON PIG X 22 ROPE X 22 BAMBOO (STAND POLE) X 03.	
179	DGE724 33	NO DATA AVAILABLE	046150000679 2 / CHALK WHITE SOFT	W/T DOORS & FIT	91.45 / KILOGRAMME						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
180	DGE782 20		422060510192 9 / LIFE JACKET	FOR PERSONAL SAFETY, PMS OASIS, PRIZE ENT	65 / EACH NUMBER						TECHNICAL SPECIFICATION - (1) Buoyancy: 7.5kg (2) Size: One size, adjustable (suitable 76 - 132 cm/2.49 - 4.33" bust) (3) Material: 240D Polyester oxford cloth (4) Buoyancy material: EPE (5) Accessories: Whistle, Fluorescent Ribbons as per attached DRAWING NO TD-1688/2003 GENERAL SPECIFICATION - (1) Buoyancy: 7.5 kg (2) Size: One size, adjustable (suitable 76 - 132 cm/2.49 - 4.33" bust) (3) Material: 240D Polyester oxford cloth (4) Buoyancy material:	

S. No	LPR No	PART NO	NSN / Description	Pr/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											EPE (5) Accessories: Whistle, Fluorescent Ribbons as per attached DRAWING NO TD-1885/2003	
181	DGE740 93	MD231 (CROWN) /EH1504 /EH1418	444079510254 4 / PREMI-AIR DEHUMIDIFIER, 300W, 220/240V SIZE: 350X452X275 MM	DEHUMIDIFIER	4 / EACH/NUMBER	MD231 (CROWN) /EH1504 /EH1418					TECHNICAL SPECIFICATION:- Rated Voltage: 220-240 V- Rated Frequency: 50Hz Power: 240W Working Temperature: 5 oC-35 oC Dehumidifying Capacity: 10 l/Day Hi Side Pressure: 1.7MPa Low Side Pressure: 0.7MPa Refrigerant Charge: R134A/0.09 KG Weight: 10.5 KG GENERAL SPECIFICATION:- Rated Voltage: 220-240 V- Rated Frequency: 50Hz Power: 240W Working Temperature: 5 oC-35 oC Dehumidifying Capacity: 10 l/Day Hi Side Pressure: 1.7MPa Low Side Pressure: 0.7MPa Refrigerant Charge: R134A/0.09 KG Weight: 10.5 KG	
182	DGE743 34	MD231 (CROWN) /EH1504 /EH1418	444079510254 4 / PREMI-AIR DEHUMIDIFIER, 300W, 220/240V SIZE: 350X452X275 MM	DEHUMIDIFIER	3 / EACH/NUMBER	MD231 (CROWN) /EH1504 /EH1418					TECHNICAL SPECIFICATION:- Rated Voltage: 220-240 V- Rated Frequency: 50Hz Power: 240W Working Temperature: 5 oC-35 oC Dehumidifying Capacity: 10 l/Day Hi Side Pressure: 1.7MPa Low Side Pressure: 0.7MPa Refrigerant Charge: R134A/0.09 KG Weight: 10.5 KG GENERAL SPECIFICATION:- Rated Voltage: 220-240 V- Rated Frequency: 50Hz Power: 240W Working Temperature: 5 oC-35 oC Dehumidifying Capacity: 10 l/Day Hi Side Pressure: 1.7MPa Low Side Pressure: 0.7MPa Refrigerant Charge: R134A/0.09 KG Weight: 10.5 KG	
183	DGE723 73	MS148111 /5033-50	422001327212 0 / DIVING GOGGLES WITH SAFETY GLASS DOUBLE SEALING FRAME	FOR DIVING USE	57 / EACH/NUMBER						TECHNICAL SPECIFICATION:- Double lens, 3mm tempered glass, new twin buttons seeger release system, it make glass locking rings removal quick, safe and easy. * Pure silicon mask skirt it fits like the micromask skirt. * cardanic joint buckles (double joint buckles) rotate	

S. No	LPR No	PART NO	NSN / Description	Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											both up-and-down and in-and-out. * quick counterposed push button activation is easy to use even when wearing gloves. * wide headpiece on silicone strap provides stability and comfort. GENERAL SPECIFICATION:- * Double lens. 3mm tempered glass. new twin buttons seeger release system, it make glass locking rings removal quick, safe and easy. * Pure silicon mask skirt it fits like the micromask skirt. * cardano joint buckles (double joint buckles) rotate both up-and-down and in-and-out. * quick counterposed push button activation is easy to use even when wearing gloves. * wide headpiece on silicone strap provides stability and comfort.	
164	DGP80443		361070511791 2 / SHREDDING MACHINE (HEAVY DUTY)	SHREDDER MACHINE	1 / EACH / NUMBER	ST-12C/ST-12CD					TECHNICAL SPECIFICATION:- ST-12C/ST-12CD GENERAL SPECIFICATION:- ST-12C/ST-12CD	
165	DGP80290	02102580 EU	361070509130 4 / SHREDDING MACHINE GBC DUO (SHRED MASTER)		3 / EACH / NUMBER						TECHNICAL SPECIFICATION:- TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut. 2. SHRED SPEED: 2.5/M.MIN. 3. DIN Security Level S3 for medium security. 4. DIMENSIONS (HXWXD): 400X365X257MM. 5. WORKING WIDTH: 220MM. 6. Maximum 11 sheets (70g) of paper in a single pass. 7. Compact size for use under desk. 8. Bin window alerts user when bin needs emptying. 9. Shred staples, paper clips, credit cards and CDs GENERAL SPECIFICATION:- TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut. 2. SHRED SPEED: 2.5/M.MIN. 3. DIN Security Level S3 for medium security. 4. DIMENSIONS (HXWXD):	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DEND	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											400X365X257MM. 5. WORKING WIDTH: 220MM. 6. Maximum 11 sheets (70g) of paper in a single pass. 7. Compact size for use under desk. 8. Bin window alerts user when bin needs emptying. 9. Shred staples, paper clips, credit cards and CDs.	
186	DGB804 10	032102580 EU	361070509130 4 / SHREDDING MACHINE, GBC DUO (SHRED MASTER)		1 / EACH/NUMBER						TECHNICAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut. 2. SHRED SPEED: 2.5M/MIN. 3. DIN Security Level S3 for medium security. 4. DIMENSIONS (HXWXD): 400X365X257MM. 5. WORKING WIDTH: 220MM. 6. Maximum 11 sheets (70g) of paper in a single pass. 7. Compact size for use under desk. 8. Bin window alerts user when bin needs emptying. 9. Shred staples, paper clips, credit cards and CDs. GENERAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut. 2. SHRED SPEED: 2.5M/MIN. 3. DIN Security Level S3 for medium security. 4. DIMENSIONS (HXWXD): 400X365X257MM. 5. WORKING WIDTH: 220MM. 6. Maximum 11 sheets (70g) of paper in a single pass. 7. Compact size for use under desk. 8. Bin window alerts user when bin needs emptying. 9. Shred staples, paper clips, credit cards and CDs.	
187	DGB745 85		513670501055 8 / TAP SET MACHINE SIZE 8X1, 250MM		5 / SET						TECHNICAL SPECIFICATION - Thread Size : M8 Thread Pitch : 1.25 mm Material : HSS Total Length : 70 mm Acceptance Criteria: Physical inspection by concerned workshop. rep. GENERAL SPECIFICATION - Thread Size : M8 Thread Pitch : 1.25 mm Material : HSS Total Length : 70	

S. No	LPR No	PART NO	NSN / Description	Pr Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											nm Acceptance Criteria. Physical inspection by concerned workshop rep.	
188	DGB74754		5180US508038 1 / SCREW DRIVER SET PHILIPS TIP	OBRP CINS	3 / EACH NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
189	DGE78223		564000173659 1 / INSULATION FELT THERMAL GLASS FIBER		0.5 / ROLL						TECHNICAL SPECIFICATION - MIL-I-16411 Sizes: Width: 60 inches Nominal, Thickness: 01 inch Nominal, Length of Roll 45 Feet (540 Inches Nominal). Binder Material: plastic, polyester, Matt-Material: Glass Fiber. GENERAL SPECIFICATION - MIL-I-16411 Sizes: Width: 60 inches Nominal, Thickness: 01 inch Nominal, Length of Roll 45 Feet (540 Inches Nominal). Binder Material: plastic, polyester, Matt-Material: Glass Fiber	
190	DGE72299	NO DATA AVAILABLE	593572507749 3 / RAYCHEM J.S.C.R HEAT SHRINK SLEEVE SZ 35/12 LG 01 METER		275 / METER						TECHNICAL SPECIFICATION - a. Size: 35/12 inch b. Product Category: Dual Wall c. Product Name: TAT-25 d. Operating Temperature °C: -55 to 110 e. Min Full recovery TEMPERATURE °C: 121 f. Color: Standard Black g. Specification: TAT-125 SCD; RW-3032; AS23053-4, Cl. 2; UL 224 h. Flammability rating: ASTM D26714, Procedure B j. Typical Application: Insulate and protect electrical connections, wires and cables from environmental factors like moisture, heat and abrasion GENERAL SPECIFICATION - a. Size: 35/12 inch b. Product Category: Dual Wall c. Product Name: TAT-25 d. Operating Temperature °C: -55 to 110 e. Min Full recovery TEMPERATURE °C: 121 f. Color: Standard Black g. Specification: TAT-125 SCD; RW-3032; AS23053-4, Cl. 2; UL 224 h. Flammability rating: ASTM D26714, Procedure B j.	

S. No	LPR No	PART NO	NSN / Description	Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Typical Application: Insulate and protect electrical connections, wires and cables from environmental factors like moisture, heat and abrasion.	
191	DGE700 48	SA9-27054PF	626001178555 9 / LIGHT, CHEMILUMINE SCENT 6inch RED		186 / EACH NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
192	DGE765 32		653050502400 6 / BED SIDE CABINET S/STEEL 4 WHEEL WITH 3 SHELVES		21 / EACH NUMBER						TECHNICAL SPECIFICATION - a Bed side cabinet model BSL-MHK-006 CRCA Sheet main cabinet, Material type Mild Steel, Paint type Epoxy coated, Color type any color, Drawer type 1 telescopic drawer 2 storage cabinet 1 open and 1 with magnet catcher, Stainless Steel polished top. b. Drawing See model no. BSL-MHK-006 c. Material Material type Mild Steel, (17 gauge) Paint type Epoxy coated, Color type any color, Stainless Steel polished top, Dimension overall approx. size W 395 mm D 370 mm, H 805 mm, mounted on 50 mm plastic DIA castors. 1-top wood made 2-01 shelf with drawer 3-01 shelf with door 4-01 SHELF WITH out DOOR size 1- height - 32 inch 2-width-17.5 inch 3-depth- 18 inch GENERAL SPECIFICATION - a. Bed side cabinet model BSL-MHK-006 CRCA Sheet main cabinet, Material type Mild Steel, Paint type Epoxy coated, Color type any color, Drawer type 1 telescopic drawer 2 storage cabinet 1 open and 1 with magnet catcher, Stainless Steel polished top. b. Drawing See model no. BSL-MHK-006 c. Material Material type Mild Steel, (17 gauge) Paint type Epoxy coated, Color type any color, Stainless Steel polished top, Dimension overall approx. size W.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DEMO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											395 mm D 370 mm, H 805 mm mounted on 50 mm plastic DIA castors. 1-top wood made 2-01 shelf with drawer 3-01 shelf with door 4-01 SHELF WITH out DOOR size 1- height - 32 inch 2-width-17.5 inch 3-depth- 18 inch	
193	DGE78741	NO DATA AVAILABLE	0330000000018 / POPLIN CLOTH TARTAN GREEN WIDTH 36	GENERAL USE FOR BATTERIES OF S/MS	98.2 / YARD	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - material composition of 100% cotton WIDTH = 36" GENERAL SPECIFICATION - material composition of 100% cotton WIDTH = 36"	
194	DGD77238	MS-3443-A/DW-136G	7310705121904 / MICROWAVE OVEN 34/36 LTR 220/110V/AC 50/60HZ 1PHASE	MICROWAVE OVEN 34LTR	1 / EACH/NUMBER	DW-136G					TECHNICAL SPECIFICATION - brand name: (i.e. WESTPOINT/ LG /SHARP / TOSHIBA / DAWLANCE) local: POWERTECH PAKISTAN (PVT) LTD BANGLOW # D-63, BLOCK-08 KDA-24 GULSHAN-E-KOBAI KARACHI GENERAL SPECIFICATION - brand name: (i.e. WESTPOINT/ LG /SHARP / TOSHIBA / DAWLANCE) local: POWERTECH PAKISTAN (PVT) LTD BANGLOW # D-63, BLOCK-08 KDA-24 GULSHAN-E-KOBAI KARACHI	
195	DGE76137	NO DATA AVAILABLE	04745000000007 / FENDER COIR ROUND		24 / EACH/NUMBER	600MM 24" ROUND COIR BOAT FENDER					TECHNICAL SPECIFICATION - CONSTRUCTION-MADE FROM COIR FIBROUS MATERIAL FROM OUTER COAT OF COCONUT. MATERIAL-NATURAL COIR ROPE (LOOK-ROUND OF OBLONG SHAPE, BIODEGRADABLE- YES, WILL DECOMPOSE AND CAN BE DISPOSED OFF NORMALLY. PERFORMANCE IN WATER- NATURALLY WATER PROOF AND RESISTANCE TO SALT WATER DEGRADATION STORAGE-WET AND DRY GENERAL SPECIFICATION - CONSTRUCTION-MADE FROM COIR FIBROUS MATERIAL FROM OUTER COAT OF COCONUT.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											MATERIAL-NATURAL COIR ROPE LOOK ROUND OF OBLONG SHAPE BIODEGRADABLE- YES, WILL DECOMPOSE AND CAN BE DISPOSED OFF NORMALLY. PERFORMANCE IN WATER- NATURALLY WATER PROOF AND RESISTANCE TO SALT WATER DEGRADATION STORAGE-WET AND DRY.	
196	DGE780 45	NO DATA AVAILABL E	046150000000 1 / GOGGLE		15 / EACH/N UMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
197	DGE770 49	NO DATA AVAILABL E	752000543649 2 / PAPER TOWEL		17 / BOX						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
198	DGE780 70	NO DATA AVAILABL E	043250000000 6 / DUST RESPIRATOR		75 / EACH/N UMBER	M 511- N95					TECHNICAL SPECIFICATION - packing: standard Product Name: KN95 Respirator Face Mask Aerosol Type: Non Oil Color: White Size: Universal Exhalation valve: No Strap Attachment: Stapled Adjustable Noise: clip Yes Standard: KN95 China (GB 2626-2006) Filtering Rate: = 95% GENERAL SPECIFICATION - packing: standard Product Name: KN95 Respirator Face Mask Aerosol Type: Non Oil Color: White Size: Universal Exhalation valve: No Strap Attachment: Stapled Adjustable Noise: clip Yes Standard: KN95 China (GB 2626-2006) Filtering Rate: = 95%	
199	DGE615 53		834070508791 5 / HIGH QUALITY KUWAITI DELUXE TENT 23 X 15 FT	GENERAL PURPOSE	2 / EACH/N UMBER						TECHNICAL SPECIFICATION - Length: 8 Meter Width: 5 Meter Height of Tent: 3.00 Meter Height of Walls: 1.80 Meter Fabric Material: Outer Fold: First fold of 20 Ozs per m2 waterproof, rot proof & fungus proof cotton canvas natural gray color. Middle: Fold made of black dyed cotton sheeting for prevention of sun rays, weight 3/4 Ozs per m2	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
-------	--------	---------	-------------------	-------------	------------	-------	-------------	-----------	--------------	----------------	------------------	-----------

											Inner: Inner Fold made of colored sheeting of 150 G/M2 (5/6 Ozs perm2) Accessories All accessories are required with Tent & Iron Poles (Centre & Side) & Iron Hammer & Iron Stick for walls & Iron pins & Iron pegs & Repair Kit & P.E Ground Sheet of 180-200 Gsm SIZE: 23 X 15 FT FLY & FOLD WALL HEIGHT: 5 FT 8 INCH DETACHABLE MATERIAL: DOUBLE COTTON CANVAS, JUNGLE GREEN, WATERPROOF, UV FLAME RESISTANT USAGE: OUTDOOR OEM COC AND AUTHORIZED DEALER COUNTRY OF ORIGIN: PAKISTAN GENERAL SPECIFICATION - Length: 8 Meter Width: 5 Meter Height of Tent: 3.00 Meter Height of Walls: 1.80 Meter Fabric Material: Outer Fold: First fold of 20 Ozs per m2 waterproof, rot proof & fungus proof cotton canvas natural gray color. Middle: Fold made of black dyed cotton sheeting for prevention of sun rays, weight 3/4 Ozs per m2. Inner: Inner Fold made of colored sheeting of 150 G/M2 (5/6 Ozs perm2) Accessories All accessories are required with Tent & Iron Poles (Centre & Side) & Iron Hammer & Iron Stick for walls & Iron pins & Iron pegs & Repair Kit & P.E Ground Sheet of 180-200 Gsm SIZE: 23 X 15 FT FLY & FOLD WALL HEIGHT: 5 FT 8 INCH DETACHABLE MATERIAL: DOUBLE COTTON CANVAS, JUNGLE GREEN, WATERPROOF, UV FLAME RESISTANT USAGE: OUTDOOR OEM COC AND AUTHORIZED DEALER COUNTRY OF ORIGIN: PAKISTAN TECHNICAL SPECIFICATION - 1- 600 gsm (+/- 5%) 100 % cotton canvas 2. WATER AND ROT	
200	DOE61555	OUTER FLY&FOLD MADE OF	8340705087816 / TENT MARQUEE	GENERAL PURPOSE	2 / EACH IN LUMBER							

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		COTPCO NV	UNIVERSAL G. 5(SZ27X19.8FT) FOLD&FLY TWO (J-GREEN)								RESISTANT FABRIC IN LIVE GREEN. 3. GROUND SHEET AND MUD FLAP 180 GSM(+/- 5%. 4. ACCESSORIES 5. COMPLETE WITH METAL PLATES OF POWDER COATED STEEL PIPES IRON PES GROUND PINS AND GUY ROPES 6.DIMENSION: LENGTH X WIDTH OUTER TENT (OPTION 1) USABLE AREA 6.8X6.2 MTRS CENTER HEIGHT 3.65 M WALL HEIGHT 1.63 (OPTION 2) 1.USABLE AREA 5.5 X6 MTRS CENTER HEIGHT 3.65 M WALL HEIGHT 1.63 GENERAL SPECIFICATION - 1. 800 gsm (+/- 5%) 100 % COTTON CANVAS 2. WATER AND ROT RESISTANT FABRIC IN LIVE GREEN. 3. GROUND SHEET AND MUD FLAP 180 GSM(+/- 5%. 4. ACCESSORIES 5. COMPLETE WITH METAL PLATES OF POWDER COATED STEEL PIPES IRON PES GROUND PINS AND GUY ROPES 6.DIMENSION: LENGTH X WIDTH OUTER TENT (OPTION 1) USABLE AREA 6.8X6.2 MTRS CENTER HEIGHT 3.65 M WALL HEIGHT 1.63 (OPTION 2) 1.USABLE AREA 5.5 X6 MTRS CENTER HEIGHT 3.65 M WALL HEIGHT 1.63	
201	DGP06279	NO DATA AVAILABLE	005050000010 2 / PAPER GRAPH TRANSPARENT 50.8CMX101.6CM GSM 65 5% 1"-105QR		105 / SHEET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
202	DGP06275		046150000845 3 / TARGETS PAPER BROWN SIZE 690 MM X 1270 MM		1873 / SHEET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

MEMORANDUM HOW THE TOTAL OF A CHEQUE IS MADE UP (CHEQUE SLIP)

Auth Sec III Para 80 Sub Para (ii) Office Manual Part-III

779

Pakistan Military Accountant Department

Office of the CNA Karachi No & Date Of cheque _____ Serial No Of Cheque slip _____

In Payment Of bill No:- 1 dt 13/01/2025

300000.00

Bank A/c No PK17HABB0004540013100701

300000.00

In Words Rs THREE HUNDRED THOUSAND

For C N A

(Signature of Offr Signing the cheque)

Initial

Supdt Audit Sec

Initial

Officer O/C Audit Sec

HBL 'A' BLOCK BRANCH PAK SECRETARIAT, ISLAMABAD ISLAMABAD

To P.P.R.A

PPRA 1st Floor FBC Building Near State Bank Sector G-5/2, Islamabad

Copy To LP Division

2. LAO (NAVY) NSD KARACHI 1