

# KARACHI PORT TRUST

STORES DEPARTMENT - LOCAL PURCHASE Section: **MAIN LOCAL**

Enquiries Opening Date **07-MAY-24** and **07-MAY-24** Drop Time 1030 Hrs & Opening 1100 Hours

Page 1 of 5

<b>Enquiry No.</b> <b>2324-6380</b>	Date <b>18-APR-24</b>	<b>36(A)</b>	Date of Opening <b>07-MAY-24</b>	<b>NSN# 2090 KP 0050662</b>	<b>Qty. 8</b>	<b>EA</b>
<b>Item Desc.</b> MAINTENANCE FREE RECHARGEABLE BATTERY GEL / AGM (VRLA) VALVE REGULATED LEAD ACID DEEP CYCLE / DUAL , 12 V, 200 AH TO 220 AH AT 10 HRS, CCA 650A MINIMUM, HORIZONTAL SHAPE), SPECIFICATION :- MAINTENANCE FREE RECHARGEABLE BATTERY GEL / AGM (VRLA) VALVE REGULATED LEAD ACID DEEP CYCLE / DUAL , 12 V, 200 AH TO 220 AH AT 10 HRS, CCA 650A MINIMUM, HORIZONTAL SHAPE),						
<b>Drawing#</b> NA						
<b>Part#</b> NA						
<b>item_type</b> NA						
<b>Sp. Ins 4 Supp.</b> BATTERY						
<b>Remarks</b> --- NIL --- BROUCHER MUST BE STATED						
<b>Parnt. Eqp.</b> MAIN ENGINES OF TUGS MT SINDBAD-II , MT SHANAWAR-II , MT LYARI , MT						
<b>Cntry of Origin</b> MAKE: USA, EU, TURKEY / EQUIVALENT						
<b>Manufacturer</b> --NIL--						
<b>Enquiry No.</b> <b>2324-6381</b>	Date <b>18-APR-24</b>	<b>36(A)</b>	Date of Opening <b>07-MAY-24</b>	<b>NSN# 7110 50 0040376</b>	<b>Qty. 80</b>	<b>EA</b>
<b>Item Desc.</b> OFFICE CHAIRS IN BLACK LEATHERITE WITH GAS LIFT SPECIFICATION :- OFFICE CHAIRS IN BLACK LEATHERITE WITH GAS LIFT						
<b>Drawing#</b> 0708 & 0719						
<b>Part#</b> -- Nil --						
<b>item_type</b> --NIL--						
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> PHOTO MUST BE STATED						
<b>Parnt. Eqp.</b> -- Nil --						
<b>Cntry of Origin</b> -- Nil --						
<b>Manufacturer</b> --NIL--						
<b>Enquiry No.</b> <b>2324-6382</b>	Date <b>18-APR-24</b>	<b>36(A)</b>	Date of Opening <b>07-MAY-24</b>	<b>NSN# 6115 KP 0027745</b>	<b>Qty. 36</b>	<b>EA</b>
<b>Item Desc.</b> INJECTIONNOZZLE WITH NEEDLE SPECIFICATION :-						
<b>Drawing#</b> -- Nil --						
<b>Part#</b> 51.10102-0158						
<b>item_type</b> MECHANICAL						
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> OEM COC REQUIRED ALONG WITH SUPPLY						
<b>Parnt. Eqp.</b> AUX: ENGINES OF SHB BHITSHAH / SEHWAN						
<b>Cntry of Origin</b> GERMANY						
<b>Manufacturer</b> --NIL--						
<b>Enquiry No.</b> <b>2324-6383</b>	Date <b>18-APR-24</b>	<b>36(A)</b>	Date of Opening <b>07-MAY-24</b>	<b>NSN# 2090 KP 0050740</b>	<b>Qty. 4</b>	<b>EA</b>
<b>Item Desc.</b> LUBE OIL CENTRIFUGE COMPLETE SPECIFICATION :- AS ABOVE						
<b>Drawing#</b> NA						
<b>Part#</b> D20.310-001						
<b>item_type</b> MECHANICAL						
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> OEM COC REQUIRED ALONG WITH SUPPLY						
<b>Parnt. Eqp.</b> MAIN ENGINE FITTED ON SHB AHSAN AND AHAD						
<b>Cntry of Origin</b> CHINA						
<b>Manufacturer</b> --NIL--						

# KARACHI PORT TRUST

STORES DEPARTMENT - LOCAL PURCHASE Section: **MAIN LOCAL**

Enquiries Opening Date **07-MAY-24** and **07-MAY-24** Drop Time 1030 Hrs & Opening 1100 Hours

Page 2 of 5

<b>Enquiry No.</b> <u>2324-6384</u> <b>Date</b> 18-APR-24 <b>36(A)</b> <b>Date of Opening</b> 07-MAY-24 <b>NSN#</b> 9999 50 0047769 <b>Qty.</b> 4600 <b>SF</b>
<b>Item Desc.</b> C.C. PAVER (CITY TYPE) 80 m.m THICK (200 m.m X 100 m.m) WITH COMPRESSIVE STRENGTH OF 8000 PSI. SPECIFICATION :- <b>Drawing#</b> -- Nil -- <b>Parnt. Eqp.</b> -- Nil -- <b>Part#</b> -- Nil -- <b>Cntry of Origin</b> -- Nil -- <b>item_type</b> --NIL-- <b>Manufacturer</b> --NIL--
<b>Sp. Ins 4 Supp.</b> --- NIL --- <b>Remarks</b>
<b>Enquiry No.</b> <u>2324-6385</u> <b>Date</b> 18-APR-24 <b>36(A)</b> <b>Date of Opening</b> 07-MAY-24 <b>NSN#</b> 6210 73 0046233 <b>Qty.</b> 100 <b>EA</b>
<b>Item Desc.</b> HIGH QUALITY LED FLOOD LIGHT IP65 STANDARD WITH 100 WATTS DAY LIGHT AND GOOD QUALITY DRIVER INCLUDING HEAT SINK ASSEMBLY AND WALL <b>Drawing#</b> MOUNTED ANGLE IRON FRAME SPECIFICATION :- <b>Part#</b> -- Nil -- <b>Parnt. Eqp.</b> -- Nil -- <b>item_type</b> -- Nil -- <b>Cntry of Origin</b> -- Nil -- <b>Sp. Ins 4 Supp.</b> ---NIL-- <b>Manufacturer</b> --NIL--
<b>Remarks</b> BROUCHER MUST BE STATED
<b>Enquiry No.</b> <u>2324-6386</u> <b>Date</b> 18-APR-24 <b>36(A)</b> <b>Date of Opening</b> 07-MAY-24 <b>NSN#</b> 5975 73 0049827 <b>Qty.</b> 2 <b>PCS</b>
<b>Item Desc.</b> UPS 6 KVA Online, Single Phase Long Battery Backup (Minimum 01 Hour) SPECIFICATION :- UPS 6 KVA Online, Single Phase Long Battery Backup (Minimum 01 Hour) <b>Drawing#</b> Hour <b>Part#</b> -- Nil -- <b>Parnt. Eqp.</b> -- Nil -- <b>item_type</b> -- Nil -- <b>Cntry of Origin</b> -- Nil -- <b>Sp. Ins 4 Supp.</b> ---NIL-- <b>Manufacturer</b> --NIL--
<b>Remarks</b> BROUCHER MUST BE STATED
<b>Enquiry No.</b> <u>2324-6387</u> <b>Date</b> 18-APR-24 <b>36(A)</b> <b>Date of Opening</b> 07-MAY-24 <b>NSN#</b> 6145 50 0002656 <b>Qty.</b> 270 <b>MR</b>
<b>Item Desc.</b> CABLE P.V.C INSULATED P.V.C SHEATED 25MM2 3.1/2 CORE 660 /1000 VOLTAGE GRADE UNARMoured. SPECIFICATION :- <b>Drawing#</b> -- Nil -- <b>Parnt. Eqp.</b> -- Nil -- <b>Part#</b> -- Nil -- <b>Cntry of Origin</b> PAKISTAN <b>item_type</b> --NIL-- <b>Manufacturer</b> --NIL--
<b>Sp. Ins 4 Supp.</b> --- NIL --- <b>Remarks</b> SAMPLE MUST BE SUBMITTED ALONG WITH THE OFFER, OTHERWISE QUOTATION WILL NOT BE ENTERTAINED
<b>Enquiry No.</b> <u>2324-6388</u> <b>Date</b> 18-APR-24 <b>36(A)</b> <b>Date of Opening</b> 07-MAY-24 <b>NSN#</b> 6145 50 0010148 <b>Qty.</b> 270 <b>MR</b>
<b>Item Desc.</b> CABLE PVC/ PVCS 35 MM2 , 3.5 CORE COPPER CONDUCTOR GRADE 600 VOLTS / 1000 VOLTS UNARMoured. SPECIFICATION :- <b>Drawing#</b> -- Nil -- <b>Parnt. Eqp.</b> ELECTRICAL USE <b>Part#</b> -- Nil -- <b>Cntry of Origin</b> PAKISTAN <b>item_type</b> --NIL-- <b>Manufacturer</b> --NIL--
<b>Sp. Ins 4 Supp.</b> --- NIL --- <b>Remarks</b> SAMPLE MUST BE SUBMITTED ALONG WITH THE OFFER, OTHERWISE QUOTATION WILL NOT BE ENTERTAINED

# KARACHI PORT TRUST

STORES DEPARTMENT - LOCAL PURCHASE Section: **MAIN LOCAL**

Enquiries Opening Date **07-MAY-24** and **07-MAY-24** Drop Time 1030 Hrs & Opening 1100 Hours

Page 3 of 5

<b>Enquiry No.</b> <b>2324-6389</b>	Date <b>18-APR-24</b>	<b>36(A)</b>	Date of Opening <b>07-MAY-24</b>	<b>NSN# 9999 KP 0049964</b>	<b>Qty. 1</b>	<b>EA</b>
<b>Item Desc.</b> SUBMERSIBLE PUMP, MAKE: JAPAN ,MODEL: EOA 3.75,DISCHARGE: 80 MM, CAP. MAX: 0.3 M3/MIN,SINGLE PHASE, 240V, 1 HP	SPECIFICATION :- SUBMERSIBLE					
<b>Drawing#</b> PUMP, MAKE: JAPAN ,MODEL: EOA 3.75,DISCHARGE: 80 MM, CAP. MAX: 0.3 M3/MIN,SINGLE PHASE, 240V, 1 HP						
<b>Part#</b> NA	Parnt. Eqp.SUBMERSIBLE PUMP FOR KPT CRAFTS					
<b>item_type</b> EOA 3.75	Cntry of Origin JAPAN					
<b>Sp. Ins 4 Supp.</b> MECHANICAL	Manufacturer --NIL--					
<b>Remarks</b> --- NIL ---						
OEM COC REQUIRED ALONG WITH SUPPLY						
<b>Enquiry No.</b> <b>2324-6390</b>	Date <b>18-APR-24</b>	<b>36(A)</b>	Date of Opening <b>07-MAY-24</b>	<b>NSN# 9999 50 0001702</b>	<b>Qty. 1000</b>	<b>TI</b>
<b>Item Desc.</b> PHENYLE TYFON PERFUMED IN 3 LITER TIN	SPECIFICATION :-					
<b>Drawing#</b> -- Nil --	Parnt. Eqp.-- Nil --					
<b>Part#</b> -- Nil --	Cntry of Origin PAKISTAN					
<b>item_type</b> --NIL--	Manufacturer --NIL--					
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b>						
<b>Enquiry No.</b> <b>2324-6391</b>	Date <b>18-APR-24</b>	<b>36(A)</b>	Date of Opening <b>07-MAY-24</b>	<b>NSN# 6210 50 0047682</b>	<b>Qty. 30</b>	<b>EA</b>
<b>Item Desc.</b> L.E.D FLOOD LIGHT 400 WATTS 220 VOLTS, IP 65 INPU VOLTAGE AC 100, 265 VOLTS 50-60 HZ MAKE OSAKA, PHILIPS OR EQUIVALENT	SPECIFICATION :-					
<b>Drawing#</b> -- Nil --	Parnt. Eqp.N/A					
<b>Part#</b> -- Nil --	Cntry of Origin N/A					
<b>item_type</b> N/A	Manufacturer --NIL--					
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b> BROUCHER MUST BE STATED						
<b>Enquiry No.</b> <b>2324-6392</b>	Date <b>18-APR-24</b>	<b>36(A)</b>	Date of Opening <b>07-MAY-24</b>	<b>NSN# 4140 KP 0035341</b>	<b>Qty. 78</b>	<b>EA</b>
<b>Item Desc.</b> BRACKET FAN 16" 220V AC, COMPLETE	SPECIFICATION :-					
<b>Drawing#</b> -- Nil --	Parnt. Eqp.FOR CRAFTS AND BOATS ONLY					
<b>Part#</b> NIL	Cntry of Origin PAKISTAN					
<b>item_type</b> ELECTRICAL	Manufacturer --NIL--					
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b>						
<b>Enquiry No.</b> <b>2324-6393</b>	Date <b>18-APR-24</b>	<b>36(A)</b>	Date of Opening <b>07-MAY-24</b>	<b>NSN# 6145 50 0001673</b>	<b>Qty. 360</b>	<b>MR</b>
<b>Item Desc.</b> CABLE P.V.C/P.V.C.S 660/1100 VOLTS SIZE 7/064,4CORE (16MM2)	SPECIFICATION :-					
<b>Drawing#</b> -- Nil --	Parnt. Eqp.-- Nil --					
<b>Part#</b> -- Nil --	Cntry of Origin PAKISTAN					
<b>item_type</b> --NIL--	Manufacturer --NIL--					
<b>Sp. Ins 4 Supp.</b> --- NIL ---						
<b>Remarks</b>						

# KARACHI PORT TRUST

STORES DEPARTMENT - LOCAL PURCHASE Section: **MAIN LOCAL**

Enquiries Opening Date **07-MAY-24** and **07-MAY-24** Drop Time 1030 Hrs & Opening 1100 Hours

Page 4 of 5

<b>Enquiry No.</b> <u>2324-6394</u> <b>Date</b> 18-APR-24 <b>36(A)</b> <b>Date of Opening</b> 07-MAY-24 <b>NSN#</b> 2920 KP 0024886 <b>Qty.</b> 24 <b>EA</b>
<b>Item Desc.</b> SWITCH ROTARY DOUBLE POLE,250 VOLTS 10 AMPRES WITH KNOB COMPLETE. SPECIFICATION :- <b>Drawing#</b> -- Nil -- <b>Parnt. Eqp.</b> ELECTRIC FITTINGS B.D AFTAB <b>Part#</b> -- Nil -- <b>Cntry of Origin</b> GER <b>item_type</b> MECH <b>Manufacturer</b> --NIL--
<b>Sp. Ins 4 Supp.</b> --- NIL --- <b>Remarks</b> OEM COC REQUIRED ALONG WITH SUPPLY
<b>Enquiry No.</b> <u>2324-6455</u> <b>Date</b> 18-APR-24 <b>36(A)</b> <b>Date of Opening</b> 07-MAY-24 <b>NSN#</b> 6007 73 0037047 <b>Qty.</b> 4 <b>EA</b>
<b>Item Desc.</b> OIL FILTER POWER PART NOS 2654408 PERKINS ENGLAND SPECIFICATION :- <b>Drawing#</b> -- Nil -- <b>Parnt. Eqp.</b> -- Nil -- <b>Part#</b> -- Nil -- <b>Cntry of Origin</b> -- Nil -- <b>item_type</b> --NIL-- <b>Manufacturer</b> --NIL--
<b>Sp. Ins 4 Supp.</b> --- NIL --- <b>Remarks</b> OEM COC REQUIRED ALONG WITH SUPPLY
<b>Enquiry No.</b> <u>2324-6456</u> <b>Date</b> 18-APR-24 <b>36(A)</b> <b>Date of Opening</b> 07-MAY-24 <b>NSN#</b> 2815 KP 0029865 <b>Qty.</b> 20 <b>EA</b>
<b>Item Desc.</b> ELEMENT AS- FILTER (OIL FILTER) EACH ENCLUDES SEAL 4W3251 SPECIFICATION :- <b>Drawing#</b> 4W6874 OIL FILTER GROUP - PART 2 OF 2 <b>Parnt. Eqp.</b> MAIN DIESEL ENGINES OF MT TAQATWAR/SHEHZORE <b>Part#</b> 4P - 2839 <b>Cntry of Origin</b> U.S.A <b>item_type</b> MECHANICAL <b>Manufacturer</b> --NIL--
<b>Sp. Ins 4 Supp.</b> --- NIL --- <b>Remarks</b> OEM COC REQUIRED ALONG WITH SUPPLY
<b>Enquiry No.</b> <u>2324-6457</u> <b>Date</b> 18-APR-24 <b>36(A)</b> <b>Date of Opening</b> 07-MAY-24 <b>NSN#</b> 2815 KP 0044029 <b>Qty.</b> 4 <b>EA</b>
<b>Item Desc.</b> ELEMENT ASSY, OIL CLEANER (OIL DRAIN PIPING) SPECIFICATION :- <b>Drawing#</b> -- Nil -- <b>Parnt. Eqp.</b> MAIN ENGINES OF GRP BOATS MEHNAZ / SIBYA <b>Part#</b> N26-13440-00 <b>Cntry of Origin</b> JAPAN <b>item_type</b> MECHANICAL <b>Manufacturer</b> --NIL--
<b>Sp. Ins 4 Supp.</b> --- NIL --- <b>Remarks</b> OEM COC REQUIRED ALONG WITH SUPPLY
<b>Enquiry No.</b> <u>2324-6458</u> <b>Date</b> 18-APR-24 <b>36(A)</b> <b>Date of Opening</b> 07-MAY-24 <b>NSN#</b> 5999 50 0026585 <b>Qty.</b> 2 <b>EA</b>
<b>Item Desc.</b> DIGITAL MULTIMETER (AVO METER) TYPE TES 2360 SPECIFICATION :- <b>Drawing#</b> -- Nil -- <b>Parnt. Eqp.</b> -- Nil -- <b>Part#</b> -- Nil -- <b>Cntry of Origin</b> PAKISTAN <b>item_type</b> --NIL-- <b>Manufacturer</b> --NIL--
<b>Sp. Ins 4 Supp.</b> --- NIL --- <b>Remarks</b> BROUCHER MUST BE STATED

# KARACHI PORT TRUST

STORES DEPARTMENT - LOCAL PURCHASE Section: **MAIN LOCAL**

Enquiries Opening Date **07-MAY-24** and **07-MAY-24** Drop Time 1030 Hrs & Opening 1100 Hours

Page 5 of 5

Enquiry No.	<b>2324-6459</b>	Date	<b>18-APR-24</b>	<b>36(A)</b>	Date of Opening	<b>07-MAY-24</b>	<u>NSN#</u>	<b>2895 50 0033594</b>	Qty.	<b>16</b>	<b>EA</b>
Item Desc.	<b>CLEANER,AIR SPECIFICATION :-</b>										
Drawing#	-- Nil --					Parnt. Eqp.B Series Engines					
Part#	392489300					Cntry of Origin -- Nil --					
item_type	--NIL--					Manufacturer --NIL--					
Sp. Ins 4 Supp.	--- NIL ---										
Remarks	OEM COC REQUIRED ALONG WITH SUPPLY										